MANTECH Publications

Journal of Building and Construction Engineering
Volume 10, Issue 2, July-December, 2025
ISSN: 3107-8796 (Online)

Renewable Energy Integration in Buildings

Ritesh Pandey[1], Dipasha Kulkarni[2], Md. Faizan Ali[3]

Associate Professor[1], Students[2, 3]

Department of Building Engineering

Sahyadri College of Engineering, Kolhapur, India

Email ID: *ritesh.pandey50@yahoo.com[1], dipashakulkarni7@rediffmail.com[2], faizanmdali10@gmail.com[3]*

ABSTRACT

The rapid growth in energy demand from the building sector has raised serious concerns related to fossil fuel depletion, greenhouse gas emissions, and long-term environmental sustainability. Buildings account for a significant share of global electricity consumption and carbon emissions, particularly due to heating, cooling, lighting, and operation of appliances. In this context, integration of renewable energy systems into buildings has emerged as an effective strategy to reduce dependency on conventional energy sources and improve overall energy efficiency. This paper presents a comprehensive review of renewable energy integration in buildings, focusing on solar, wind, geothermal, and biomass-based systems. Various integration approaches, including building-integrated renewable energy systems and hybrid solutions, are discussed. The paper also examines technological advancements, performance assessment methods, economic feasibility, and policy support mechanisms. Challenges related to intermittency, high initial costs, design complexity, and user acceptance are highlighted. Finally, future prospects and research directions are outlined to promote wider adoption of renewable energy in residential and commercial buildings.

KEYWORDS: *Renewable energy, Building integration, Solar energy, Energy-efficient buildings,* Sustainable construction

Page 63-73 © MANTECH PUBLICATIONS 2025. All Rights Reserved

INTRODUCTION

The building sector plays a crucial role in global energy consumption and environmental impact. Residential and commercial buildings together consume nearly 30–40% of total global energy and contribute significantly to carbon dioxide emissions. Rapid urbanization, population growth, and improved living standards have further increased energy demand in buildings, especially in developing countries. Traditional energy systems based on fossil fuels are not only limited in supply but also responsible for climate change and air pollution.

Renewable energy sources such as solar, wind, geothermal, and biomass offer cleaner alternatives that can be locally harnessed and integrated into buildings. Unlike centralized power generation, on-site renewable energy systems reduce transmission losses and enhance energy security. Renewable energy integration in buildings refers to the design and operation of buildings that utilize renewable energy technologies either partially or fully to meet their energy requirements.

In recent years, advances in materials, power electronics, and building design have enabled effective integration of renewable systems into building envelopes and services. Concepts such as net-zero energy buildings (NZEBs) and positive energy buildings are gaining attention worldwide. However, the practical implementation of renewable energy systems in buildings still faces technical, economic, and social challenges. This paper aims to review existing renewable energy technologies suitable for buildings, integration strategies, benefits, limitations, and future trends.

RENEWABLE ENERGY SOURCES SUITABLE FOR BUILDINGS

1. Solar Energy

Solar energy is the most widely used renewable energy source in buildings due to its availability and scalability. Solar technologies can be broadly classified into solar photovoltaic (PV) systems and solar thermal systems.

Solar PV systems convert sunlight directly into electricity using semiconductor materials. These systems can be installed on rooftops, façades, or integrated into building elements such As windows and shading devices. Building integrated photovoltaics (BIPV) replace conventional construction materials, serving both functional and aesthetic purposes.

Page 63-73 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Solar thermal systems are mainly used for water heating and space heating applications. Flat-plate collectors and evacuated tube collectors are commonly installed on rooftops. In colder climates, solar thermal systems can significantly reduce energy consumption for domestic hot water.

2. Wind Energy

Wind energy integration in buildings is less common compared to solar energy due to variability in wind speed and site-specific constraints. Small-scale wind turbines can be installed on rooftops or integrated into high-rise buildings. Vertical axis wind turbines (VAWTs) are often preferred for urban applications because they operate at lower wind speeds and generate less noise.

However, wind energy potential in urban areas is generally limited due to turbulence caused by surrounding buildings. Careful assessment of wind patterns and structural considerations is required before installation.

3. Geothermal Energy

Geothermal energy utilizes the stable temperature of the earth for heating and cooling through ground source heat pump systems. These systems are highly efficient and can provide year-round thermal comfort. Geothermal heat pumps are suitable for both residential and commercial buildings, particularly where land availability allows for ground loop installation. Although initial installation costs are relatively high, geothermal systems offer long-term energy savings and low operating costs. They also have minimal visual impact compared to other renewable systems.

4. Biomass Energy

Biomass energy in buildings is mainly used for space heating and cooking. Biomass boilers and stoves use organic materials such as wood pellets, agricultural waste, and biogas. In rural or semi-urban areas, biomass can be a viable renewable energy option where feedstock is locally available.

However, biomass systems require proper emission control and regular maintenance. Sustainability of biomass resources must be ensured to avoid deforestation and air quality

Page 63-73 © MANTECH PUBLICATIONS 2025. All Rights Reserved

issues.

INTEGRATION APPROACHES IN BUILDINGS

1. Building-Integrated Renewable Energy Systems

Building-integrated renewable energy systems involve incorporating renewable technologies directly into building components. Examples include BIPV panels integrated into roofs and façades, solar shading devices, and transparent PV windows. Such integration improves land-use efficiency and enhances architectural appeal.

2. Hybrid Energy Systems

Hybrid systems combine multiple renewable energy sources or integrate renewables with conventional energy systems. For example, a building may use solar PV along with grid electricity and battery storage. Hybrid systems improve reliability and reduce the impact of intermittency associated with renewable sources.

3. Energy Storage Integration

Energy storage plays a critical role in renewable energy integration. Battery storage systems help store excess electricity generated during peak production periods and supply energy during low generation periods. Thermal energy storage, such as hot water tanks, is commonly used with solar thermal systems.

PERFORMANCE ASSESSMENT AND ENERGY MODELING

Performance assessment and energy modeling are critical components in evaluating the effectiveness of renewable energy integration in buildings. Proper assessment helps in understanding how renewable systems interact with building design, occupancy patterns, and climatic conditions. Without systematic evaluation, the expected energy savings and environmental benefits may not be achieved in real operation.

1. Importance of Performance Evaluation

The performance of renewable energy systems in buildings is influenced by several factors, including system configuration, building orientation, local climate, and user behavior. Performance assessment enables designers and decision-makers to verify whether installed

Page 63-73 © MANTECH PUBLICATIONS 2025. All Rights Reserved

systems meet design expectations. It also helps in identifying operational issues such as underperformance, energy losses, and mismatches between energy supply and demand.

Regular monitoring and evaluation are especially important for complex systems such as hybrid renewable energy installations and net-zero energy buildings, where multiple technologies operate together.

2. Building Energy Simulation Tools

Energy simulation tools are widely used to model and predict the energy performance of buildings with integrated renewable energy systems. Software such as EnergyPlus, TRNSYS, and DesignBuilder allow detailed modeling of building geometry, materials, HVAC systems, and renewable energy components.

EnergyPlus is commonly used for simulating heating, cooling, lighting, and renewable energy systems under different weather conditions. TRNSYS is particularly suitable for transient simulations and is often applied to solar thermal and hybrid energy systems. DesignBuilder provides a user-friendly interface and is widely used for early-stage design analysis and performance comparison.

These tools help designers optimize system sizing, orientation, and control strategies. Simulation-based analysis reduces design errors and supports informed decision-making before actual construction or installation.

3. Key Performance Indicators (KPIs)

Several key performance indicators are used to assess renewable energy performance in buildings. Energy generation capacity and annual energy yield are basic indicators that show how much renewable energy is produced. System efficiency measures how effectively the installed technology converts available resources into usable energy.

Economic indicators such as payback period, net present value, and levelized cost of energy are commonly used to evaluate financial feasibility. Environmental indicators include reduction in carbon dioxide emissions and decrease in fossil fuel consumption. These indicators

Page 63-73 © MANTECH PUBLICATIONS 2025. All Rights Reserved

allow comparison between different renewable energy options and help in selecting the most suitable system.

4. Monitoring and Measurement Techniques

Actual performance monitoring is essential to validate simulation results. Smart meters, sensors, and data logging systems are used to measure electricity generation, energy consumption, and system efficiency. Real-time monitoring helps in detecting faults and improving operational performance.

Post-occupancy evaluation studies provide valuable feedback on how occupants interact with renewable energy systems. In some cases, behavioral factors significantly influence overall energy performance, highlighting the importance of user awareness and training.

5. Life Cycle Assessment (LCA)

Life cycle assessment is an important tool for evaluating the environmental impacts of renewable energy systems over their entire life span, from raw material extraction to disposal or recycling. LCA considers embodied energy, operational energy, and end-of-life impacts, providing a more comprehensive sustainability assessment.

Although renewable energy systems reduce operational emissions, manufacturing and installation processes may involve energy-intensive materials. LCA helps identify these hidden impacts and supports selection of environmentally preferable technologies.

6. Limitations of Current Modeling Approaches

Despite their usefulness, energy modeling tools have certain limitations. Simulation results depend heavily on input data quality and assumptions related to occupancy and system operation. Simplifications in models may lead to deviations between predicted and actual performance.

Moreover, advanced modeling tools require technical expertise, which may not be readily available in small-scale projects. Improving model accuracy and developing simpler assessment methods remain important research areas.

Page 63-73 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Overall, performance assessment and energy modeling provide essential support for successful integration of renewable energy in buildings. When combined with monitoring and life cycle analysis, these tools enable reliable evaluation and continuous improvement of building energy performance.

ECONOMIC AND ENVIRONMENTAL BENEFITS

Integration of renewable energy in buildings offers several benefits. Reduced electricity bills and protection against energy price fluctuations are major economic advantages. Environmentally, renewable energy systems significantly reduce greenhouse gas emissions and reliance on fossil fuels.

Table 1: Comparison of Renewable Energy Systems for Buildings

Energy Source	Typical Application	Initial Cost	Maintenance	Environmental Impact
Solar PV	Electricity generation	High	Low	Very low emissions
Solar Thermal	Water heating	Medium	Low	Low emissions
Wind	Electricity generation	Medium	Medium	Low emissions
Geothermal	Heating and cooling	High	Low	Very low emissions
Biomass	Space heating	Medium	Medium	Moderate emissions

POLICIES, STANDARDS, AND INCENTIVES

Government policies, regulatory frameworks, and incentive mechanisms play a crucial role in accelerating the adoption of renewable energy systems in buildings. Since the initial investment cost of renewable technologies is often higher than that of conventional systems, policy support becomes essential to make these solutions economically attractive and technically viable. Well-designed policies not only encourage building owners to invest in renewable energy but also guide planners, architects, and engineers toward sustainable design practices.

Page 63-73 © MANTECH PUBLICATIONS 2025. All Rights Reserved

1. National and Regional Policy Frameworks

At the national level, many countries have introduced renewable energy targets and action plans that directly or indirectly influence the building sector. These policies often mandate a minimum share of renewable energy in new constructions or promote on-site energy generation through rooftop solar installations. In several regions, building energy codes require integration of renewable energy systems for residential and commercial buildings above a certain floor area.

Local and municipal governments also play an important role by incorporating renewable energy provisions into urban development regulations and zoning laws. City-level initiatives promoting net-zero energy buildings and low-carbon housing developments have shown positive results in increasing renewable energy penetration. However, implementation effectiveness often depends on coordination between multiple government agencies.

2. Building Codes and Energy Performance Standards

Building energy codes and standards provide technical guidelines to improve energy efficiency and promote renewable energy use. These standards define minimum performance requirements related to insulation, lighting, heating, cooling, and on-site energy generation. Energy performance standards encourage designers to consider renewable systems at the early stages of building planning.

Mandatory energy performance certification and building energy labeling schemes have also been introduced in many countries. Such measures improve transparency and allow building owners and occupants to understand the energy performance of their buildings. Over time, these standards push the market toward higher efficiency and greater use of renewable energy technologies.

3. Financial Incentives and Economic Support Mechanisms

Financial incentives are among the most effective tools for promoting renewable energy integration in buildings. Common incentive mechanisms include capital subsidies, tax rebates, accelerated depreciation benefits, and low-interest loans for renewable energy installations. Feed-in tariffs and net metering policies allow building owners to sell excess electricity

Page 63-73 © MANTECH PUBLICATIONS 2025. All Rights Reserved

generated from renewable sources back to the grid, improving the economic viability of systems such as rooftop solar PV.

Incentive programs have proven particularly successful in increasing adoption in the residential sector, where investment decisions are highly cost-sensitive. However, frequent changes in incentive structures and delays in subsidy disbursement can reduce investor confidence and slow down adoption rates.

4. Green Building Rating Systems

Green building rating systems such as energy-efficient building certifications encourage renewable energy integration by awarding credits for on-site renewable energy generation. These rating systems assess buildings based on energy efficiency, water use, material selection, indoor environmental quality, and overall sustainability performance. Integration of renewable energy often contributes significantly to achieving higher certification levels.

Although green building certifications are voluntary in many regions, they provide market recognition and long-term operational benefits. Developers are increasingly adopting these rating systems to enhance building value and environmental reputation.

5. Challenges in Policy Implementation

Despite the availability of policies and incentives, several challenges limit their effectiveness, particularly in developing countries. Lack of awareness among building owners, designers, and contractors often leads to underutilization of available incentives. In addition, complex approval procedures, unclear technical guidelines, and lengthy permission processes discourage small-scale renewable energy projects.

Policy inconsistency and frequent regulatory changes also create uncertainty for investors and technology providers. In some regions, weak enforcement of building energy codes reduces their impact. Addressing these challenges requires capacity building, simplified regulatory processes, stable policy frameworks, and improved coordination between stakeholders.

Overall, strong and consistent policy support, combined with effective standards and incentives, is essential for large-scale integration of renewable energy in buildings. A balanced

Page 63-73 © MANTECH PUBLICATIONS 2025. All Rights Reserved

approach that considers technical feasibility, economic affordability, and social acceptance can significantly enhance the success of renewable energy policies.

CHALLENGES AND LIMITATIONS

Despite the benefits, several challenges limit widespread adoption of renewable energy in buildings. High initial investment costs remain a major barrier. Technical challenges include system integration, space constraints, and intermittency of renewable sources.

Design complexity and lack of skilled professionals can also affect system performance. In some cases, user behavior and maintenance issues reduce expected energy savings. Addressing these challenges requires interdisciplinary collaboration and capacity building.

FUTURE PROSPECTS AND RESEARCH DIRECTIONS

Future research should focus on improving efficiency and affordability of renewable energy technologies. Advancements in energy storage, smart grids, and building automation systems will enhance renewable energy utilization. Integration of artificial intelligence for energy management can further optimize building performance.

Policy frameworks should be strengthened to support decentralized energy generation. Increased awareness and training programs are needed to promote acceptance among building owners and occupants.

CONCLUSION

Renewable energy integration in buildings is a key strategy for achieving sustainable development and reducing environmental impact of the construction sector. Solar, wind, geothermal, and biomass energy systems offer viable solutions to meet building energy demands. Although technical and economic challenges exist, continuous technological advancements and supportive policies are expected to drive wider adoption. A holistic approach involving building design, energy modeling, policy support, and user participation is essential for successful implementation. With proper planning and innovation, renewable energy-powered buildings can significantly contribute to a low-carbon future.

Page 63-73 © MANTECH PUBLICATIONS 2025. All Rights Reserved

REFERENCES

1. International Energy Agency (IEA). *Energy Technology Perspectives: Buildings and Renewables*. IEA Publications, Paris, 2021.
2. Perez-Lombard, L., Ortiz, J., and Pout, C. A review on buildings energy consumption information. *Energy and Buildings*, 40(3), pp. 394–398, 2008.
3. Kalogirou, S. A. Solar energy engineering: Processes and systems. Academic Press, London, 2014.
4. Zhai, X. Q., and Wang, R. Z. Experiences on the application of renewable energy in buildings. *Renewable and Sustainable Energy Reviews*, 15(9), pp. 4779–4783, 2011.
5. Torcellini, P., Pless, S., and Crawley, D. Zero energy buildings: A critical look at the definition. *National Renewable Energy Laboratory (NREL) Report*, USA, 2006.
6. Li, D. H. W., Yang, L., and Lam, J. C. Zero energy buildings and sustainable development implications. *Energy*, 60, pp. 1–10, 2013.
7. Cabeza, L. F., Castell, A., Barreneche, C., de Gracia, A., and Fernández, A. Materials used as PCM in thermal energy storage in buildings. *Renewable and Sustainable Energy Reviews*, 15(3), pp. 1675–1695, 2011.
8. Hepbasli, A. A key review on exergetic analysis and assessment of renewable energy resources for building applications. *Energy and Buildings*, 42(5), pp. 593–610, 2010.
9. Singh, R., Lazarus, I. J., and Kishore, V. V. N. Renewable energy integration in buildings: A case study approach. *Building and Environment*, 45(5), pp. 1113–1122, 2010.
10. Sharma, A., Saxena, A., Sethi, M., and Shree, V. Life cycle assessment of buildings: A review. *Renewable and Sustainable Energy Reviews*, 15(1), pp. 871–875, 2011.

Page 63-73 © MANTECH PUBLICATIONS 2025. All Rights Reserved