MANTECH Publications

Intellectum: Advances in General Intelligence Systems
Volume 1, Issue 2, May-August 2025

Explainability and Interpretability in AGI

Vikash Rana[1], Sanjay Sekhawat[2], Radhika Thakur[3]

Professor[1], Students[2, 3]

Department of Computer Science Engineering

Vision Institute of Technology

***Email ID**: Vikashrana12@gmail.com[1], sanjays28@yahoo.com[2], 12radhikathakur@rediffmail.com[3]*

ABSTRACT

Artificial General Intelligence (AGI) aims to build machines capable of performing any intellectual task that a human can do. As AGI systems grow more autonomous and complex, the need for explainability and interpretability becomes extremely important. Unlike traditional AI models that perform narrow tasks, AGI systems operate across multiple domains, learn continuously, and make decisions that may affect society at large. This creates serious concerns regarding transparency, trust, accountability, and safety. Explainability helps users understand why an AGI system made a particular decision, while interpretability focuses on understanding how the system internally processes information. This paper reviews the concepts, challenges, methods, and future directions of explainability and interpretability in AGI. Various approaches including symbolic reasoning, attention mechanisms, causal models, visualization tools, and hybrid architectures are discussed. The paper also highlights practical applications where interpretability is crucial such as healthcare, autonomous robotics, cybersecurity, and scientific discovery. Finally, the paper presents research challenges and the need for standardized frameworks to ensure trustworthy AGI systems.

***KEYWORDS: -** AGI, Explainable AI, Interpretability, Transparency, Cognitive Architectures, Trustworthy AI, Hybrid Models, Causal Reasoning*

INTRODUCTION

Artificial General Intelligence represents next level of intelligence where machines are not limited to specific tasks but capable of general reasoning, learning, adaptation, and decision-

Page 81-92 © MANTECH PUBLICATIONS 2025. All Rights Reserved

making similar to humans. However, as systems become more intelligent, they also become more opaque. Many advanced AI models, especially deep neural networks, are often considered “black boxes” because it is difficult to understand how they produce outputs.

For AGI, this black-box nature is not acceptable. Since AGI may control autonomous robots, make medical decisions, manage infrastructure, or perform scientific research, understanding its reasoning becomes mandatory. Explainability and interpretability are therefore central requirements for safe and reliable AGI.

Explainability answers **why** a decision was made. Interpretability explains **how** the system arrived at that decision internally.

DIFFERENCE BETWEEN EXPLAINABILITY AND INTERPRETABILITY

In many research papers, the terms *explainability* and *interpretability* are used like they mean the same thing, but actually they are slightly different ideas. Understanding this difference is very important when designing AGI systems, because different users require different types of understanding from the system.

Interpretability is about understanding the **internal working** of the model. It focuses on how the system processes input, how information flows between modules, and how internal representations are formed.

Explainability, on the other hand, is about providing a **human-understandable reason** for a decision or action taken by the system, even if the internal process is very complex.

In simple words: Interpretability is for *developers and researchers* Explainability is for *users, stakeholders, and regulators*

1. Interpretability: Looking Inside the AGI Mind

Interpretability deals with transparency of the model structure. It tries to answer questions like:

- Which module was active?
- Which memory was accessed?
- Which neurons or symbolic rules were triggered?
- How did information move from perception to decision?

Page 81-92 © MANTECH PUBLICATIONS 2025. All Rights Reserved

For example, if an AGI-based robot identifies an object as a “chair”, interpretability will show:

- Visual features detected
- Pattern matching in perception module
- Memory comparison with stored objects
- Classification process

This is similar to opening the machine and seeing the gears working.

Interpretability methods often include:

- Activation visualization
- Feature importance mapping
- Knowledge graph tracing
- Rule inspection
- Module-level logging

2. Explainability: Communicating the Reason

Explainability does not require the user to understand neural activations or data structures. Instead, the system gives a reason in simple form.

For the same example of identifying a chair, explainability will say:
“The object has four legs, flat surface, and matches stored pattern of a chair.”

This explanation is understandable even by a non-technical person.

Explainability methods include:

- Natural language explanations
- Visual highlights
- Step-by-step reasoning trace
- Counterfactual explanations (what would change the decision)

Table: 1

Aspect	Explainability	Interpretability
Focus	External reasoning	Internal mechanism
Goal	User understanding	Model transparency

Page 81-92 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Aspect	Explainability	Interpretability
Method	Natural language, visualization	Mathematical, structural analysis
Users	Humans, stakeholders	Researchers, developers
Example	"The robot avoided obstacle due to detected motion"	Activation patterns in perception module

Both are important for AGI, as different stakeholders need different levels of understanding.

NEED FOR EXPLAINABILITY IN AGI

AGI systems are expected to operate across domains, take independent decisions, learn from environment, and even change their internal strategies over time. This level of autonomy creates a serious requirement for transparency. Unlike narrow AI systems that perform limited tasks, AGI will participate in real-world situations where mistakes can cause physical, financial, or social harm.

Because of this, explainability becomes not just a desirable feature but also a necessary property of AGI design.

AGI systems may:

- Make **high-stake decisions** such as medical diagnosis, legal analysis, infrastructure control
- **Interact with humans continuously** in homes, hospitals, industries, and public spaces
- **Learn new behaviors autonomously** without explicit human programming
- **Modify their internal structures** through self-learning or self-improvement

In such situations, a system that cannot explain its reasoning will be difficult to trust, regulate, or safely deploy.

1. Trust Building

Trust is the foundation for human acceptance of AGI. People are more likely to rely on a system when they understand why it behaves in a certain way.

For example:

- A doctor will trust AGI diagnosis only if it explains the medical indicators used.
- A pilot will trust an AGI co-pilot if it explains navigation decisions.

Page 81-92 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- A factory operator will trust AGI maintenance suggestions if reasons are clear.

Without explanations, AGI appears like a mysterious black box, which creates hesitation and fear among users.

Explainability therefore acts as a **bridge between human intuition and machine intelligence**.

2. Safety and Reliability

AGI systems operating in physical environments such as autonomous robots, vehicles, or industrial plants must behave safely. When unexpected behavior occurs, explanations help identify:

- Whether the system misinterpreted sensor data
- Whether memory or reasoning module produced incorrect inference
- Whether environmental conditions affected decision

This allows faster correction and safer deployment.

In safety-critical domains, explainability is directly connected to **risk reduction**.

3. Debugging and System Improvement

AGI systems learn continuously. During this process, they may develop unintended behaviors or incorrect reasoning patterns.

Explainability helps developers to:

- Trace the reason behind wrong decisions
- Identify faulty learning patterns
- Improve training methods
- Correct knowledge representation

Without explanations, debugging AGI becomes almost impossible because internal learning is complex and dynamic.

4. Legal and Ethical Compliance

As AGI systems influence human life, governments and legal authorities will require accountability.

Questions like the following must be answered:

- Why did the AGI deny a loan?

Page 81-92 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- Why did the robot take a particular action?
- Why was a patient given certain treatment?

Explainability provides an **audit trail** for decisions. It helps in:

- Detecting bias or unfair reasoning
- Ensuring ethical guidelines are followed
- Assigning responsibility when errors occur
- Meeting regulatory requirements

Many future AI laws are expected to mandate explainability for advanced AI and AGI systems.

5. Human-AI Collaboration

AGI is not meant to replace humans but to work alongside them. For effective collaboration, humans must understand AGI's reasoning.

In collaborative scenarios:

- Engineers working with AGI need to understand planning logic
- Scientists using AGI for research need to understand hypothesis generation
- Teachers using AGI tutors need to understand learning paths suggested

Explainability enables **smooth communication** between humans and AGI.

6. Challenges in Interpreting AGI Systems

AGI is more complex than narrow AI because:

- Multiple modules interact dynamically
- Learning is continuous and unsupervised
- Internal representations evolve over time
- Cross-domain knowledge transfer happens
- Self-modification may occur

These factors make interpretation difficult. Traditional methods used for explaining machine-learning models are not enough for AGI.

TECHNIQUES FOR EXPLAINABILITY AND INTERPRETABILITY

For AGI systems, traditional explainable AI methods are not sufficient because AGI is multi-modal, multi-module, and continuously learning. Therefore, explainability and interpretability

Page 81-92 © MANTECH PUBLICATIONS 2025. All Rights Reserved

must be achieved using a combination of architectural design, learning mechanisms, and post-analysis tools. The following techniques are considered very effective in making AGI systems more transparent and understandable.

1. Symbolic Reasoning Integration

Symbolic AI uses rules, logic, and explicit knowledge representation. These elements are naturally interpretable because they follow human-readable reasoning patterns.

When symbolic reasoning is integrated with neural learning in AGI:

- Neural networks handle perception and pattern recognition
- Symbolic modules handle logical reasoning and decision rules

For example, in a medical AGI system:

- Neural model detects abnormal patterns in scan
- Symbolic rules conclude: *"If abnormal mass + irregular boundary → possible tumor"*

This rule can be directly inspected by developers and explained to doctors.

Benefits:

- Traceable decision path
- Easy debugging of reasoning errors
- Clear mapping between input and decision
- Supports knowledge graphs and rule inspection

This hybrid approach is often called **neuro-symbolic AGI**, which balances intelligence with interpretability.

2. Attention Mechanisms

Attention mechanisms are widely used in deep learning models for vision, language, and sensor data. Attention highlights **which part of the input** influenced the decision most.

In AGI systems, attention can be applied to:

- Visual scenes (highlighting objects of interest)
- Text understanding (important words in sentence)

Page 81-92 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- Sensor fusion (which sensor contributed more)

For example, an AGI car braking system may show attention heatmap on the pedestrian detected ahead.

Benefits:

- Visual proof of reasoning
- Helps verify whether AGI is focusing on correct features
- Useful for both developers and end users
- Supports multi-modal data interpretation

Attention maps act like a spotlight showing where AGI "looked" before making decision.

3. Causal Modeling

Most AI systems learn correlations, but AGI must understand **cause and effect**. Causal models represent relationships using directed graphs.

For example:

Rain → Wet road → Increased braking distance → Slow driving decision

Causal modeling allows AGI to explain decisions based on logical sequence of events rather than statistical similarity.

Benefits:

- Better reasoning transparency
- Supports counterfactual explanations ("What if rain was not present?")
- Avoids misleading correlations
- Improves reliability of decision explanation

Causal graphs can be visualized and inspected, making reasoning clearer.

4. Visualization Tools

Visualization tools provide graphical representation of internal AGI processes. Since AGI contains many modules and large neural networks, visual tools help in understanding system

Page 81-92 © MANTECH PUBLICATIONS 2025. All Rights Reserved

behavior.

Examples include:

- Neuron activation maps
- Memory usage graphs
- Knowledge graph visualization
- Decision flow diagrams
- Module interaction charts

For developers, these tools are very helpful to trace how information moves across perception, memory, reasoning, and planning modules.

Benefits:

- Makes complex processes understandable
- Helps in debugging and monitoring
- Useful during training and testing phases
- Supports transparency for audits

5. Modular Cognitive Architectures

AGI inspired from human cognition is often divided into modules such as:

- Perception module
- Working memory
- Long-term memory
- Reasoning engine
- Planning and action module

When AGI is designed in modular form, it becomes easier to interpret because each module has a specific role.

For example, if a robot makes wrong movement:

- Check perception module for sensor error
- Check memory module for wrong object reference
- Check planning module for incorrect action sequence

Page 81-92 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Benefits:

- Clear separation of responsibilities
- Easier fault localization
- Better understanding of information flow
- Supports both interpretability and explainability

6. Natural Language Explanation Generators

AGI systems can be equipped with a module that converts internal reasoning into human language explanations.

For example:

Internal reasoning:

Object detected → identified as obstacle → distance 1.2 m → risk threshold crossed → stop action

Generated explanation:

"I stopped because an obstacle was detected at a close distance which may cause collision."

This allows non-technical users to understand AGI actions easily.

Benefits:

- Improves user trust
- Facilitates human-AI interaction
- Helps in training and education
- Useful for legal and regulatory reporting

HYBRID ARCHITECTURES FOR BETTER INTERPRETABILITY

Combining neural networks with symbolic components provides balance between learning power and transparency.

Table: 2

Component	Role	Interpretability Benefit
Neural Perception	Pattern recognition	Attention maps
Symbolic Reasoning	Logical decisions	Rule tracing

Page 81-92 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Component	Role	Interpretability Benefit
Memory Module	Knowledge storage	Queryable memory
Planning Module	Action generation	Step-by-step trace

ROLE OF COGNITIVE INSPIRATION FROM HUMAN BRAIN

Human brain explains decisions through reasoning and memory recall. AGI architectures inspired from:

- Working memory
- Long-term memory
- Attention control
- Executive control system

Such designs make AGI more understandable.

APPLICATIONS WHERE EXPLAINABILITY IS CRITICAL

- **Healthcare Diagnosis**
  Doctors need to know why AGI suggests a treatment.
- **Autonomous Robotics**
  Robots must explain actions in dynamic environments.
- **Cybersecurity**
  Security analysts require reasoning for threat detection.
- **Scientific Discovery**
  Researchers need traceable hypothesis generation.

ETHICAL AND LEGAL IMPLICATIONS

Explainable AGI supports:

- Responsibility assignment
- Bias detection
- Fair decision-making
- Regulatory approval

FUTURE RESEARCH DIRECTIONS

- Standard explainability metrics for AGI
- Self-explaining architectures

Page 81-92 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- Interactive explanation systems
- Explainability in self-improving AGI
- Human-centered explanation design




Figure 1: Explainability Framework in AGI

CONCLUSION

Explainability and interpretability are not optional features but foundational requirements for AGI. As intelligence grows, transparency must grow alongside. Hybrid architectures, causal reasoning, modular designs, and natural language explanations offer promising solutions. Future AGI systems must be designed with explainability from the beginning rather than adding it later.

REFERENCES

1. Doshi-Velez, F., & Kim, B. (2017). Towards a rigorous science of interpretable ML.
2. Lipton, Z. (2018). The mythos of model interpretability.
3. Samek, W., et al. (2019). Explainable AI: Interpreting, explaining and visualizing deep learning.
4. Pearl, J. (2009). Causality: Models, reasoning and inference.
5. Gunning, D. (2017). Explainable AI (XAI). DARPA report.
6. Miller, T. (2019). Explanation in AI: Insights from social sciences.
7. Lake, B., et al. (2017). Building machines that learn and think like people.
8. Russell, S. (2019). Human compatible AI.
9. Goertzel, B. (2014). Artificial general intelligence.
10. LeCun, Y., et al. (2015). Deep learning.

Page 81-92 © MANTECH PUBLICATIONS 2025. All Rights Reserved