MANTECH Publications

Intellectum: Advances in General Intelligence Systems
Volume 1, Issue 3, September-December 2025

# *Multimodal General Intelligence: A Comprehensive Review*

***Sukanya Mahajan[1], Ritesh Kumar[2], Anika Singh[3], Devansh Choudhary[4]***

*Associate Professor[1, 2], Assistant Professor[3, 4]*

*Department of Computer Science Engineering*

*Chandigarh Engineering College*

***Email ID:*** *sukanyamahajan08@gmail.com[1], riteshk1kumar@rediffmail.com[2], singh59anika@yahoo.com[3]*

***ABSTRACT***

*Multimodal General Intelligence (MGI) represents the next frontier in artificial general intelligence (AGI), where systems are capable of understanding, reasoning, and interacting across diverse data modalities, including vision, language, audio, and sensor signals. Unlike traditional AI models, which are typically modality-specific, MGI integrates information from multiple sources to achieve a more holistic understanding of complex environments. This review provides a comprehensive overview of the theoretical foundations, computational architectures, training strategies, and evaluation methods of multimodal intelligence systems. We explore the challenges of modality alignment, cross-modal reasoning, and scalability while highlighting emerging trends such as neuro-symbolic integration, self-supervised learning, and causal modeling. Finally, we discuss applications of MGI in robotics, healthcare, autonomous systems, and human-computer interaction, emphasizing the potential for ethical and safe deployment. This paper aims to serve as a reference point for researchers seeking to advance the design, development, and evaluation of truly multimodal general intelligence systems.*

***KEYWORDS:*** *Multimodal intelligence, artificial general intelligence, cross-modal learning, neuro-symbolic AI, self-supervised learning, causal reasoning.*


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved

## INTRODUCTION

The evolution of artificial intelligence has progressed from narrow, domain-specific systems to increasingly generalizable models capable of cross-domain reasoning. Multimodal General Intelligence (MGI) extends this trend by combining multiple data modalities—visual, auditory, textual, and sensory—into a unified reasoning framework. While narrow AI systems excel at specific tasks such as image classification or language translation, they often fail when confronted with tasks requiring integrated reasoning across modalities.

For example, an AI system analyzing a video of human activities must simultaneously process visual frames, audio cues, and contextual text to accurately predict intentions or behaviors. MGI seeks to emulate such human-like comprehension, enabling richer understanding and decision-making capabilities.

This review aims to synthesize current advancements in MGI, exploring theoretical foundations, architectural paradigms, learning strategies, evaluation methods, and practical applications. Additionally, we identify ongoing challenges and future directions in this rapidly evolving research field.

## THEORETICAL FOUNDATIONS OF MULTIMODAL INTELLIGENCE

Multimodal General Intelligence (MGI) is inspired by the remarkable ability of humans to seamlessly integrate information from multiple sensory channels. Unlike traditional AI systems, which often specialize in a single modality (e.g., vision-only or text-only models), MGI seeks to process and reason over diverse streams of information—visual, auditory, linguistic, and sometimes even tactile or proprioceptive data—to form unified, context-aware representations of the environment. Achieving this requires robust theoretical underpinnings from cognitive science, neuroscience, and machine learning.

### 1. Cognitive Integration of Modalities

Human cognition demonstrates a natural interdependence among sensory modalities. For instance, recognizing a dog barking involves visual identification of the animal, auditory processing of the bark, and linguistic knowledge when describing or reasoning about it.

Neuroscience studies show that cortical areas responsible for vision, audition, and language are interconnected through associative pathways such as the superior temporal sulcus, allowing


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved

rapid cross-modal influence.

**Implications for MGI:**

- **Context-aware perception:** Models can use complementary information from multiple modalities to disambiguate ambiguous signals. For example, if a video shows someone gesturing ambiguously, speech recognition or textual context can clarify intent.
- **Redundancy exploitation:** Multimodal integration allows models to remain robust in noisy environments (e.g., poor lighting or background noise) by compensating with other modalities.
- **Computational modeling:** Architectures such as multi-stream neural networks, graph-based fusion methods, or transformer-based multimodal attention mimic this cross-modal processing by learning interconnections between modalities.

**2. Cross-Modal Representations**

At the core of MGI lies **cross-modal representation learning**, which transforms heterogeneous inputs into a **shared latent space**. In this space, semantically related concepts align regardless of their original modality. For example, the textual description "a red apple" should closely align with an image of an apple and the sound of someone biting into it.

**Key techniques include:**

- **Contrastive learning:** Encourages embeddings of semantically similar inputs from different modalities to be close, while pushing unrelated pairs apart.
- **Attention mechanisms:** Highlight relevant features across modalities, enabling models to focus on the most informative aspects of each input.
- **Multimodal embeddings:** Unified representations that capture correlations across vision, language, and sound, allowing transfer learning and cross-modal retrieval.

**Practical example:** CLIP (Contrastive Language-Image Pretraining) aligns text descriptions and images in a shared latent space, enabling zero-shot classification of images based on textual queries—a foundational approach for MGI systems.


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved

### 3. Neuro-Symbolic Integration

MGI benefits from **neuro-symbolic approaches**, which integrate the learning flexibility of neural networks with the interpretability of symbolic reasoning. While neural networks excel at pattern recognition, they struggle with explainable decision-making, logical inference, or causal reasoning. Symbolic structures—such as graphs, rules, or logic programs—allow models to perform:

- **Causal inference:** Understanding how one event influences another.
- **Logical reasoning:** Deriving conclusions from rules or hierarchical knowledge.
- **Explainable decision-making:** Providing human-interpretable rationale for actions or predictions.

**Example:** A neuro-symbolic MGI model could take a visual scene of traffic, recognize a pedestrian crossing, and use symbolic reasoning to infer that a car should stop. Here, the neural network extracts features, and the symbolic layer performs reasoning over these features.

### 4. Causal and Contextual Reasoning

Beyond pattern recognition, true MGI requires **causal and contextual reasoning**, which allows systems to understand **why** events occur rather than just **what** is observed. Structural causal models (SCMs) provide a mathematical framework for representing cause-effect relationships, enabling models to:

- Generalize across new environments or scenarios.
- Resist reliance on spurious correlations present in training data.
- Perform counterfactual reasoning, answering "what if" questions.

**Example:** Consider a multimodal system analyzing a cooking video. The model can infer that "adding oil before heating the pan" affects cooking outcomes because it understands the causal sequence, rather than merely associating co-occurring actions with outcomes.

**Contextual reasoning** further ensures that MGI adapts to situational cues, social norms, or temporal dependencies. For instance, the meaning of a gesture or phrase can differ across cultures or contexts, requiring models to dynamically interpret multimodal signals.


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved

## MULTIMODAL ARCHITECTURES

Designing effective architectures for Multimodal General Intelligence (MGI) requires accommodating **heterogeneous data types**—images, text, audio, and other sensory inputs—while maintaining computational efficiency, scalability, and the ability to generalize across tasks. The choice of architecture determines how information from different modalities is combined, how interdependencies are captured, and how the system can reason about the environment.

Architectural paradigms in MGI are broadly categorized into **early fusion**, **late fusion**, and **hybrid fusion**, each with distinct advantages and limitations.

### 1. Early Fusion Architectures

**Early fusion** (also called **feature-level fusion**) integrates modalities at the initial stage of processing. Features extracted from each modality are **concatenated or combined** before being passed through a joint model, typically a deep neural network.

**Advantages:**

- Enables **joint learning** of cross-modal interactions from the very beginning.
- Can capture fine-grained correlations between modalities (e.g., subtle alignment between lip movements and speech sounds in video-audio data).

**Limitations:**

- **Dimensionality explosion:** Concatenating high-dimensional feature vectors from multiple modalities can create extremely large input spaces, making learning inefficient and prone to overfitting.
- **Modality imbalance:** Dominant modalities with stronger features may overshadow weaker ones.
- **Rigid learning:** Early fusion assumes all modalities are present and well-aligned, making it less robust to missing or noisy modalities.

**Example:** Combining pixel-level features from images with raw audio spectrogram features before feeding them into a transformer model. While this can capture cross-modal cues, careful preprocessing (e.g., normalization and dimensionality reduction) is necessary to avoid computational bottlenecks.


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved

**2. Late Fusion Architectures**

**Late fusion** (also called **decision-level fusion**) processes each modality **independently** through separate modality-specific networks. Predictions or embeddings from each network are then **combined at a later stage**, such as through averaging, weighted voting, or another meta-model.

**Advantages:**

- Preserves **modality-specific representations**, allowing each network to specialize in its input type.
- Robust to **missing or noisy modalities**, since other modalities can still contribute to the final decision.
- Easier to **scale and debug**, as individual modality networks can be trained separately.

**Limitations:**

- May **miss fine-grained cross-modal interactions**, because modalities interact only at the prediction level.
- Fusion at the decision level may not capture **context-dependent correlations**, such as visual cues enhancing language understanding.

**Example:** In multimodal sentiment analysis, separate networks process video facial expressions, audio intonation, and textual transcripts. The final sentiment prediction combines the outputs of these networks rather than integrating features at the input level.

**3. Hybrid Fusion Architectures**

**Hybrid fusion** architectures aim to **combine the strengths of early and late fusion**, allowing both fine-grained interaction and modality-specific specialization.

**Strategies include:**

- **Intermediate feature fusion:** Modality-specific embeddings are combined at multiple intermediate layers rather than solely at the input or output, often using attention or gating mechanisms.
- **Attention-based cross-modal integration:** Attention allows the network to selectively focus on the most relevant features across modalities. For instance, textual cues can guide which visual regions are important.


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- **Dynamic weighting:** Networks can dynamically adjust the contribution of each modality based on context or confidence levels.

**Advantages:**

- Captures **both cross-modal correlations and modality-specific nuances**.
- More flexible and robust to modality-specific noise or missing data.
- Supports **context-aware reasoning**, as intermediate representations allow cross-modal feedback during processing.

**Example:** In video captioning, a hybrid model may extract visual features from frames and linguistic features from partial captions, integrating them at intermediate transformer layers with cross-modal attention. This allows the system to generate contextually relevant descriptions while preserving modality-specific insights.





***Figure 1: Illustration of early, late, and hybrid fusion architectures for multimodal intelligence***


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved

| Architecture Type | Advantages | Limitations |
|---|---|---|
| Early Fusion | Simplicity, joint feature learning | High dimensionality, modality interference |
| Late Fusion | Modality specialization | Limited cross-modal interaction |
| Hybrid Fusion | Balance of interaction and specialization | Computational complexity |

## LEARNING STRATEGIES FOR MULTIMODAL GENERAL INTELLIGENCE (MGI)

Developing MGI requires learning strategies capable of handling **heterogeneous data**, aligning information across modalities, and ensuring **robust generalization** to new contexts and tasks. The unique challenges in multimodal learning include differing data structures, varying temporal or spatial scales, and the potential for missing or noisy modalities. Key learning strategies address these challenges through self-supervision, transformer architectures, cross-modal alignment, and continual adaptation.

### 1. Self-Supervised Learning

Self-supervised learning (SSL) enables models to **learn from unlabeled data** by defining surrogate tasks where the system predicts part of the data from other parts. In the multimodal context, SSL allows MGI systems to **leverage large amounts of unannotated multimodal data**, which is abundant in real-world environments.

**Common self-supervised tasks for MGI:**

- **Masked prediction:** Masking parts of a modality (e.g., words in text, patches in images, or segments of audio) and training the model to reconstruct them.
- **Cross-modal retrieval:** Training the model to associate related inputs across modalities, such as matching video frames with corresponding audio or text.
- **Contrastive learning:** Encouraging representations of semantically aligned multimodal pairs to be close in latent space, while pushing apart unrelated pairs.


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved

**Benefits:**

- Reduces reliance on expensive labeled datasets.
- Improves **alignment between modalities**, creating shared latent representations.
- Facilitates **transfer learning** across tasks and domains.

**Example:** CLIP uses contrastive learning to align text captions and images, enabling zero-shot image classification and cross-modal retrieval.

**2. Multimodal Transformers**

Transformers have become a cornerstone of MGI due to their **attention mechanisms**, which allow dynamic weighting of features across time, space, and modalities.

**Key properties:**

- **Cross-modal attention:** Enables the model to selectively focus on the most relevant aspects of each modality. For instance, textual context can highlight important visual regions in a video.
- **Long-range dependencies:** Captures interactions across temporal sequences or spatially distant inputs.
- **Scalability:** Modular transformer blocks can handle varying numbers of modalities and sequences.

**Representative models:**

- **VideoBERT:** Learns joint video and text embeddings for video understanding and captioning.
- **CLIP (Contrastive Language-Image Pretraining):** Aligns textual descriptions with visual data to produce rich, multimodal embeddings.

**Advantages for MGI:**

- Can integrate multiple heterogeneous modalities dynamically.
- Supports **fine-grained reasoning** by attending to relevant cross-modal cues.
- Facilitates **pretraining on large multimodal corpora** before task-specific fine-tuning.


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved

### 3. Cross-Modal Alignment

Cross-modal alignment ensures that **semantically related information from different modalities corresponds accurately** in the model's representation space. Without proper alignment, multimodal systems risk learning spurious correlations rather than meaningful associations.

**Techniques for alignment:**

- **Contrastive loss:** Encourages positive pairs (e.g., image-text pairs) to be close in embedding space while separating negative pairs.
- **Cycle-consistency loss:** Ensures that information translated across modalities can be reconstructed back to the original modality, preserving semantic integrity.
- **Shared embedding spaces:** Projects heterogeneous inputs into a common latent space where semantically related concepts cluster together.

**Applications:**

- **Image captioning:** Aligning visual content with textual descriptions.
- **Audiovisual scene understanding:** Matching sounds to visual events.
- **Sensor fusion:** Integrating data from multiple sensors in robotics or autonomous vehicles.

**Benefits:**

- Promotes robust multimodal reasoning.
- Reduces errors arising from mismatched modality signals.
- Enables **cross-modal retrieval**, such as searching for images using text queries.

### 4. Continual and Lifelong Learning

MGI systems must adapt to **new modalities, tasks, or environments** over time without forgetting previously learned knowledge—a challenge known as **catastrophic forgetting**. Continual learning strategies are crucial for developing **lifelong multimodal intelligence**.

**Key approaches:**

- **Memory-augmented neural networks:** Maintain an external memory to store previously learned representations, allowing recall and integration during new tasks.
- **Dynamic parameter allocation:** Adjusts model capacity by adding or reconfiguring


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved

parameters for new modalities or tasks.

- **Regularization-based methods:** Penalize changes to weights critical for previously learned tasks to preserve knowledge.

**Benefits:**

- Enables **scalable multimodal learning** as new data types become available.
- Supports **personalized and adaptive AI**, which can incorporate user-specific multimodal cues.
- Enhances robustness and generalization across **continually changing real-world environments**.

**Example:** A robotic MGI system learns to process visual, auditory, and tactile signals for object manipulation. As new object types or sensory modalities are introduced, the system.

## CHALLENGES IN MULTIMODAL GENERAL INTELLIGENCE

Despite significant progress, MGI faces several technical and practical challenges:

### 1. Modality Heterogeneity

Different modalities exhibit varied data distributions, resolutions, and temporal characteristics, making integration complex.

### 2. Scalability

Training models across multiple modalities requires substantial computational resources, especially for high-resolution vision or long-duration audio.

### 3. Explainability

Interpretability remains challenging due to complex interactions between modalities and deep network layers. Neuro-symbolic frameworks offer partial solutions but are not yet fully scalable.

### 4. Data Scarcity and Alignment

Multimodal datasets are often limited, especially for specialized domains. Ensuring correct alignment between modalities is crucial to prevent misinterpretation.

## APPLICATIONS OF MULTIMODAL INTELLIGENCE


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved

MGI has transformative potential across domains:

**1. Robotics and Autonomous Systems**

Robots equipped with MGI can process visual, auditory, and tactile inputs simultaneously, enabling robust navigation, manipulation, and human-robot interaction.

**2. Healthcare**

MGI can integrate medical images, patient records, and real-time sensor data for accurate diagnosis, treatment planning, and patient monitoring.

**3. Human-Computer Interaction**

Voice, gesture, and gaze-based interfaces can be combined using MGI to create more natural and adaptive interactions.

**4. Multimedia Understanding**

Tasks like video summarization, content moderation, and multimodal retrieval benefit from integrated understanding of audiovisual and textual information.





***Figure 2: Potential applications of multimodal intelligence across domains***


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved

| Domain | Example Use Case | Benefits |
|---|---|---|
| Robotics | Autonomous navigation | Context-aware decision-making |
| Healthcare | Multimodal diagnosis | Improved accuracy, early detection |
| HCI | Gesture & speech interfaces | Natural interactions |
| Multimedia | Video summarization | Efficient content retrieval |

## EMERGING TRENDS AND FUTURE DIRECTIONS

### 1. Neuro-Symbolic Multimodal AI

Integrating symbolic reasoning into multimodal systems enhances explainability and supports complex cognitive tasks like planning and causal inference.

### 2. Self-Supervised Multimodal Pretraining

Pretraining on massive multimodal datasets can create foundational models that generalize across tasks, similar to GPT or CLIP.

### 3. Causal and Counterfactual Reasoning

Causal modeling allows MGI systems to reason beyond correlations, predicting outcomes under hypothetical scenarios and improving robustness.

### 4. Edge and Distributed Multimodal AI

Deploying MGI on edge devices or distributed networks can enable real-time multimodal intelligence in resource-constrained environments.

### 5. Ethical and Value Alignment Considerations

Ensuring fairness, transparency, and alignment with human values is critical for safe deployment of MGI systems in sensitive domains.

## CONCLUSION

Multimodal General Intelligence represents a significant leap toward human-like cognitive systems, enabling integrated reasoning across vision, language, audio, and sensor modalities. While current architectures, learning strategies, and applications demonstrate promising results, significant challenges remain in scalability, interpretability, and ethical deployment. Future research should focus on neuro-symbolic integration, self-supervised multimodal pretraining, and causal reasoning to build robust, adaptable, and trustworthy MGI systems. As this field evolves, MGI has the potential to transform robotics, healthcare, human-computer interaction, and multimedia understanding, bridging the gap between narrow AI and truly general intelligence.


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved

**REFERENCES**

1. Baltrušaitis, T., Ahuja, C., & Morency, L. P. (2019). *Multimodal Machine Learning: A Survey and Taxonomy*. IEEE Transactions on Pattern Analysis and Machine Intelligence, 41(2), 423–443.
2. Lu, J., Batra, D., Parikh, D., & Lee, S. (2019). *ViLBERT: Pretraining Task-Agnostic Visiolinguistic Representations for Vision-and-Language Tasks*. Advances in Neural Information Processing Systems, 32.
3. Radford, A., Kim, J. W., Hallacy, C., et al. (2021). *Learning Transferable Visual Models from Natural Language Supervision*. ICML.
4. Kiela, D., & Bottou, L. (2014). *Learning Image Embeddings using Convolutional Neural Networks for Improved Multi-Modal Semantics*. EMNLP.
5. Goyal, Y., Khot, T., Summers-Stay, D., Batra, D., & Parikh, D. (2017). *Making the V in VQA Matter: Elevating the Role of Image Understanding in Visual Question Answering*. CVPR.
6. Anderson, P., Fernando, B., Johnson, M., & Gould, S. (2018). *SPICE: Semantic Propositional Image Caption Evaluation*. ECCV.
7. Zhao, H., et al. (2020). *Learning Cross-Modal Embeddings for Multimodal Retrieval*. AAAI.
8. Sun, C., Myers, A., Vondrick, C., Murphy, K., & Schmid, C. (2019). *VideoBERT: A Joint Model for Video and Language Representation Learning*. ICCV.
9. Marcus, G., & Davis, E. (2020). *Rebooting AI: Building Artificial Intelligence We Can Trust*. Pantheon.
10. Pearl, J. (2009). *Causality: Models, Reasoning, and Inference*. Cambridge University Press.


Page 134-147 © MANTECH PUBLICATIONS 2025. All Rights Reserved