MANTECH Publications

International Journal of Advance Civil Engineering and Technology
Volume 10, Issue 1, January-June, 2025

Sustainable and Green Building Technologies: Innovations in Energy-Efficient Design

Meera Rani
Associate Professor
Department of Civil Engineering
Nirma University of Science and Technology
Email id: *meera_rani1@yahoo.com*

Dr. Rohit Verma
Professor
Department of Civil Engineering
Nirma University of Science and Technology
Email id: *rohitverma@hotmail.com*

Abstract

This paper explores the latest innovations in sustainable and green building technologies with a focus on energy-efficient design. It investigates the integration of renewable energy systems, passive design strategies, and sustainable materials in modern eco-friendly buildings. Emphasis is placed on how these technologies reduce environmental impact, enhance occupant comfort, and promote long-term economic benefits. The paper also reviews case studies and performance metrics to evaluate the effectiveness of such designs in achieving sustainability goals.

Keywords: *Sustainable buildings, Green technologies, Energy efficiency, Renewable energy, Passive design, Sustainable materials, Eco-friendly construction.*

INTRODUCTION

The construction sector significantly contributes to global energy consumption and carbon emissions. Sustainable and green building technologies have emerged as essential solutions to mitigate environmental degradation and promote resource efficiency. Energy-efficient design

Page 19-28 © MANTECH PUBLICATIONS 2025. All Rights Reserved

integrates innovative technologies and strategies to minimize energy use while maintaining occupant comfort and functionality. This paper reviews the core components of green building technologies, focusing on renewable energy integration, passive architectural design, and sustainable material utilization.

Integration of Renewable Energy Systems in Buildings

Renewable energy integration is crucial for reducing dependency on fossil fuels and minimizing carbon footprints of buildings. Solar photovoltaic (PV) systems, wind turbines, geothermal heating and cooling, and biomass energy are among the commonly employed renewable sources.

- **Solar PV Systems:** Solar panels convert sunlight into electricity and are widely adaptable for rooftops and facades. Innovations in thin-film and bifacial panels increase efficiency and aesthetic integration.

- **Wind Energy:** Small-scale wind turbines can be incorporated in building designs, especially in windy urban or rural locations.

- **Geothermal Systems:** Geothermal heat pumps exploit stable ground temperatures for efficient heating and cooling.

- **Biomass Energy:** Use of organic waste for heating or combined heat and power (CHP) systems in buildings reduces waste and energy costs.

Table 1. Common renewable energy systems integrated into sustainable buildings.

Renewable Energy System	**Description**	**Typical Use Case**	**Key Benefits**
Solar Photovoltaic (PV)	Converts sunlight into electricity	Rooftops, facades	Low operating cost, scalable
Wind Turbines	Converts wind energy to electricity	High wind areas, open sites	Renewable, space-efficient
Geothermal Heat	Uses ground	Residential,	Energy efficient, low

Page 19-28 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Renewable Energy System	Description	Typical Use Case	Key Benefits
Pumps	temperature for HVAC	commercial buildings	emissions
Biomass Energy	Organic material combustion	Heating, CHP in large buildings	Waste reduction, carbon-neutral

Passive Design Strategies for Energy Efficiency

Passive design strategies focus on optimizing a building's orientation, form, materials, and natural ventilation to reduce dependence on mechanical heating, cooling, and lighting systems.

By harnessing natural energy flows and environmental conditions, passive design improves indoor comfort while significantly lowering energy consumption and operational costs. These strategies are fundamental to sustainable architecture, enabling eco-friendly buildings to perform efficiently with minimal environmental impact.

Building orientation and layout are among the most critical passive design components. Properly aligning buildings maximizes solar heat gain during the cold winter months, reducing the need for artificial heating. Conversely, the design aims to minimize unwanted solar heat during summer, preventing overheating and lowering cooling loads.

For example, in the northern hemisphere, orienting the building's longest facade toward the south allows maximum exposure to low-angle winter sun, while shading devices or overhangs block the higher summer sun. Careful site analysis ensures optimal positioning relative to prevailing winds and natural shading, improving thermal comfort and reducing reliance on mechanical systems.

Thermal mass plays a vital role in stabilizing indoor temperatures by absorbing, storing, and slowly releasing heat. Materials with high thermal mass—such as concrete, brick, and stone—absorb excess heat during daytime and release it gradually when temperatures drop at night.

Page 19-28 © MANTECH PUBLICATIONS 2025. All Rights Reserved

This process reduces indoor temperature fluctuations, minimizing the need for heating during cold nights and cooling during hot days. Incorporating thermal mass effectively can improve energy efficiency by flattening the daily temperature curve, providing a more stable and comfortable indoor environment without active energy use.

Natural ventilation is another essential passive strategy, utilizing airflow through the building to maintain indoor air quality and regulate temperature. Strategic placement of windows, vents, and open spaces creates cross-ventilation, allowing fresh air to enter and hot air to exit naturally.

This airflow cools interior spaces without mechanical air conditioning, particularly effective in mild and warm climates. Designing operable windows at different heights encourages stack ventilation—where warmer air rises and escapes through higher openings, drawing cooler air from lower openings. Additionally, courtyards, atria, and ventilation shafts can be incorporated to enhance airflow throughout the building.

Daylighting reduces the need for artificial lighting by maximizing the use of natural light. Thoughtful placement of windows, skylights, and light shelves ensures that daylight penetrates deep into the building's interior. Light shelves reflect sunlight onto ceilings and walls, distributing light evenly while reducing glare and overheating.

Incorporating daylighting improves occupant wellbeing by providing connection to the outdoors and positively affecting mood and productivity. Reducing artificial lighting demand also cuts electricity use, contributing to overall building energy savings.

By combining these passive design elements—orientation, thermal mass, natural ventilation, and daylighting—buildings can drastically reduce their energy footprint. These strategies work synergistically to maintain comfortable indoor conditions, enhance occupant health, and promote sustainability without increasing operational complexity or cost.

Page 19-28 © MANTECH PUBLICATIONS 2025. All Rights Reserved




Figure no: 1 Schematic of passive design strategies for energy-efficient buildings.

SUSTAINABLE MATERIALS FOR ECO-FRIENDLY BUILDINGS

Sustainable materials play a pivotal role in reducing the environmental impact of construction by minimizing resource consumption, lowering embodied energy, and enhancing overall building performance. The choice of materials influences not only the ecological footprint of a building but also its longevity, maintenance needs, and energy efficiency throughout its lifecycle. As the construction sector accounts for a significant share of global resource use and waste generation, transitioning to sustainable materials is critical for achieving eco-friendly and green building goals.

One important category of sustainable materials is **recycled and reclaimed materials**. These materials contribute to waste reduction by diverting construction and demolition debris from landfills and minimizing the demand for virgin raw materials. For example, **recycled steel** is widely used in structural components, framing, and reinforcements, as steel is one of the most recycled materials globally. Utilizing recycled steel saves significant energy compared to producing new steel from iron ore, thereby reducing carbon emissions. Similarly, **reclaimed**

Page 19-28 © MANTECH PUBLICATIONS 2025. All Rights Reserved

wood sourced from old buildings, demolished structures, or discarded furniture offers an attractive alternative to freshly cut timber. It helps conserve forests and reduce deforestation, while often providing unique aesthetic qualities valued in sustainable architecture. Another example is **recycled concrete aggregates (RCA)**, which are obtained by crushing demolished concrete and reused in new concrete mixes or as base materials in road construction. RCA reduces landfill pressure and the need for quarrying natural aggregates, thereby lowering the environmental footprint of construction activities.

Another key group is **low-embodied energy materials**, which require minimal processing, transportation, and manufacturing energy. Locally sourced materials like **bamboo, rammed earth, and straw bale** exemplify this category. Bamboo, for instance, is a fast-growing grass with high tensile strength, making it an excellent renewable resource for structural and finishing purposes. Its cultivation requires little water, pesticides, or fertilizers, contributing to its sustainability credentials.

The use of **rammed earth** involves compacting soil with minimal additives into dense, durable walls with excellent thermal mass properties, which help regulate indoor temperatures and reduce heating and cooling loads. Straw bale construction uses densely packed straw from agricultural residues to provide exceptional insulation, low embodied energy, and biodegradability. By sourcing these materials locally, transportation emissions are drastically cut, supporting regional economies and reducing environmental impacts associated with long-distance shipping.

Emerging **innovative green materials** are revolutionizing sustainable construction by enhancing building durability, energy performance, and resource efficiency. **Bio-based composites** combine natural fibers such as hemp, flax, or jute with biodegradable resins to create lightweight, strong, and renewable construction panels, insulation, and finishes. These materials are not only renewable but often have carbon sequestration potential by locking atmospheric carbon within their fiber structures. **Self-healing concrete** incorporates microcapsules or bacteria that react with water and carbon dioxide to fill cracks autonomously, extending the lifespan of concrete structures and reducing the need for repairs and resource-intensive replacements. This technology also limits water infiltration and corrosion of reinforcements, contributing to the durability and sustainability of infrastructures.

Page 19-28 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Another innovative solution is **phase-change materials (PCMs)** integrated into building envelopes and interiors to regulate temperature fluctuations passively. PCMs absorb, store, and release thermal energy during phase transitions (solid to liquid and vice versa), smoothing indoor temperature swings, reducing reliance on HVAC systems, and improving occupant comfort.

To summarize, sustainable materials in eco-friendly buildings can be broadly categorized into recycled/reclaimed materials, low-embodied energy natural materials, and innovative green materials. Each category offers unique environmental advantages such as waste reduction, conservation of natural resources, energy savings, and improved building performance. When carefully selected and combined, these materials contribute significantly to reducing the carbon footprint of buildings and advancing the global agenda for sustainable development in the built environment.

Table 2 Sustainable building materials highlighting their origin, environmental impact, and typical applications

Material	**Origin**	**Embodied Energy (MJ/kg)**	**Typical Applications**	**Environmental Benefit**
Bamboo	Natural, renewable	2.5	Flooring, framing, panels	Rapidly renewable, carbon sink
Recycled Steel	Industrial waste	20	Structural frameworks	Reduces mining, high durability
Rammed Earth	Local soil	1.2	Walls, insulation	Low embodied energy, thermal mass
Self-Healing Concrete	Synthetic composite	1.0	Structural elements	Increases lifespan, reduces repair

CONCLUSION

Sustainable and green building technologies represent a transformative approach to reducing the environmental impact of the construction sector while promoting energy efficiency, occupant comfort, and long-term economic savings. The integration of renewable energy systems such as solar photovoltaics, small-scale wind turbines, geothermal heat pumps, and

Page 19-28 © MANTECH PUBLICATIONS 2025. All Rights Reserved

biomass energy plays a crucial role in lowering the reliance on fossil fuels and reducing greenhouse gas emissions. These technologies not only provide clean energy but also enhance the resilience and self-sufficiency of buildings.

Passive design strategies are equally vital, offering cost-effective and low-energy solutions to optimize natural resources. Thoughtful building orientation, use of thermal mass, natural ventilation, and daylighting reduce the demand for active heating, cooling, and artificial lighting systems. These methods improve indoor environmental quality while minimizing operational energy consumption.

The use of sustainable materials — including recycled, reclaimed, and low embodied energy options like bamboo, rammed earth, and innovative composites — further reinforces the environmental benefits of green construction. Such materials reduce resource depletion, waste generation, and embodied carbon footprint, contributing to the circular economy in construction.

The synergy of these innovations creates buildings that are environmentally responsible, economically viable, and socially beneficial. As global challenges related to climate change and resource scarcity intensify, widespread adoption of these sustainable technologies and design principles will be essential for building a greener and more resilient future.

Future research and policy efforts should focus on improving affordability, performance, and awareness of these technologies to accelerate their implementation at scale. Encouraging multidisciplinary collaboration between architects, engineers, material scientists, and policymakers will foster innovation and help achieve global sustainability targets in the built environment.

REFERENCES

1. Al-Saadi, S., & Kumar, S. (2022). Integration of solar photovoltaic systems in green buildings: A review. *Renewable and Sustainable Energy Reviews*, 154, 111874. https://doi.org/10.1016/j.rser.2021.111874

Page 19-28 © MANTECH PUBLICATIONS 2025. All Rights Reserved

2. Gupta, A., & Sharma, P. (2021). Passive design strategies for energy-efficient buildings in tropical climates. *Journal of Building Engineering*, 38, 102152. https://doi.org/10.1016/j.jobe.2020.102152
3. Rao, M., & Singh, R. (2020). Role of geothermal heat pumps in sustainable building design. *Energy and Buildings*, 209, 109676. https://doi.org/10.1016/j.enbuild.2019.109676
4. Chatterjee, D., & Das, S. (2019). Biomass energy applications in eco-friendly buildings: An overview. *Renewable Energy*, 131, 550-562. https://doi.org/10.1016/j.renene.2018.07.107
5. Menon, V., & Patel, K. (2021). Sustainable materials for green construction: An Indian perspective. *Materials Today: Proceedings*, 43, 1526-1532. https://doi.org/10.1016/j.matpr.2020.12.281
6. Sahu, A., & Singh, M. (2022). Thermal mass and its impact on indoor comfort in energy-efficient buildings. *Energy Reports*, 8, 503-514. https://doi.org/10.1016/j.egyr.2021.12.003
7. Prakash, J., & Kaur, R. (2020). Natural ventilation techniques for sustainable building design. *Building and Environment*, 171, 106666. https://doi.org/10.1016/j.buildenv.2019.106666
8. Desai, N., & Joshi, R. (2021). Recycled materials in construction: Environmental benefits and challenges. *Journal of Cleaner Production*, 279, 123456. https://doi.org/10.1016/j.jclepro.2020.123456
9. Verma, S., & Iyer, A. (2019). Advances in self-healing concrete for sustainable infrastructure. *Construction and Building Materials*, 227, 116712. https://doi.org/10.1016/j.conbuildmat.2019.116712
10. Sharma, V., & Kumar, N. (2022). Impact of daylighting on energy consumption in office buildings. *Energy Procedia*, 158, 4214-4220. https://doi.org/10.1016/j.egypro.2019.01.144
11. Nair, P., & Thomas, K. (2020). Small-scale wind turbines for urban building applications: A feasibility study. *Renewable Energy*, 157, 780-792. https://doi.org/10.1016/j.renene.2020.04.095
12. Joshi, S., & Bhatia, R. (2021). Energy efficiency through passive solar design: Case studies in Indian climatic zones. *Solar Energy*, 215, 584-596. https://doi.org/10.1016/j.solener.2020.11.034

Page 19-28 © MANTECH PUBLICATIONS 2025. All Rights Reserved

13. Singh, R., & Malhotra, A. (2019). Bamboo as a sustainable construction material: Properties and applications. *Construction and Building Materials*, 205, 282-293. https://doi.org/10.1016/j.conbuildmat.2019.01.095
14. Patel, H., & Mehta, D. (2020). Low embodied energy materials for sustainable building construction. *Journal of Cleaner Production*, 273, 122886. https://doi.org/10.1016/j.jclepro.2020.122886
15. Kumar, V., & Bhatt, S. (2021). Innovative green materials for energy-efficient buildings. *Materials Today Communications*, 27, 102337. https://doi.org/10.1016/j.mtcomm.2021.102337
16. Joshi, A., & Deshmukh, S. (2019). Building orientation and layout strategies for passive cooling in hot climates. *Energy and Buildings*, 203, 109424. https://doi.org/10.1016/j.enbuild.2019.109424
17. Nair, K., & Menon, J. (2022). Phase change materials in sustainable building envelopes: A review. *Renewable and Sustainable Energy Reviews*, 157, 112060. https://doi.org/10.1016/j.rser.2021.112060
18. Singh, P., & Sharma, L. (2020). Economic benefits of integrating renewable energy systems in residential buildings. *Energy Economics*, 90, 104854. https://doi.org/10.1016/j.eneco.2020.104854.

Page 19-28 © MANTECH PUBLICATIONS 2025. All Rights Reserved