

A Survey on Real-Time Communication for the Purposes of Tele rehabilitation

Gunjan Sharma

Professor

Department of ECE

CBP Government Engineering College

Corresponding Author's Email id: *gunjansaxena21@gmail.com*

Abstract

There are many diseases affecting the population trends globally. Miniaturization of sensors in combined with medical information technology provides efficient solutions to reduce costs and deliver remote medical services through connected devices. Remote consultation via video-conferencing has been well established, but the chronic or long-term musculoskeletal conditions require pro-active management and therapy thus raising the need to develop more advanced telerehabilitation systems. In this paper, we introduce Kinect RTC that can be used for Kinect-based telerehabilitation with efficient real-time transmission of video, audio and skeletal data. The Web Real-Time Communication (WebRTC) technology has benefitted to the proposed framework which is able to manage video and audio streams based on the state of the network and the available bandwidth to guarantee the real-time performance of the communication.

Keywords: *Real-time, Kinect, Telerehabilitation, video*

INTRODUCTION

The primary need for rehabilitation tracking system is to meet the patient's and clinic's requirements and to provide an intuitive, simple interface on the screen for a therapy. Research has found that the

rehabilitation needs for individuals with long-term conditions such as stroke, TBI and other neurological disorders are often unmet in the patient's local community. Telerehabilitation expands to improve the patient's condition that prevails during the

therapy. It engages clinicians with the patient, outside of the medical setting, thus diminishing the issue of distance between them. Telerehabilitation gives the opportunity to continue rehabilitation within the patient's own social and vocational environment leading to greater functional outcomes.

EXISTING METHODOLOGIES

Kinect RTC

Real time communication systems provide specialized healthcare via video conferencing and remote monitoring technologies. This approach to medical care delivery has been expanding for the last decade and currently covers various specialty areas, such as prenatal care, cardiology, rehabilitation, stroke and others. Until now, the primary areas of video based telemedicine have been in (a)

simulation and training, (b) video consultation and remote diagnosis, and (c) video monitor and vital signs tracking. In the past, the majority of the telemedicine systems used dedicated networks for transmission of data. However, recently several cost effective commercial products have emerged that support secure real time video and audio transmission between a health provider and a patient. Although the video based consultation has been quite successful for certain specialty areas, the technology has not been widely used for rehabilitation. The reasons for slow adoption in telerehabilitation include the cost of video equipment, limited network connectivity from home, complexity and cost of hardware, insurance reimbursement model, and difficulty of obtaining reliable observations from video while providing effective feedback to the patient remotely.




Figure 1: Architecture of Kinect RTC

Virtual Glove Tele-Supervision and Simulation System Virtual glove is a system that uses a set of video cameras surrounding the patient hand to collect a set of synchronized videos used to track hand movements unlike technologies based on mechanical haptic interfaces. The hand tracking is done using a numerical hand model that is used to calculate physical, geometrical and mechanical parameters. It also implements some boundary constraints such as joint dimensions, shape, joint angles, etc. This highly accurate system is aims to be low cost, very less bulky (touch-less), easy to

use, and reuse. Moreover, there are many models based on hand tracking experimental measurements done with the corresponding poses of the real hand.

(See Figure:-2)

Virtual reality can be termed as pseudo sensory experience through computer-simulated reality, which is able to replicate an environment that simulates a virtual physical presence in the real world, allowing the user interaction with the world. Virtual realities artificially create sensor deployments where the person can actually sense it. (See Figure:-3)



Figure 2: Virtual glove




Figure 3: Architecture of VR

PROPOSED METHODOLOGY

In this work, the main aim is to deliver telerehabilitation on the theoretical foundation of digitised human- workpiece interactions. In this work, human actions and corresponding skeleton data are simultaneously tracked in realtime to produce a digital data stream that represents the task. This stream is synchronously exchanged over sites that enable remote collaboration. The work further aims to discover means

of achieving synchronous bidirectional data transfer to ensure low-latency, robust and lossless exchange of data in real-time between the sites. Introspection of this research is the use of motion-capture technology provided by depth sensors that use infrared light. The functionalities of the sensors is utilised by using them to detect and track moving objects during a task. Microsoft Kinect is one such example of depth imaging sensor.




Figure 4: Real Time Communication

The advantages that serve patients are they might exercise longer and find it more enjoyable. Due to successful recognition of static and dynamic hand gestures. Real time communication is enhanced where no special physical trainings required over again. Thus, problems in colour detection threshold may occur.

More the distance between user and camera, lesser precision leads to wrong object extraction whereas system limitations restrict applications.

CONCLUSION

In this survey we study various techniques used for real time communication which are required to secure real time multimedia transmission with minimum delay and better quality for interactive communication over telerehabilitation systems.

REFERENCES

1. Luo, Zhiqiang & Lim, Chee & Chen, I- Ming & Huat Yeo, Song. (2011). A virtual reality system for arm and hand rehabilitation. *Frontiers of Mechanical Engineering in China*
2. A smart virtual glove for the hand telerehabilitation, Giuseppe Placidi, INFN, c/o Department of

Science and Biomedical Technologies, University of L'Aquila, Via Vetoio 10, 67100 Coppito, L'Aquila, Italy

3. Placidi G, Avola D, Iacoviello D, Cinque L. Overall design and implementation of the virtual glove. *Comput Biol Med.* 2013 Nov;43(11):1927-40. doi: 10.1016/j.compbiomed.2013.08.026. Epub 2013 Sep 25. PubMed PMID:24209938.
4. Panagiotis Polygerinos, Zheng Wang, Kevin C. Galloway, Robert J. Wood, Conor J. Walsh, Soft robotic glove for combined assistance and at-home rehabilitation, *Robotics and Autonomous Systems*, Volume 73, 2015, Pages 135-143,
5. Bouzit, Mourad & Burdea, Grigore & Popescu, George & Boian, Rares. (2002). The Rutgers Master II-New Design force-feedback glove. *Mechatronics, IEEE/ASME Transactions on.* 7. 256 - 263. 10.1109/TMECH.2002.1011262.
6. Prabhu V, Oyekan J, Tiwari A, Advikolanu Y, Burgess M, McNally R, Remote Real-Time Collaboration Platform enabled by the Capture, Digitisation and Transfer of Human- Workpiece

Interactions, Sustainable Design
and Manufacturing 2015,
proceedings of the 2nd
International Conference on
Sustainable Design and
Manufacturing, 12 - 14 April 2015,
Seville, Spain, pages 513-527
Paper number: sdm15-073

7. D. Anton Real-time
communication for Kinect-based
telerehabilitation, Future
Generation Computer Systems
(2017).
8. Riva G. Ambient intelligence in
health care. Cyber Psychology &
Behavior 2003.