MANTECH Publications

Journal of Converging Technologies in Intelligent
Volume 1, Issue 1, January-April 2025

Integrating Artificial Intelligence and Internet of Things for Next-Generation Intelligent Smart City Infrastructure: A Layered Review of Architectures, Analytics, Domain Readiness, and Governance Challenges

Ankit R. Sharma[1], Neha K. Tyagi[2], Rohit S. Chauhan[3]

ABSTRACT

Rapid urbanisation is placing unprecedented stress on transport, energy, water, environmental, and public-safety systems, and the Internet of Things (IoT) now allows these systems to be instrumented at fine spatial and temporal resolution. Sensing alone, however, does not make a city intelligent; value emerges only when heterogeneous sensor streams are converted into timely, trustworthy, and actionable decisions through Artificial Intelligence (AI). This review-based study examines how AI and IoT are being integrated to build next-generation smart city infrastructure. A structured thematic synthesis of 44 peer-reviewed articles, surveys, policy documents, and methodological sources was organised through a five-layer analytical framework spanning perception, connectivity, edge–fog, cloud data platform, and application layers, with a cross-cutting security and governance plane. The synthesis maps AI techniques to urban domains, appraises six domains against five readiness criteria on an ordinal 1–5 scale, and links recurring barriers to mitigation strategies. Traffic management and energy systems showed the highest deployment readiness, whereas public safety and healthcare services were constrained mainly by privacy manageability and data governance. Edge intelligence and federated learning emerged as the most consistent architectural enablers, reducing latency and raw-data exposure simultaneously. The paper closes with a practical integration roadmap and research directions relevant to Indian and other emerging-economy cities.

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved

KEYWORDS: *Artificial intelligence, Internet of Things, Smart city, Edge intelligence, Federated learning, Urban analytics, Smart infrastructure, Data privacy, Digital twin, Sustainable urban systems*

INTRODUCTION

Urban areas now house just over half of the world's population, and this share is projected to approach 68% by 2050 [1]. Cities consequently face compounding pressures: congested road networks, rising electricity demand, deteriorating air quality, strained water and waste services, and growing expectations for public safety and digital service delivery [2, 3]. In India, the Smart Cities Mission launched in 2015 aimed to promote sustainable and citizen-friendly cities through core infrastructure and smart solutions in 100 selected cities [4], which makes the technical question of how to instrument and manage urban systems a matter of national policy rather than purely academic interest.

The Internet of Things supplies the instrumentation layer for this transformation. Networks of sensors, actuators, meters, cameras, and connected vehicles observe urban processes continuously, while low-power wide-area and cellular networks carry the resulting data at city scale [5, 6, 7]. Yet the volume, velocity, and heterogeneity of IoT data exceed what manual analysis or rule-based software can handle [8, 9]. Artificial Intelligence, particularly machine learning, deep learning, and reinforcement learning, provides the analytical capability to forecast demand, detect anomalies, and optimise control actions from such data [10, 11].

The central problem addressed here is fragmentation. Many deployments pair a single sensor class with a single analytics model inside a departmental silo, producing pilots that do not scale, interoperate, or satisfy privacy obligations [12, 13]. Centralised cloud analytics adds latency and concentrates sensitive data, whereas ad hoc edge deployments lack lifecycle management and governance. A coherent view of how AI and IoT should be co-designed across architectural layers, and of what each combination can realistically deliver in different urban domains, is therefore needed.

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved

LITERATURE REVIEW

The literature relevant to AI–IoT integration in cities spans three streams: IoT infrastructure for urban sensing, AI analytics for urban domains, and edge intelligence with privacy-preserving learning. Each is reviewed below.

IoT Foundations For Urban Sensing

Early conceptual work established the IoT vision and its architectural elements, including sensing, communication, and cloud-based data interpretation [6]. Zanella et al. described an urban IoT reference system built on heterogeneous access technologies and web-service integration, using Padova as a deployment example [5]. Subsequent surveys catalogued enabling technologies and protocols [14], security and privacy requirements [15], and the role of big data platforms in city management [9, 16]. Bibri linked sensor-based big data to environmental sustainability outcomes and argued that analytical frameworks must be designed around sustainability objectives from the outset [17]. Collectively, these studies show mature connectivity and platform thinking but treat analytics largely as a downstream add-on.

AI Analytics For Urban Domains

In transportation, graph-based spatio-temporal models such as diffusion convolutional recurrent networks and spatio-temporal graph convolutional networks capture road-network topology and temporal dynamics for traffic forecasting [18, 19], while deep reinforcement learning controllers such as IntelliLight adapt signal timings to observed traffic states [20, 21]. In environmental monitoring, U-Air inferred fine-grained air quality from sparse stations and heterogeneous urban data [22], an instance of the broader urban computing agenda [23]. Long short-term memory networks [24] and attention-based models [25] are widely used for load and demand forecasting, and deep anomaly detection supports fault and event identification [26]. Surveys of AI in smart cities confirm rapid growth in applications but caution about explainability, bias, and data-quality risks [10, 11, 27].

Edge Intelligence And Privacy-Preserving Learning

Fog and edge computing relocate computation toward data sources to reduce latency and backhaul load [28, 29, 30]. Edge intelligence extends this by running or training AI models on resource-constrained nodes, relying on efficient hardware, model compression, and knowledge distillation [31, 32, 33]. Federated learning trains shared models without centralising raw data

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved

[34], and surveys document its communication, heterogeneity, and privacy challenges [35, 36, 37]; differential privacy supplies formal protection against information leakage from model updates [38]. Security and trust remain open issues for distributed IoT [39, 40], and India's Digital Personal Data Protection Act, 2023 adds a statutory dimension to the handling of personal data in urban systems [41].

RESEARCH GAP

Existing studies tend to examine IoT infrastructure, AI algorithms, or privacy mechanisms in isolation. Three gaps follow from the literature. First, few works place AI functions explicitly within each architectural layer, so guidance on where inference and training should run is scarce. Second, comparative evidence across urban domains is rarely expressed against common readiness criteria, which makes prioritisation difficult for municipal planners. Third, privacy-preserving learning is usually presented as a technical option and seldom connected to domain-specific governance constraints, particularly for emerging-economy cities. This review addresses these gaps through a layered, cross-domain, and governance-aware synthesis.

OBJECTIVES

- To propose a layered AI–IoT reference architecture that locates analytical functions across perception, connectivity, edge–fog, cloud, and application layers.
- To map representative AI techniques to the data characteristics and decision needs of major urban domains.
- To appraise the deployment readiness of six urban domains against five common criteria.
- To identify recurring technical and governance barriers and match them with mitigation strategies and an integration roadmap.

METHODOLOGY

Review Design And Evidence Base

A review-based research design was adopted, combining protocol elements from systematic review guidance [42, 43] with thematic synthesis. Sources were identified through keyword searches on combinations of smart city, Internet of Things, machine learning, edge computing, federated learning, and urban analytics in IEEE Xplore, ScienceDirect, ACM Digital Library, SpringerLink, and Google Scholar, supplemented by backward citation tracking and official policy documents. Sources were retained when they were peer-reviewed or officially issued,

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved

addressed AI, IoT, or both in an urban or closely related context, and made a clear technical or policy contribution. Foundational works were retained regardless of age, while recent surveys were prioritised for current trends. The final evidence base comprises the 44 sources listed in the reference section, selected purposively for coverage of layers and domains rather than exhaustive enumeration.

Analytical Framework And Appraisal Procedure

Evidence was coded against a five-layer framework (perception, connectivity, edge–fog, cloud data platform, and application) with a cross-cutting security, privacy, and governance plane. For domain appraisal, each of six urban domains was rated on a five-point ordinal scale (1 = very low, 5 = very high) against five criteria: data availability, AI technique maturity, edge feasibility, privacy manageability, and deployment readiness. Ratings were assigned independently by the three authors from the coded evidence and reconciled by discussion. Because the scale is ordinal and judgement-based, results are reported as relative positions rather than measured performance. Table 1 summarises the protocol.

Table 1. Review Protocol and Appraisal Specification

Element	Specification
Review type	Thematic synthesis with systematic-review protocol elements
Databases searched	IEEE Xplore, ScienceDirect, ACM Digital Library, SpringerLink, Google Scholar
Inclusion criteria	Peer-reviewed or official source; AI and/or IoT in an urban context; clear contribution
Evidence base	44 sources (1997–2023)
Coding framework	Five layers plus a security, privacy, and governance plane
Appraisal scale	Ordinal 1–5 across five criteria
Reviewer process	Independent rating by three authors; consensus resolution

RESULTS AND FINDINGS

Layered Reference Architecture

Figure 1 presents the reference architecture that emerged from the synthesis. The perception layer comprises environmental, traffic, energy, and camera sensors with embedded low-power inference for filtering and event triggering. The connectivity layer combines low-power wide-

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved

area, cellular, and short-range links selected by payload and energy constraints [7, 14]. The edge–fog layer hosts latency-critical inference, data fusion, and local model training [28, 31]. The cloud data platform performs large-scale training, long-horizon analytics, and model lifecycle management, and the application layer exposes services such as adaptive signal control, demand response, and citizen dashboards. A cross-cutting plane enforces authentication, encryption, auditing, and consent management [39, 40]. A key observation is that analytical functions should be distributed according to latency, bandwidth, and privacy requirements rather than concentrated in the cloud.




Figure 1. Five-layer AI–IoT reference architecture for smart city infrastructure, showing representative components, AI functions at each layer, bidirectional data and control flows, and the cross-cutting security and governance plane

Mapping AI Techniques To Urban Domains

Table 2 maps representative techniques to domains. Spatio-temporal graph models and reinforcement learning dominate traffic applications because road networks are naturally graph-structured and signal control is a sequential decision problem [18, 19, 20]. Energy and water systems rely mainly on recurrent and attention-based forecasting [24, 25], whereas anomaly detection supports leak, fault, and incident identification across domains [26].

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Environmental monitoring benefits from inference models that interpolate sparse measurements [22], and public safety applications depend on edge computer vision, which raises the sharpest privacy concerns [31, 32].

Table 2. Representative AI Techniques Mapped to Urban Domains

Domain	Typical IoT data	Representative AI techniques	Principal benefit	Key limitation
Traffic management	Loop detectors, GPS probes, cameras	Graph forecasting, deep reinforcement learning [18, 20]	Adaptive signals, congestion prediction	Simulation-to-field gap
Energy and smart grid	Smart meters, substation sensors	LSTM and attention-based load forecasting [24]	Demand response, loss reduction	Non-stationary demand
Environmental monitoring	Air, noise, weather sensors	Data-driven inference [22]	Fine-grained exposure maps	Sensor drift
Water and waste	Flow, level, bin-fill sensors	Anomaly detection [26]	Leak detection, route efficiency	Scarce labelled faults
Public safety	Video, acoustic, emergency calls	Edge vision, event detection [31]	Faster incident response	Privacy, bias, opacity
Healthcare and emergency	Wearables, ambulance telemetry	Risk prediction, event detection	Faster triage and dispatch	Sensitive data, regulation

Domain Readiness Appraisal

Figure 2 presents the ordinal appraisal. Traffic management (mean 4.4) and energy systems (4.0) received the highest ratings, reflecting abundant data, mature models, and established operational interfaces. Environmental monitoring scored highest on edge feasibility but only moderately on deployment readiness, owing to calibration and maintenance burdens. Public safety and healthcare services scored lowest on privacy manageability, which constrains scaling even where technical maturity is high [11, 27]. Water and waste services were rated moderate throughout, mainly because labelled fault data are scarce.

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved




Figure 2. Qualitative readiness appraisal of six urban domains on five criteria (ordinal 1–5 scale assigned by the authors from the reviewed literature; not measured performance)

Edge Intelligence And Federated Learning Workflow

Figure 3 depicts the privacy-preserving training workflow identified as the most consistent enabler across domains. District-level edge nodes train local models on locally retained data, transmit protected parameter updates to an aggregation server, and receive an improved global model [34, 36]. Clipping updates and adding calibrated noise provides differential privacy guarantees [38], while compression and distillation reduce communication and inference cost on constrained hardware [32, 33]. The workflow lowers raw-data exposure and uplink traffic simultaneously, but it introduces statistical heterogeneity across districts, straggler effects, and a privacy–accuracy trade-off that must be tuned per domain [35, 37].

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved




Figure 3. Federated edge-learning workflow for privacy-preserving city-scale analytics across district edge nodes and a central aggregation server

Barriers And Mitigation Strategies

Table 3 consolidates the recurrent barriers and the mitigation strategies supported by the reviewed literature.

Table 3. Recurrent Barriers, Affected Layers, and Mitigation Strategies

Barrier	Layer affected	Mitigation strategy
Heterogeneous devices and protocols	Perception, connectivity	Standards-based interoperability and common data models [14, 15]
Latency and bandwidth limits	Connectivity, edge	Edge inference and model compression [29, 32]
Privacy and regulatory exposure	Edge, cloud	Federated learning, differential privacy, consent management [34, 38, 41]
Security of distributed nodes	All layers	Lightweight authentication, encryption, trust management [39, 40]
Data quality and sensor drift	Perception	Anomaly detection and periodic recalibration [26]
Model opacity and bias	Application	Explainability audits and human oversight [11, 27]

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Several barriers recur across layers rather than within a single one. For example, interoperability failures at the perception layer propagate as data-quality problems in cloud analytics, which supports addressing standards and governance at the architecture level rather than application by application [12, 14].

DISCUSSION

The findings reinforce a design principle with direct engineering consequences: intelligence in smart city systems should be placed by constraint, not by convention. Latency-critical control loops such as signal timing or substation protection are best served at the edge, whereas population-scale training and cross-domain analytics benefit from the elasticity of the cloud [29, 31]. Hierarchical placement reduces backhaul demand, improves resilience when connectivity degrades, and narrows the attack surface associated with centralised raw-data repositories [39]. The readiness appraisal also explains why many cities begin with traffic and energy: data pipelines already exist, models are well validated, and benefits are measurable in operational terms [18, 20].

Practical applications follow directly. Adaptive signal control and congestion forecasting can reduce delay and emissions at corridor level; smart-meter analytics supports demand response and non-technical loss detection; dense air-quality inference can inform traffic restrictions and public health advisories [22]; and edge-based acoustic or visual event detection can shorten emergency response when governed by strict retention limits. For Indian cities, which operate with heterogeneous infrastructure, constrained budgets, and the Smart Cities Mission's emphasis on integrated command and control [4], modular edge-first deployments with open interfaces offer a lower-risk path than monolithic platforms.

An implementation roadmap can be derived from these observations. Phase one standardises device identity, data models, and open interfaces while piloting forecasting and control in high-readiness domains. Phase two deploys edge inference nodes with monitoring for drift, calibration, and security events. Phase three introduces federated learning across districts and departments under formal data-sharing agreements, with explainability audits before models influence public decisions. Each phase should be gated by measurable indicators such as latency, forecast error, energy consumption, and privacy-risk assessment results [31, 36, 41],

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved

so that investment follows demonstrated value and governance capacity rather than technology enthusiasm.

Scientifically, the review shows that privacy-preserving learning is not merely a compliance add-on but an architectural determinant of which domains can scale. Domains with low privacy manageability scored low on readiness despite adequate technical maturity, indicating that governance mechanisms such as consent, purpose limitation, and auditability under the Digital Personal Data Protection Act, 2023 [41] are rate-limiting. A second insight concerns trust: opaque models in public-sector decisions risk eroding legitimacy, so explainability and human oversight should be treated as functional requirements [11, 27]. Finally, sustainability must be assessed on both sides of the ledger, because the energy footprint of sensing, communication, and model training can offset operational savings if left unmanaged [17, 44].

LIMITATIONS

- The review is purposive rather than exhaustive; relevant work outside the searched databases or in languages other than English may be absent.
- Readiness ratings are ordinal and judgement-based; although reconciled across three reviewers, they indicate relative positions rather than measured performance, and no inter-rater statistic was computed.
- Performance reported in the underlying studies depends on dataset, city, and sensor configuration, which limits direct quantitative comparison and transferability to Indian conditions.
- The pace of AI research means that very recent developments, such as large foundation models for urban data, may not be fully captured.

FUTURE SCOPE

- Field validation of the layered architecture in a city-district testbed that measures latency, energy use, accuracy, and privacy leakage under realistic workloads.
- Benchmark datasets and common evaluation protocols for cross-domain urban AI, enabling reproducible comparison of models across cities.
- Integration of digital twins with federated and continual learning for simulation-based planning and what-if analysis at city scale.

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- Research on explainable, fair, and energy-efficient AI for public-sector decision-making, including lifecycle carbon accounting of urban sensing networks.

CONCLUSION

This review examined how Artificial Intelligence and the Internet of Things can be integrated to support next-generation smart city infrastructure. A five-layer reference architecture, a technique-to-domain mapping, and an ordinal readiness appraisal together show that integration succeeds when analytical functions are placed according to latency, bandwidth, and privacy constraints. Traffic management and energy systems are the most deployment-ready domains, while public safety and healthcare depend on stronger governance before they can scale. Edge intelligence combined with federated learning and differential privacy is the most consistent enabler, provided that heterogeneity, security, explainability, and energy costs are managed. For Indian and other emerging-economy cities, a phased, edge-first, standards-based roadmap that begins with high-readiness domains and builds governance capacity in parallel offers the most credible route to intelligent, trustworthy, and sustainable urban infrastructure.

REFERENCES

1. United Nations, Department of Economic and Social Affairs, Population Division. *World Urbanization Prospects: The 2018 Revision.* United Nations, New York. 2019.
2. Caragliu A, Del Bo C, Nijkamp P. Smart cities in Europe. *Journal of Urban Technology.* 2011; 18(2): 65–82.
3. Batty M, Axhausen KW, Giannotti F, et al. Smart cities of the future. *European Physical Journal Special Topics.* 2012; 214(1): 481–518.
4. Ministry of Housing and Urban Affairs, Government of India. *Smart Cities Mission: Statement and Guidelines.* New Delhi. 2015.
5. Zanella A, Bui N, Castellani A, Vangelista L, Zorzi M. Internet of Things for smart cities. *IEEE Internet of Things Journal.* 2014; 1(1): 22–32.
6. Gubbi J, Buyya R, Marusic S, Palaniswami M. Internet of Things (IoT): A vision, architectural elements, and future directions. *Future Generation Computer Systems.* 2013; 29(7): 1645–1660.
7. Raza U, Kulkarni P, Sooriyabandara M. Low power wide area networks: An overview. *IEEE Communications Surveys & Tutorials.* 2017; 19(2): 855–873.

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved

8. Mohammadi M, Al-Fuqaha A, Sorour S, Guizani M. Deep learning for IoT big data and streaming analytics: A survey. *IEEE Communications Surveys & Tutorials.* 2018; 20(4): 2923–2960.
9. Hashem IAT, Chang V, Anuar NB, et al. The role of big data in smart city. *International Journal of Information Management.* 2016; 36(5): 748–758.
10. Ullah Z, Al-Turjman F, Mostarda L, Gagliardi R. Applications of artificial intelligence and machine learning in smart cities. *Computer Communications.* 2020; 154: 313–323.
11. Yigitcanlar T, Desouza KC, Butler L, Roozkhosh F. Contributions and risks of artificial intelligence (AI) in building smarter cities: Insights from a systematic review of the literature. *Energies.* 2020; 13(6): 1473.
12. Neirotti P, De Marco A, Cagliano AC, Mangano G, Scorrano F. Current trends in Smart City initiatives: Some stylised facts. *Cities.* 2014; 38: 25–36.
13. Allam Z, Dhunny ZA. On big data, artificial intelligence and smart cities. *Cities.* 2019; 89: 80–91.
14. Al-Fuqaha A, Guizani M, Mohammadi M, Aledhari M, Ayyash M. Internet of Things: A survey on enabling technologies, protocols, and applications. *IEEE Communications Surveys & Tutorials.* 2015; 17(4): 2347–2376.
15. Lin J, Yu W, Zhang N, Yang X, Zhang H, Zhao W. A survey on Internet of Things: Architecture, enabling technologies, security and privacy, and applications. *IEEE Internet of Things Journal.* 2017; 4(5): 1125–1142.
16. Rathore MM, Ahmad A, Paul A, Rho S. Urban planning and building smart cities based on the Internet of Things using Big Data analytics. *Computer Networks.* 2016; 101: 63–80.
17. Bibri SE. The IoT for smart sustainable cities of the future: An analytical framework for sensor-based big data applications for environmental sustainability. *Sustainable Cities and Society.* 2018; 38: 230–253.
18. Li Y, Yu R, Shahabi C, Liu Y. Diffusion convolutional recurrent neural network: Data-driven traffic forecasting. *Proceedings of the 6th International Conference on Learning Representations (ICLR).* 2018.
19. Yu B, Yin H, Zhu Z. Spatio-temporal graph convolutional networks: A deep learning framework for traffic forecasting. *Proceedings of the 27th International Joint Conference on Artificial Intelligence (IJCAI).* 2018; 3634–3640.

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved

20. Wei H, Zheng G, Yao H, Li Z. IntelliLight: A reinforcement learning approach for intelligent traffic light control. *Proceedings of the 24th ACM SIGKDD Conference.* 2018; 2496–2505.
21. Mnih V, Kavukcuoglu K, Silver D, et al. Human-level control through deep reinforcement learning. *Nature.* 2015; 518(7540): 529–533.
22. Zheng Y, Liu F, Hsieh HP. U-Air: When urban air quality inference meets big data. *Proceedings of the 19th ACM SIGKDD Conference.* 2013; 1436–1444.
23. Zheng Y, Capra L, Wolfson O, Yang H. Urban computing: Concepts, methodologies, and applications. *ACM Transactions on Intelligent Systems and Technology.* 2014; 5(3): Article 38.
24. Hochreiter S, Schmidhuber J. Long short-term memory. *Neural Computation.* 1997; 9(8): 1735–1780.
25. Vaswani A, Shazeer N, Parmar N, et al. Attention is all you need. *Advances in Neural Information Processing Systems 30.* 2017; 5998–6008.
26. Chalapathy R, Chawla S. Deep learning for anomaly detection: A survey. *arXiv preprint arXiv:1901.03407.* 2019.
27. Dwivedi YK, Hughes L, Ismagilova E, et al. Artificial Intelligence (AI): Multidisciplinary perspectives on emerging challenges, opportunities, and agenda for research, practice and policy. *International Journal of Information Management.* 2021; 57: 101994.
28. Bonomi F, Milito R, Zhu J, Addepalli S. Fog computing and its role in the Internet of Things. *Proceedings of the 1st MCC Workshop on Mobile Cloud Computing.* 2012; 13–16.
29. Shi W, Cao J, Zhang Q, Li Y, Xu L. Edge computing: Vision and challenges. *IEEE Internet of Things Journal.* 2016; 3(5): 637–646.
30. Mao Y, You C, Zhang J, Huang K, Letaief KB. A survey on mobile edge computing: The communication perspective. *IEEE Communications Surveys & Tutorials.* 2017; 19(4): 2322–2358.
31. Zhou Z, Chen X, Li E, Zeng L, Luo K, Zhang J. Edge intelligence: Paving the last mile of artificial intelligence with edge computing. *Proceedings of the IEEE.* 2019; 107(8): 1738–1762.
32. Sze V, Chen YH, Yang TJ, Emer JS. Efficient processing of deep neural networks: A tutorial and survey. *Proceedings of the IEEE.* 2017; 105(12): 2295–2329.

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved

33. Hinton G, Vinyals O, Dean J. Distilling the knowledge in a neural network. *arXiv preprint arXiv:1503.02531*. 2015.
34. McMahan B, Moore E, Ramage D, Hampson S, Arcas BA. Communication-efficient learning of deep networks from decentralized data. *Proceedings of the 20th International Conference on Artificial Intelligence and Statistics (PMLR 54).* 2017; 1273–1282.
35. Li T, Sahu AK, Talwalkar A, Smith V. Federated learning: Challenges, methods, and future directions. *IEEE Signal Processing Magazine.* 2020; 37(3): 50–60.
36. Kairouz P, McMahan HB, Avent B, et al. Advances and open problems in federated learning. *Foundations and Trends in Machine Learning.* 2021; 14(1–2): 1–210.
37. Khan LU, Saad W, Han Z, Hossain E, Hong CS. Federated learning for Internet of Things: Recent advances, taxonomy, and open challenges. *IEEE Communications Surveys & Tutorials.* 2021; 23(3): 1759–1799.
38. Dwork C, Roth A. The algorithmic foundations of differential privacy. *Foundations and Trends in Theoretical Computer Science.* 2014; 9(3–4): 211–407.
39. Roman R, Zhou J, Lopez J. On the features and challenges of security and privacy in distributed Internet of Things. *Computer Networks.* 2013; 57(10): 2266–2279.
40. Sicari S, Rizzardi A, Grieco LA, Coen-Porisini A. Security, privacy and trust in Internet of Things: The road ahead. *Computer Networks.* 2015; 76: 146–164.
41. Government of India. *The Digital Personal Data Protection Act, 2023 (Act No. 22 of 2023).* The Gazette of India, New Delhi. 2023.
42. Kitchenham B, Charters S. *Guidelines for performing Systematic Literature Reviews in Software Engineering (EBSE Technical Report).* Keele University and University of Durham. 2007.
43. Moher D, Liberati A, Tetzlaff J, Altman DG. Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement. *PLoS Medicine.* 2009; 6(7): e1000097.
44. Silva BN, Khan M, Han K. Towards sustainable smart cities: A review of trends, architectures, components, and open challenges in smart cities. *Sustainable Cities and Society.* 2018; 38: 697–713.

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved

***Author for Correspondence:**
Ankit R. Sharma
E-mail: ankit.sharma.cse.research@gmail.com

[1]Associate Professor, Department of Computer Science and Engineering, Raj Kumar Goel Institute of Technology, Ghaziabad, Uttar Pradesh
[2]Assistant Professor, Department of Computer Science and Engineering, Raj Kumar Goel Institute of Technology, Ghaziabad, Uttar Pradesh
[3]Research Scholar, Department of Computer Science and Engineering, Raj Kumar Goel Institute of Technology, Ghaziabad, Uttar Pradesh

Received Date: January 26, 2025
Accepted Date: February 09, 2025
Published Date: February 22, 2025

Citation: Ankit R. Sharma, Neha K. Tyagi, Rohit S. Chauhan. Integrating Artificial Intelligence and Internet of Things for Next-Generation Intelligent Smart City Infrastructure: A Layered Review of Architectures, Analytics, Domain Readiness, and Governance Challenges. Journal of Converging Technologies in Intelligent. 2025; 1(1): 44-59p.

Page 44-59 © MANTECH PUBLICATIONS 2025. All Rights Reserved