

Integrative and Evidence-Informed Approaches in Contemporary Homeopathic Practice

Dr. Sunita Bhagat¹, Dr. Pankaj Singh², Sakshi Gupta³, Priyanka Deshpande⁴

ABSTRACT

Contemporary discussion of homeopathic practice increasingly invokes the frameworks of integrative medicine and evidence-informed practice, situating homeopathy alongside conventional care within patient-centred, evidence-conscious models. This paper reviews these integrative and evidence-informed approaches, examining the concept of integrative medicine, the current international policy context, and the application, and limits, of evidence-informed practice to homeopathy. A review-based methodology is adopted, drawing on international strategy documents, the integrative-medicine and evidence-based-practice literature, and the evidence assessments of homeopathy. The analysis shows that integrative medicine is defined as an interdisciplinary, evidence-based approach combining biomedical and complementary knowledge; that the international policy context is shaped by the World Health Organization's traditional-medicine strategy and by a marked growth in national policies on traditional and complementary medicine; and that evidence-informed practice provides a structured cycle of asking, acquiring, appraising, applying, and assessing evidence. Crucially, the study finds that the application of these frameworks to homeopathy is constrained by a fundamental tension: authoritative reviews have concluded that homeopathy has not been shown to be effective beyond placebo, so genuinely evidence-informed integration must be transparent about this, must be grounded in reliable evidence rather than assertion, and must never allow homeopathy to delay or replace effective treatment. It concludes that integrative and evidence-informed language is prominent in contemporary practice but that its responsible application requires honesty about the evidence and a firm commitment to patient safety. Certain quantitative figures are illustrative; policy figures are drawn from international sources.

KEYWORDS: *Homeopathy, Integrative Medicine, Evidence-Informed Practice, Evidence-Based Medicine, WHO Strategy, Patient Safety, Health Policy, Outcomes*

INTRODUCTION

Contemporary discussion of homeopathic practice increasingly draws on two influential frameworks: integrative medicine, which seeks to combine conventional and complementary approaches within patient-centred care, and evidence-informed practice, which requires that clinical decisions be guided by the best available evidence [1], [3]. These frameworks shape how homeopathy is positioned in relation to mainstream health care and how its practice is discussed in policy and professional settings. Examining them, and the particular tensions that arise when they are applied to homeopathy, is the concern of this paper.

The international policy context has developed considerably. The World Health Organization has defined integrative medicine as an interdisciplinary and evidence-based approach combining biomedical and traditional or complementary knowledge, and its traditional-medicine strategy, renewed for the period from 2025, prioritises the strengthening of evidence, regulation, quality, and safe integration [1], [2]. National policies on traditional and complementary medicine have grown markedly, and integrative models, in which complementary approaches are used alongside conventional care, have attracted increasing attention. Within this context, evidence-informed practice offers a structured method, moving from the framing of a clinical question through the acquisition and critical appraisal of evidence to its application and the assessment of outcomes [3].

The central problem addressed in this paper is to examine these integrative and evidence-informed approaches as applied to homeopathy, and in particular to confront the fundamental tension they raise. Integrative medicine is, by definition, evidence-based, and evidence-informed practice requires reliable evidence; yet authoritative reviews have concluded that homeopathy has not been shown to be effective beyond placebo. The responsible application of these frameworks to homeopathy therefore cannot proceed as if the evidence question were settled in homeopathy's favour. The paper reviews the integrative and evidence-informed frameworks and the policy context, presents them fairly, and confronts this tension honestly, emphasising throughout that genuine evidence-informed integration requires

transparency about the evidence and an absolute commitment that homeopathy not delay or replace effective care [8], [9].

LITERATURE REVIEW

The concept of integrative medicine is set out in the international and academic literature [1], [2]. Integrative medicine is defined as an interdisciplinary, evidence-based approach to health and well-being that combines biomedical and traditional or complementary knowledge, skills, and practices, with an emphasis on patient-centred and whole-person care. It is distinguished from the mere co-existence of different modalities by its requirement that integration be evidence-based and coordinated. The World Health Organization's traditional-medicine strategy, adopted in renewed form for the period beginning in 2025, articulates priorities of building robust evidence, establishing regulation to ensure safety and quality, promoting appropriate integration into health services, and fostering collaboration; it also notes persistent challenges, including the need for research methods suited to complementary approaches and the absence of standardised models of integration [2].

The literature documents a marked growth in the policy infrastructure for traditional and complementary medicine [2]. International surveys indicate that the number of member states with national policies on traditional and complementary medicine has risen substantially over recent decades, from a small minority at the end of the twentieth century to a large majority of responding states more recently, reflecting increasing official engagement with the field. Within this expanding framework, integrative models place complementary approaches alongside conventional care, and there is growing interest in patient-centred, whole-person models and in the measurement of outcomes relevant to patients [1]. The evidence-based and evidence-informed practice literature, in turn, provides the methodological foundation: it defines a structured cycle in which a clinical question is framed, evidence is acquired and critically appraised, the appraised evidence is applied in the light of clinical judgement and patient values, and outcomes are assessed, with the cycle repeating [3].

The literature is equally clear about the tension that arises when these frameworks are applied to homeopathy [8], [9]. Integrative medicine and evidence-informed practice are, by definition, grounded in evidence; yet the authoritative assessments of homeopathy, including a comprehensive national review and a major comparative study, have concluded that

homeopathy has not been shown to be effective beyond placebo. Some proponents argue that individualised homeopathy and pragmatic, outcome-based evaluation deserve further consideration and that patient-reported benefit and safety justify a place within integrative care; critics respond that reliable evidence does not support efficacy and that integrative or evidence-informed language should not be used to lend unwarranted credibility. The literature therefore indicates that the application of these frameworks to homeopathy is genuinely contested, and that any responsible account must both represent the integrative aspiration and confront the evidential reality honestly, a balance addressed below. This body of work frames the present review.

RESEARCH GAP

The integrative-medicine and evidence-informed-practice frameworks, the international policy context, and the evidence assessments of homeopathy are each documented, but they are seldom brought together in a single account that presents the frameworks fairly while confronting, rather than glossing over, the tension between the evidence-based nature of these frameworks and the contested evidence for homeopathy. Accounts that both explain the integrative aspiration and insist on honesty about the evidence and on patient safety are comparatively scarce. There is therefore value in a review that examines integrative and evidence-informed approaches as applied to homeopathy and addresses this central tension directly.

OBJECTIVES

The specific objectives of this study are:

- To examine the concept and models of integrative medicine as applied to homeopathy.
- To describe the current international policy context for traditional and complementary medicine.
- To set out the evidence-informed practice cycle and its application.
- To confront honestly the tension between these frameworks and the evidence for homeopathy.
- To identify the requirements, limitations, and future study of responsible integration.

METHODOLOGY

A review-based methodology was adopted. The integrative-medicine and evidence-informed-practice frameworks, the international policy context, and the evidence assessments of homeopathy were consolidated from international strategy documents and the academic

literature [1]-[9], and the material was organised into a framework comprising the concept of integrative medicine, the policy context, and the evidence-informed practice cycle. Policy figures are drawn from international sources; other quantitative elements are illustrative and convey pattern rather than precise measurement.

Integrative Medicine and Policy Context

The concept of integrative medicine, as the evidence-based combination of conventional and complementary care, is represented in Figure 1 as the overlap of biomedical care and complementary approaches within a patient-centred, evidence-based space. The growth of national policies on traditional and complementary medicine is represented in Figure 2, drawing on international survey data. These representations convey the integrative concept and the expanding policy context [1], [2].




Figure 1: Integrative medicine as the evidence-based overlap of conventional and complementary care




Figure 2: Growth of national traditional and complementary medicine policies (WHO survey data)

The Evidence-Informed Practice Cycle

The evidence-informed practice cycle, through which clinical decisions are to be guided by evidence, is represented in Figure 3 as a repeating loop of asking a clinical question, acquiring evidence and data, appraising it critically, applying it in individualised care, and assessing outcomes. This cycle provides the methodological structure within which any evidence-informed approach, including in an integrative setting, is intended to operate [3].




Figure 3: The evidence-informed practice cycle

RESULTS AND FINDINGS

Integrative Medicine and Its Models

Table 1 sets out models of integration, and Figure 1 depicts the integrative concept. The findings show that integration can take several forms, from the mere co-existence of modalities, through coordinated use alongside conventional care, to full integration within an evidence-based, patient-centred model, and that integrative medicine as properly defined requires the evidence-based and coordinated end of this spectrum rather than uncritical inclusion. The finding is that the integrative framework holds genuine appeal, in its emphasis on whole-person, patient-centred care and coordination, but that its defining requirement of an evidence base is precisely what makes its application to homeopathy problematic, since that evidence base is contested [1], [2].

Table 1: Models of integration of complementary approaches

Model	Character
Co-existence	Modalities used separately, without coordination
Coordinated / alongside	Complementary care used alongside conventional
Integrative (evidence-based)	Coordinated, patient-centred, evidence-based care
Uncritical inclusion	Inclusion without regard to evidence (to be avoided)

The Policy Context

Figure 2 depicts the growth of national policies, and Table 2 summarises the priorities of the international traditional-medicine strategy. The findings show that the policy infrastructure for traditional and complementary medicine has expanded markedly, with the number of states holding national policies rising substantially over recent decades, and that the international strategy prioritises building evidence, ensuring regulation, quality, and safety, promoting appropriate integration, and fostering collaboration. The finding is that the policy context is increasingly engaged and, importantly, that it places the strengthening of evidence and the assurance of safety and quality at its centre; the strategy's own emphasis on robust evidence underlines that policy engagement is not an endorsement of efficacy but a call for it to be established [2].

Table 2: Priorities of the international traditional-medicine strategy

Priority	Focus
Evidence	Building robust evidence and suitable research methods
Regulation	Ensuring safety and quality through regulation
Integration	Promoting appropriate integration into services
Collaboration	Fostering cross-sectoral collaboration
Quality and safety	Assuring product and practice standards

Evidence-Informed Practice and Safety

Figure 3 depicts the evidence-informed practice cycle, and Table 3 sets out its steps together with the patient-safety principles that must govern any integrative use of homeopathy. The findings show that evidence-informed practice provides a sound methodological structure, framing questions, acquiring and appraising evidence, applying it with judgement, and assessing outcomes, and that its honest application requires acknowledging where the evidence is weak or negative. The finding is that, applied to homeopathy, the cycle must incorporate the conclusions of authoritative reviews and must be governed by firm safety principles: that homeopathy must not delay or replace effective treatment, that serious conditions require conventional care, that patients must be given accurate information about the evidence, and that outcomes must be honestly assessed. Evidence-informed practice, properly applied, thus disciplines rather than endorses the use of homeopathy [3], [9].

Table 3: Evidence-informed practice steps and safety principles

Element	Requirement
Ask / acquire / appraise	Frame questions; gather and critically appraise evidence
Apply	Apply appraised evidence with clinical judgement
Assess	Measure and honestly report outcomes
Do not delay care	Never delay or replace effective treatment
Inform patients	Give accurate information about the evidence

DISCUSSION

The principal finding of this review is that the frameworks of integrative medicine and evidence-informed practice are prominent in contemporary discussion of homeopathy but that their application to it is constrained by a fundamental and unavoidable tension. Both frameworks are, by definition, grounded in evidence: integrative medicine is defined as evidence-based, and evidence-informed practice requires reliable evidence. Yet the authoritative assessments of homeopathy have concluded that it has not been shown to be effective beyond placebo. This means that these frameworks cannot be applied to homeopathy as though the evidence supported it; to do so would misuse the language of evidence to convey an endorsement that the evidence does not provide [2], [9].

Representing the matter fairly requires acknowledging both the aspiration and the constraint. The integrative aspiration, patient-centred, whole-person, coordinated care, is genuinely valuable, and the policy context rightly emphasises safety, quality, and the building of evidence. Some proponents argue that individualised homeopathy, pragmatic outcome evaluation, and patient-reported benefit merit continued consideration within integrative care. However, the constraint is decisive: reliable evidence does not currently support efficacy, and integrative or evidence-informed language must not be used to obscure this. The responsible position is therefore that any integrative use of homeopathy must be genuinely evidence-based, transparent about the contested and largely negative state of the evidence, and subordinate to the requirements of patient safety [1], [8].

The safety implications are paramount and admit no compromise. Whatever role homeopathy may play in an integrative setting, it must never delay or replace effective treatment; serious and treatable conditions must receive conventional care; patients must be given accurate information about the evidence so that their choices are informed; and outcomes must be assessed and reported honestly. Evidence-informed practice, properly understood, serves precisely to enforce these requirements, disciplining the use of any intervention by the evidence and by the patient's interests. The present review examines the integrative and evidence-informed frameworks and their application to homeopathy and confronts the central tension directly; it does not resolve the efficacy question, which is addressed in the evidence literature, but it insists that honesty about that question and a firm commitment to safety are the conditions of any responsible integration. Certain figures in this paper are illustrative; the policy figures are drawn from international sources.

LIMITATIONS

This study is a review and framework synthesis rather than an empirical investigation, and it does not itself evaluate clinical efficacy; it draws on existing evidence assessments, which the reader is encouraged to consult. The policy figures are drawn from international survey data and are subject to the limits of those surveys, including differing response sets between years; other quantitative elements are illustrative and convey pattern rather than measured data, and should not be cited as precise values. The review presents the integrative and evidence-informed frameworks and the tension in applying them to homeopathy; it does not advocate a particular integrative arrangement, and it takes as given the conclusions of authoritative reviews regarding efficacy. The treatment of a contested and evolving field is necessarily

condensed and represents the balance of authoritative assessment rather than any single viewpoint.

FUTURE SCOPE

Further study of integrative and evidence-informed approaches can proceed in several directions:

- Development of models of integration that are genuinely evidence-based and transparent about the evidence.
- Research methods suited to evaluating individualised and complementary interventions rigorously.
- Study of patient-reported outcomes and safety within any integrative use, honestly reported.
- Frameworks and safeguards to ensure that complementary care never delays effective treatment.
- Clear communication tools to inform patients accurately about the state of the evidence.
- Analysis of how policy engagement can strengthen evidence, safety, and quality.

Pursuing these directions would support responsible, safe, and honest engagement with integrative and evidence-informed frameworks while maintaining fidelity to the evidence.

CONCLUSION

This paper has reviewed integrative and evidence-informed approaches in contemporary homeopathic practice. The analysis shows that integrative medicine is defined as an interdisciplinary, evidence-based combination of biomedical and complementary care; that the international policy context, shaped by the World Health Organization's traditional-medicine strategy and by a marked growth in national policies, emphasises evidence, regulation, quality, safety, and appropriate integration; and that evidence-informed practice provides a structured cycle of asking, acquiring, appraising, applying, and assessing evidence. The central conclusion is that these frameworks, being grounded in evidence, cannot be applied to homeopathy as though the evidence supported it, because authoritative reviews have concluded that homeopathy has not been shown to be effective beyond placebo; genuinely evidence-informed integration must therefore be transparent about the contested and largely negative evidence, grounded in reliable evidence rather than assertion, and, above all, must never allow homeopathy to delay or replace effective treatment. Integrative and evidence-informed language is prominent in contemporary practice, but its responsible

application requires honesty about the evidence and an unwavering commitment to patient safety. Certain quantitative figures presented are illustrative, while the policy figures are drawn from international sources.

REFERENCES

1. World Health Organization, *WHO Global Report on Traditional and Complementary Medicine 2019*. Geneva, Switzerland: WHO, 2019.
2. World Health Organization, *WHO Traditional Medicine Strategy 2025–2034*. Geneva, Switzerland: WHO, 2025.
3. D. L. Sackett, W. M. C. Rosenberg, *et al.*, “Evidence based medicine: What it is and what it isn't,” *BMJ*, vol. 312, no. 7023, pp. 71–72, 1996.
4. National Center for Complementary and Integrative Health, *Homeopathy*. Bethesda, MD, USA: NCCIH.
5. Author(s), “Policy implications of WHO's global traditional medicine strategy 2025–2034,” *Bull. World Health Organ.*, 2025.
6. M. Frass *et al.*, “Therapeutic applications for homeopathy in clinical practice,” *Adv. Ther.*, vol. 41, 2024.
7. R. T. Mathie *et al.*, “Randomised placebo-controlled trials of individualised homeopathic treatment: A systematic review and meta-analysis,” *Syst. Rev.*, vol. 3, art. 142, 2014.
8. E. Ernst, “A systematic review of systematic reviews of homeopathy,” *Br. J. Clin. Pharmacol.*, vol. 54, no. 6, pp. 577–582, 2002.
9. National Health and Medical Research Council, *Evidence on the Effectiveness of Homeopathy for Treating Health Conditions*. Canberra, Australia: NHMRC, 2015.
10. Shang *et al.*, “Are the clinical effects of homoeopathy placebo effects? Comparative study of placebo-controlled trials of homoeopathy and allopathy,” *Lancet*, vol. 366, no. 9487, pp. 726–732, 2005.
11. World Health Organization, *WHO Traditional Medicine Strategy 2014–2023*. Geneva, Switzerland: WHO, 2013.
12. D. M. Eisenberg *et al.*, “Trends in alternative medicine use in the United States,” *JAMA*, vol. 280, no. 18, pp. 1569–1575, 1998.

13. C. Relton, K. Cooper, *et al.*, "Prevalence of homeopathy use by the general population worldwide: A systematic review," *Homeopathy*, vol. 106, no. 2, pp. 69–78, 2017.
14. J. Kleijnen, P. Knipschild, and G. ter Riet, "Clinical trials of homoeopathy," *BMJ*, vol. 302, no. 6772, pp. 316–323, 1991.
15. K. Linde *et al.*, "Are the clinical effects of homeopathy placebo effects? A meta-analysis," *Lancet*, vol. 350, no. 9081, pp. 834–843, 1997.
16. D. Guyatt, *Users' Guides to the Medical Literature*, 3rd ed. New York, NY, USA: McGraw-Hill, 2015.
17. Ministry of AYUSH, *Annual Report*. New Delhi, India: Government of India.
18. S. Hahnemann, *Organon of Medicine*, 6th ed., W. Boericke, Trans. New Delhi, India: B. Jain Publishers.

***Author for Correspondence**

Dr. Sunita Bhagat

E-mail: bhagatsunita5@rediffmail.com

¹Associate Professor, Dept. of Community Medicine & Homoeopathic Philosophy, Guru Mishri Homoeopathic Medical College and Hospital

²Assistant Professor, Dept. of Community Medicine & Homoeopathic Philosophy, Guru Mishri Homoeopathic Medical College and Hospital

³Student, Dept. of Community Medicine & Homoeopathic Philosophy, Guru Mishri Homoeopathic Medical College and Hospital

⁴Student, Dept. of Community Medicine & Homoeopathic Philosophy, Guru Mishri Homoeopathic Medical College and Hospital

Received Date: March 20, 2026

Accepted Date: April 07, 2026

Published Date: April 19, 2026

Citation: Dr. Sunita Bhagat, Dr. Pankaj Singh, Sakshi Gupta, Priyanka Deshpande. Integrative and Evidence-Informed Approaches in Contemporary Homeopathic Practice. *Contemporary Approaches in Homeopathic Practice*. 2026; 3(1): 25-36p.