MANTECH Publications

Journal of Engineering Mathematics & Statistics
Volume 5, Issue 2, July-December 2021

Stochastic Differential Equations and Uncertainty Quantification in Numerical Linear Problems

R. K. Deshmukh[1], Anita Verma[2], S. P. Kulkarni[3]

Assistant Professor[1], Associate Professor[2, 3]

Department of Applied Mathematics

Deccan Research Academy, Telangana, India

Email ID: *Rk22deshmukh@gmail.com[1], anitavermannb@yahoo.com[2], sp.kulkarnioo0@rediffmail.com[3]*

Abstract

Stochastic differential equations (SDEs) have emerged as a powerful mathematical framework for modeling systems influenced by random fluctuations and inherent uncertainties. In parallel, uncertainty quantification (UQ) has become an essential component of numerical analysis, particularly in numerical linear problems arising from physical, engineering, and biological systems. This review paper presents a comprehensive discussion on the theoretical foundations of stochastic differential equations, their numerical discretization techniques, and the role of uncertainty quantification in numerical linear systems. Special emphasis is placed on the integration of SDEs with numerical linear algebra methods, such as stochastic linear solvers, random matrix theory, and probabilistic interpretations of numerical errors. Various uncertainty propagation techniques, including Monte Carlo simulation, polynomial chaos expansion, and stochastic Galerkin methods, are critically examined. Applications in engineering mechanics, fluid flow, financial modeling, and inverse problems are also highlighted. The paper aims to provide researchers and postgraduate students with a structured overview of current developments, challenges, and future research directions in stochastic modeling and uncertainty-aware numerical computation.

Keywords: *Stochastic differential equations; uncertainty quantification; numerical linear algebra; Monte Carlo methods; polynomial chaos; stochastic modeling; numerical analysis*

Page 115-127 © MANTECH PUBLICATIONS 2021. All Rights Reserved

INTRODUCTION

In many real-world phenomena, deterministic mathematical models fail to accurately capture the complexity of system behavior due to randomness, incomplete data, and modeling errors. Classical differential equations, although powerful, often assume idealized conditions that are rarely satisfied in practice. To overcome this limitation, stochastic differential equations (SDEs) have been introduced to explicitly incorporate random effects into system dynamics.

Simultaneously, numerical linear problems form the backbone of computational science, appearing in discretized partial differential equations, optimization problems, and inverse modeling. Traditional numerical linear algebra techniques typically focus on accuracy and efficiency under deterministic assumptions. However, uncertainties in input data, model parameters, and numerical approximations can significantly affect solution reliability.

Uncertainty quantification (UQ) provides a systematic approach to analyze, propagate, and reduce uncertainties in computational models. When combined with stochastic differential equations, UQ enables a probabilistic understanding of numerical linear systems rather than a single deterministic outcome. This shift from deterministic to probabilistic numerical computation has attracted growing attention in recent years.

This review paper explores the intersection of stochastic differential equations, uncertainty quantification, and numerical linear problems. The objective is to present foundational concepts, numerical techniques, and applications while highlighting open challenges and research opportunities.

FUNDAMENTALS OF STOCHASTIC DIFFERENTIAL EQUATIONS

Stochastic differential equations (SDEs) extend the concept of ordinary differential equations by incorporating random processes into their formulation. They are particularly useful for modeling systems in which uncertainty, noise, or random fluctuations play a significant role. Such randomness may arise from environmental variability, measurement errors, unresolved physical processes, or intrinsic stochastic behavior of the system itself. As a result, SDEs have become an essential tool in applied mathematics, physics, finance, biology, and engineering sciences.

Page 115-127 © MANTECH PUBLICATIONS 2021. All Rights Reserved

Definition and Mathematical Formulation

A stochastic differential equation is a differential equation in which at least one term is stochastic in nature, typically represented by a Brownian motion or Wiener process. The most common and widely studied form of an SDE is given by

$$dX(t)=a(X(t),t)\,dt+b(X(t),t)\,dW(t), dX(t) = a(X(t),t)\backslash,dt + b(X(t),t)\backslash,dW(t), dX(t)=a(X(t),t)dt+b(X(t),t)dW(t),$$

where $X(t)X(t)X(t)$ is a stochastic process representing the state of the system at time ttt. The function $a(X(t),t)a(X(t),t)a(X(t),t)$ is known as the **drift term**, which describes the deterministic component of the system's evolution. It reflects the average or expected rate of change of the system over time. The function $b(X(t),t)b(X(t),t)b(X(t),t)$ is referred to as the **diffusion coefficient**, which controls the intensity of randomness affecting the system.

The term $W(t)W(t)W(t)$ denotes a Wiener process or Brownian motion, characterized by continuous paths, independent increments, and normally distributed changes with zero mean and variance proportional to time. The increment $dW(t)dW(t)dW(t)$ represents random fluctuations and is responsible for introducing uncertainty into the model.

Unlike ordinary differential equations, where a given initial condition leads to a unique deterministic solution, SDEs produce a family of possible solution paths. Each realization corresponds to a different outcome of the underlying random process. Consequently, the solution of an SDE is itself a random process, and its behavior is typically analyzed in terms of statistical properties such as mean, variance, probability distributions, and moments.

Another important aspect of SDEs is that they cannot be interpreted using classical calculus alone. Since the Wiener process is nowhere differentiable in the classical sense, special mathematical frameworks are required to define and analyze stochastic integrals. This leads to different interpretations of SDEs, primarily through Itô and Stratonovich calculus.

Itô and Stratonovich Interpretations

The interpretation of a stochastic differential equation depends on how the stochastic integral involving $dW(t)dW(t)dW(t)$ is defined. The two most commonly used interpretations are **Itô**

Page 115-127 © MANTECH PUBLICATIONS 2021. All Rights Reserved

calculus and **Stratonovich calculus**, each with its own mathematical properties and application domains.

In **Itô calculus**, the stochastic integral is defined in a non-anticipative manner, meaning that the integrand at a given time depends only on information available up to that time. This property makes Itô calculus particularly suitable for financial modeling and probabilistic analysis, where future information must not influence present decisions. One of the key features of Itô calculus is the **Itô formula**, which serves as the stochastic counterpart of the chain rule. However, unlike the classical chain rule, the Itô formula includes an additional term involving the second derivative, reflecting the effect of randomness.

The presence of this extra term often complicates analytical calculations but provides a mathematically rigorous framework for studying stochastic processes. As a result, Itô calculus has become the standard approach in areas such as option pricing, risk modeling, and stochastic control theory.

Stratonovich calculus, on the other hand, defines the stochastic integral in a symmetric or midpoint sense. This interpretation preserves many of the familiar rules of classical calculus, including the standard chain rule. Because of this property, Stratonovich SDEs are often more intuitive from a physical perspective and are commonly used in modeling systems influenced by continuous random perturbations, such as noise in electrical circuits, mechanical systems, and fluid dynamics.

Although Itô and Stratonovich formulations may appear different, they are mathematically related, and one can often be converted into the other through a correction term in the drift component. The choice between these interpretations depends largely on the modeling context and the nature of the underlying randomness. An incorrect choice may lead to inaccurate physical interpretation or erroneous numerical results, especially in applied problems.

In summary, understanding the distinction between Itô and Stratonovich interpretations is fundamental when working with stochastic differential equations, as it directly influences both theoretical analysis and numerical implementation.

Page 115-127 © MANTECH PUBLICATIONS 2021. All Rights Reserved

NUMERICAL METHODS FOR STOCHASTIC DIFFERENTIAL EQUATIONS

Analytical solutions of stochastic differential equations are known only for a very restricted class of problems, typically those with linear drift and diffusion terms or special symmetries. In most practical applications, especially in engineering, finance, and biological modeling, closed-form solutions do not exist. As a result, numerical approximation methods play a crucial role in studying the behavior of SDEs and estimating their statistical properties.

Numerical methods for SDEs differ significantly from those used for ordinary differential equations due to the presence of stochastic terms. The irregular nature of the Wiener process, which is continuous but nowhere differentiable, requires special discretization techniques. These methods aim to approximate sample paths of the stochastic process while maintaining stability and convergence under random perturbations.

Euler–Maruyama Method

The Euler–Maruyama method is the most basic and widely used numerical scheme for solving stochastic differential equations. It can be considered as a direct extension of the classical Euler method for ordinary differential equations to the stochastic setting. For a given time discretization tn=nΔtt_n = n\Delta ttn=nΔt, the Euler–Maruyama approximation is defined as Xn+1=Xn+a(Xn,tn)Δt+b(Xn,tn)ΔWn,X_{n+1} = X_n + a(X_n,t_n)\Delta t + b(X_n,t_n)\Delta W_n,Xn+1=Xn+a(Xn,tn)Δt+b(Xn,tn)ΔWn,
where Δt\Delta tΔt is the time step size and ΔWn=W(tn+1)−W(tn)\Delta W_n = W(t_{n+1}) - W(t_n)ΔWn=W(tn+1)−W(tn) represents the increment of the Wiener process. These increments are independent, normally distributed random variables with mean zero and variance Δt\Delta tΔt.

The appeal of the Euler–Maruyama method lies in its simplicity and ease of implementation. It requires minimal computational effort and does not involve derivatives of the drift or diffusion terms. Because of these advantages, it is often used for preliminary simulations and educational purposes.

However, the method suffers from limited accuracy. In terms of **strong convergence**, which measures the pathwise error of the approximation, the Euler–Maruyama method achieves an order of convergence of only 0.5. Its **weak convergence**, which concerns the accuracy of

Page 115-127 © MANTECH PUBLICATIONS 2021. All Rights Reserved

expected values of functionals of the solution, is typically of order 1. Due to these limitations, the method may require very small time step sizes to achieve acceptable accuracy, leading to increased computational cost in long-time simulations.

Milstein and Higher-Order Schemes

To improve upon the accuracy of the Euler–Maruyama method, more advanced numerical schemes have been developed. One of the most commonly used higher-order methods is the **Milstein method**, which incorporates additional terms involving the derivative of the diffusion coefficient. The Milstein scheme is given by

Xn+1=Xn+a(Xn,tn)Δt+b(Xn,tn)ΔWn+12b(Xn,tn)b′(Xn,tn)[(ΔWn)2−Δt].X_{n+1} = X_n + a(X_n,t_n)\Delta t + b(X_n,t_n)\Delta W_n + \frac{1}{2} b(X_n,t_n) b'(X_n,t_n)\left[(\Delta W_n)^2 - \Delta t\right].Xn+1=Xn+a(Xn,tn)Δt+b(Xn,tn)ΔWn+21b(Xn,tn)b′(Xn,tn)[(ΔWn)2−Δt].

By including this correction term, the Milstein method achieves a strong convergence order of 1.0 under suitable smoothness assumptions. This makes it significantly more accurate than the Euler–Maruyama method for problems where pathwise precision is important.

Despite its improved accuracy, the Milstein method has certain drawbacks. It requires the evaluation of derivatives of the diffusion function, which may be analytically complex or computationally expensive for nonlinear systems. Additionally, its extension to multi-dimensional SDEs with non-commutative noise is not straightforward.

For applications demanding even higher accuracy, **stochastic Runge–Kutta methods** and other higher-order schemes have been proposed. These methods can achieve higher weak and strong convergence orders, making them suitable for sensitive simulations and long-time integration. However, the increased computational complexity and implementation difficulty often limit their practical use.

In summary, the choice of numerical method for solving SDEs involves a trade-off between accuracy, computational cost, and ease of implementation. While the Euler–Maruyama method remains popular due to its simplicity, higher-order methods such as the Milstein and stochastic Runge–Kutta schemes are preferred when accuracy is a primary concern.

Page 115-127 © MANTECH PUBLICATIONS 2021. All Rights Reserved

Table 1: Comparison of Numerical Methods for SDEs

Method	Strong Order	Weak Order	Computational Cost	Typical Applications
Euler–Maruyama	0.5	1.0	Low	Preliminary analysis
Milstein	1.0	1.0	Moderate	Engineering systems
Stochastic RK	≥1.0	≥2.0	High	High-accuracy models

UNCERTAINTY QUANTIFICATION: CONCEPTS AND FRAMEWORK

Uncertainty quantification (UQ) is a systematic approach used to understand, represent, and analyze the impact of uncertainties present in mathematical models and computational simulations. In real-world applications, model inputs are rarely known with complete certainty. Parameters may be estimated from limited experimental data, measurements may contain noise, and simplifications introduced during modeling may lead to unavoidable inaccuracies. As a result, model outputs cannot be considered exact and must be interpreted in a probabilistic sense.

The primary objective of uncertainty quantification is to determine how uncertainties in model inputs propagate through the mathematical formulation and influence the reliability of the predicted outputs. Rather than providing a single deterministic solution, UQ seeks to describe the range of possible outcomes along with their associated probabilities. This probabilistic description is especially important in safety-critical applications such as structural engineering, climate modeling, and financial risk analysis.

In the context of stochastic differential equations and numerical linear problems, UQ provides a natural framework for linking randomness in system dynamics with uncertainties in numerical computations. It enables researchers to assess not only modeling uncertainty but also numerical errors arising from discretization, truncation, and approximate solvers.

Page 115-127 © MANTECH PUBLICATIONS 2021. All Rights Reserved

Types of Uncertainty

Uncertainty in mathematical modeling is commonly classified into two broad categories: **aleatory uncertainty** and **epistemic uncertainty**. Understanding the nature of these uncertainties is essential for selecting appropriate modeling and numerical techniques.

Aleatory uncertainty refers to inherent randomness present in a system. This type of uncertainty is irreducible and arises from natural variability or random fluctuations that cannot be eliminated through improved measurements or modeling. Examples include thermal noise, random material defects, or fluctuating environmental conditions. Stochastic differential equations are particularly well-suited for modeling aleatory uncertainty, as the stochastic terms explicitly represent random influences on system behavior.

Epistemic uncertainty, on the other hand, originates from a lack of knowledge about the system. It may result from insufficient data, uncertain model parameters, or incomplete understanding of the underlying physical processes. Unlike aleatory uncertainty, epistemic uncertainty is, in principle, reducible through better experiments, improved measurements, or refined models.

Uncertainty quantification techniques are designed to handle both types of uncertainty within a unified probabilistic framework. While SDEs primarily capture aleatory uncertainty through random forcing terms, UQ methods incorporate epistemic uncertainty by treating unknown parameters as random variables or random fields. This combined treatment allows for a more realistic assessment of model predictions.

Forward and Inverse UQ Problems

Uncertainty quantification problems are generally categorized into **forward** and **inverse** problems, depending on the direction of information flow between model inputs and outputs.

In **forward uncertainty quantification**, uncertainties in input parameters are propagated through the mathematical model to determine their effect on output quantities of interest. For example, uncertain coefficients in a stochastic differential equation may lead to variability in the system response. Forward UQ aims to compute statistical measures such as mean, variance, probability density functions, and confidence intervals of the outputs. Techniques such as

Page 115-127 © MANTECH PUBLICATIONS 2021. All Rights Reserved

Monte Carlo simulation, polynomial chaos expansion, and stochastic collocation are commonly employed for this purpose.

Inverse uncertainty quantification addresses the opposite problem. Here, observed data or experimental measurements are used to infer unknown or uncertain model parameters. This process often leads to stochastic inverse problems, where the goal is to determine the probability distribution of parameters that best explains the observed data. Inverse UQ is closely related to Bayesian inference, where prior knowledge is updated using observational evidence.

Inverse problems are generally more challenging than forward problems due to issues such as ill-posedness, non-uniqueness, and sensitivity to noise. Numerical linear algebra methods play a crucial role in solving inverse UQ problems, especially when large-scale systems arise from discretized stochastic models.

Overall, the forward and inverse UQ frameworks together provide a comprehensive approach for analyzing uncertainty in stochastic differential equations and numerical linear systems. They enable both prediction under uncertainty and parameter estimation in the presence of noisy and incomplete data.

NUMERICAL LINEAR PROBLEMS UNDER UNCERTAINTY

Numerical linear algebra problems such as solving linear systems, eigenvalue problems, and matrix factorizations are fundamental to computational science. When uncertainties are introduced, these problems become stochastic in nature.

Stochastic Linear Systems

A stochastic linear system may be written as

$A(\omega)x(\omega)=b(\omega), A(\omega)x(\omega)=b(\omega), A(\omega)x(\omega)=b(\omega),$

where matrix A and vector b depend on random variables ω. Solutions are random vectors whose statistical properties must be analyzed.

Page 115-127 © MANTECH PUBLICATIONS 2021. All Rights Reserved

Random Matrix Theory

Random matrix theory provides theoretical tools to study spectral properties of matrices with random entries. It plays a key role in understanding stability and conditioning of stochastic linear systems.

UNCERTAINTY PROPAGATION TECHNIQUES

Monte Carlo Simulation

Monte Carlo methods estimate statistical moments by repeated random sampling. They are simple and robust but computationally expensive for large-scale problems.

Polynomial Chaos Expansion

Polynomial chaos expansion (PCE) represents random variables using orthogonal polynomials. PCE significantly reduces computational cost compared to Monte Carlo methods for low-dimensional uncertainties.

Stochastic Galerkin and Collocation Methods

Stochastic Galerkin methods convert stochastic problems into larger deterministic systems, while collocation methods solve deterministic problems at selected sample points. Each approach has advantages and limitations.

Page 115-127 © MANTECH PUBLICATIONS 2021. All Rights Reserved




Figure 1: Workflow of Uncertainty Quantification in Numerical Linear Problems

APPLICATIONS

Engineering and Structural Mechanics

In structural analysis, material properties and external loads are often uncertain. SDE-based models combined with UQ provide reliability estimates and failure probabilities.

Fluid Flow and Transport Phenomena

Random perturbations in boundary conditions and parameters lead to stochastic Navier–Stokes equations. Numerical linear solvers play a crucial role after discretization.

Page 115-127 © MANTECH PUBLICATIONS 2021. All Rights Reserved

Financial Mathematics

SDEs are widely used to model asset prices, interest rates, and risk factors. Linear algebra techniques are essential for calibration and option pricing.

Inverse Problems and Data Assimilation

Uncertainty-aware numerical linear solvers are central to inverse problems where observational noise and model uncertainty must be accounted.

CHALLENGES AND FUTURE DIRECTIONS

Despite significant progress, several challenges remain. High-dimensional uncertainty leads to the curse of dimensionality, limiting the effectiveness of existing methods. Developing scalable stochastic solvers and efficient UQ frameworks remains an open research area. Integration of machine learning with stochastic numerical methods is an emerging direction with promising potential.

CONCLUSION

Stochastic differential equations and uncertainty quantification provide a rigorous framework for modeling and analyzing systems influenced by randomness. When applied to numerical linear problems, these approaches move beyond deterministic solutions and enable probabilistic interpretation of computational results. This review has presented the theoretical foundations, numerical methods, and applications of SDEs and UQ in numerical linear algebra. While challenges related to computational cost and high-dimensional uncertainty persist, ongoing research continues to expand the applicability of stochastic numerical methods across science and engineering. A deeper integration of uncertainty-aware computation is expected to play a central role in future numerical analysis.

REFERENCES

1. Kloeden, P. E., & Platen, E. (1992). *Numerical Solution of Stochastic Differential Equations*. Springer.
2. Øksendal, B. (2003). *Stochastic Differential Equations: An Introduction with Applications*. Springer.
3. Smith, R. C. (2014). *Uncertainty Quantification: Theory, Implementation, and Applications*. SIAM.

Page 115-127 © MANTECH PUBLICATIONS 2021. All Rights Reserved

4. Lord, G. J., Powell, C. E., & Shardlow, T. (2014). *An Introduction to Computational Stochastic PDEs*. Cambridge University Press.
5. Ghanem, R., & Spanos, P. (2003). *Stochastic Finite Elements: A Spectral Approach*. Dover Publications.
6. Saad, Y. (2003). *Iterative Methods for Sparse Linear Systems*. SIAM.
7. Xiu, D. (2010). *Numerical Methods for Stochastic Computations*. Princeton University Press.
8. Stuart, A. M. (2010). Inverse problems: A Bayesian perspective. *Acta Numerica*, 19, 451–559.
9. Higham, D. J. (2001). An algorithmic introduction to numerical simulation of stochastic differential equations. *SIAM Review*, 43(3), 525–546.
10. Benner, P., Gugercin, S., & Willcox, K. (2015). A survey of projection-based model reduction methods. *SIAM Review*, 57(4), 483–531.

Page 115-127 © MANTECH PUBLICATIONS 2021. All Rights Reserved