MANTECH Publications

Journal of Modern Mechanical Systems and Machining
Volume 8, Issue 2, July-December 2025

Smart CNC Machines Using IoT and Cyber-Physical Systems

R. K. Malhotra[1], Sneha P. Kulkarni[2], Animesh Dutta[3]

Associate Professor[1], Assistant Professor[2]

Department of Manufacturing Engineering

Saraswati College of Engineering, Kharagpur

Email ID: *rkmalhotra10s@gmail.com[1], snehapkulkarni225@gmail.com[2], animes_dutta7@rediffmail.com[3]*

ABSTRACT

The rapid transformation of manufacturing systems under the Industry 4.0 paradigm has significantly influenced the development of smart machine tools. Among them, Computer Numerical Control (CNC) machines play a vital role in modern production environments due to their precision, flexibility, and automation capabilities. The integration of Internet of Things (IoT) and Cyber-Physical Systems (CPS) with CNC machines has led to the emergence of smart CNC machines, which are capable of real-time monitoring, intelligent decision-making, predictive maintenance, and adaptive control. This paper presents a comprehensive review of smart CNC machines using IoT and CPS technologies. The architecture, enabling technologies, sensing systems, communication protocols, and data analytics approaches are discussed in detail. Further, applications such as tool condition monitoring, energy optimization, fault diagnosis, and digital twin-based machining are reviewed. Challenges related to cybersecurity, interoperability, data management, and implementation cost are also highlighted. Finally, future research directions and emerging trends are discussed to guide researchers and industrial practitioners. This review aims to provide a structured understanding of smart CNC systems and their role in next-generation manufacturing.

KEYWORDS: *Smart CNC machines, Internet of Things, Cyber-Physical Systems, Industry 4.0, Digital twin, Predictive maintenance*

Page 97-107 © MANTECH PUBLICATIONS 2025. All Rights Reserved

INTRODUCTION

Manufacturing industries are undergoing a paradigm shift with the adoption of digitalization, automation, and intelligent systems. Traditional CNC machines, though highly accurate and reliable, operate mostly as standalone systems with limited connectivity and intelligence. With increasing demand for high productivity, mass customization, reduced downtime, and better quality control, conventional CNC systems are no longer sufficient.

The emergence of **Industry 4.0** has introduced advanced concepts such as IoT, CPS, cloud computing, big data analytics, and artificial intelligence into manufacturing environments. Smart CNC machines represent an evolution of conventional CNC machines, where physical machining processes are tightly integrated with computational and communication capabilities.

IoT enables CNC machines to be connected with sensors, networks, and cloud platforms, allowing real-time data acquisition and remote monitoring. Cyber-Physical Systems provide a framework where physical components (machine tools, actuators) interact with cyber components (models, algorithms, software) in a closed feedback loop. Together, IoT and CPS transform CNC machines into intelligent manufacturing units capable of self-awareness and self-optimization.

This paper reviews recent research and developments in smart CNC machines using IoT and CPS. The focus is on system architecture, key technologies, applications, and challenges.

EVOLUTION OF CNC MACHINES TOWARD SMART SYSTEMS

1. Conventional CNC Machines

Conventional CNC machines use pre-programmed G-codes to control machining operations. While they offer high precision and repeatability, they lack:

- Real-time adaptability
- Condition awareness
- Connectivity with other systems
- Predictive capabilities

Maintenance is usually reactive or preventive, which leads to unexpected downtime or over-maintenance.

Page 97-107 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Table 1: CNC in Industry 3.0 vs Industry 4.0

Feature	Industry 3.0 CNC	Industry 4.0 Smart CNC
Connectivity	Standalone	Networked & cloud-enabled
Monitoring	Manual/Local	Real-time remote
Decision making	Operator-based	Data-driven
Maintenance	Preventive	Predictive
Intelligence	Low	High

The transition toward smart CNC machines involves embedding sensors, communication modules, and intelligent software into machine tools.

SMART CNC MACHINE ARCHITECTURE

A typical smart CNC machine architecture consists of four major layers:

1. Physical Layer

This layer includes:

- CNC machine tool
- Spindle and feed drives
- Cutting tools
- Work piece

Sensors such as vibration, temperature, current, force, and acoustic emission sensors are installed to capture machine condition and process parameters.

2. Data Acquisition and Communication Layer

This layer is responsible for:

- Signal conditioning
- Data acquisition systems (DAQ)
- Industrial communication protocols

Common protocols include:

- MTConnect
- OPC-UA

Page 97-107 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- MQTT
- EtherCAT

3. Cyber Layer

The cyber layer includes:

- Data storage (local or cloud)
- Data analytics engines
- Machine learning models
- Digital twin models

Here, raw sensor data is converted into meaningful information.

4. Application Layer

This layer provides user-level services such as:

- Dashboards
- Alerts and notifications
- Decision support systems
- Remote control interfaces




Figure 1: General Architecture of Smart CNC Machine

Page 97-107 © MANTECH PUBLICATIONS 2025. All Rights Reserved

ROLE OF INTERNET OF THINGS IN SMART CNC MACHINES

IoT acts as the backbone for connectivity and data exchange in smart CNC systems.

1. Sensor Integration

Table 1: Various sensors are used in CNC machines

Sensor Type	Measured Parameter	Application
Vibration sensor	Tool vibration	Tool wear detection
Temperature sensor	Spindle/motor temp	Thermal error compensation
Current sensor	Motor current	Load monitoring
Force sensor	Cutting force	Process optimization

2. IoT Gateways and Edge Devices

IoT gateways collect data from sensors and CNC controllers and perform preliminary processing. Edge computing reduces latency and bandwidth requirements.

3. Cloud Connectivity

Cloud platforms enable:

- Large-scale data storage
- Advanced analytics
- Fleet-level monitoring of CNC machines

CYBER-PHYSICAL SYSTEMS IN CNC MACHINING

CPS provides tight integration between physical machining processes and cyber intelligence.

1. CPS Characteristics

Key characteristics include:

- Real-time feedback
- Closed-loop control
- Self-adaptation
- Synchronization between physical and virtual models

Page 97-107 © MANTECH PUBLICATIONS 2025. All Rights Reserved

2. Digital Twin of CNC Machines

A digital twin is a virtual replica of the physical CNC machine that continuously updates using real-time data.

Applications of digital twins include:

- Process simulation
- Tool wear prediction
- Virtual commissioning
- Performance optimization

DATA ANALYTICS AND ARTIFICIAL INTELLIGENCE

1. Big Data in CNC Machining

Smart CNC machines generate large volumes of data such as:

- Sensor signals
- Controller logs
- Tool usage history

Efficient data handling is critical for meaningful analysis.

2. Machine Learning Techniques

Common algorithms used include:

- Artificial Neural Networks (ANN)
- Support Vector Machines (SVM)
- Random Forest
- Deep Learning models

These techniques are applied for fault detection, tool condition monitoring, and quality prediction.

APPLICATIONS OF SMART CNC MACHINES

The integration of IoT and Cyber-Physical Systems has expanded the application scope of CNC machines far beyond conventional machining. Smart CNC machines are now capable of intelligent sensing, data-driven decision making, and real-time process optimization. The most significant applications include tool condition monitoring, predictive maintenance, energy management, and in-process quality control.

Page 97-107 © MANTECH PUBLICATIONS 2025. All Rights Reserved

1. Tool Condition Monitoring

Tool condition monitoring (TCM) is one of the most critical applications of smart CNC machines. Cutting tools are subjected to extreme mechanical and thermal stresses during machining, leading to gradual wear, chipping, or sudden breakage. In conventional CNC systems, tool inspection is usually performed at fixed intervals or after part failure, which often results in material waste and production delays.

In smart CNC machines, IoT-enabled sensors such as vibration sensors, acoustic emission sensors, cutting force sensors, and spindle motor current sensors are used to continuously monitor tool behavior during machining. These sensors collect high-frequency signals that reflect changes in cutting conditions and tool health. For example, an increase in vibration amplitude or spindle current often indicates tool wear progression.

The collected sensor data is transmitted through IoT gateways to edge or cloud platforms, where machine learning algorithms are applied for tool condition assessment. Supervised learning models such as artificial neural networks and support vector machines are commonly used to classify tool states into categories like healthy, worn, or broken. In some advanced systems, deep learning models automatically extract features from raw signals, reducing the need for manual feature engineering.

Early detection of tool wear and breakage helps in scheduling timely tool replacement, minimizing scrap generation, improving surface finish, and avoiding catastrophic tool failure. As a result, tool life is utilized more efficiently, and overall machining productivity is significantly improved.

2. Predictive Maintenance

Predictive maintenance is another key application enabled by smart CNC machines. Traditional maintenance strategies such as reactive maintenance (repair after failure) and preventive maintenance (scheduled servicing) often lead to unplanned downtime or unnecessary maintenance actions. These approaches increase operational cost and reduce machine availability.

Page 97-107 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Smart CNC machines continuously monitor the health of critical components such as spindle bearings, ball screws, linear guides, motors, and hydraulic systems. Parameters like temperature, vibration, lubrication condition, and power consumption are measured in real time using embedded sensors. This data provides valuable insight into machine degradation patterns .Using CPS-based analytics, the physical condition of machine components is mapped to cyber models that estimate remaining useful life (RUL). Machine learning and statistical techniques are employed to identify abnormal trends and predict potential failures before they occur. For instance, a gradual increase in bearing vibration at specific frequencies may indicate early-stage bearing damage.

When the system detects abnormal behavior, maintenance alerts are automatically generated, allowing maintenance personnel to take corrective action at the right time. This condition-based approach reduces unexpected breakdowns, extends machine life, and improves overall equipment effectiveness (OEE). Predictive maintenance also enables better planning of spare parts and maintenance resources.

3. Energy Monitoring and Optimization

Energy consumption has become an important concern in modern manufacturing due to rising energy costs and sustainability requirements. CNC machines consume a significant amount of electrical energy, especially during high-speed machining operations. Smart CNC machines provide detailed visibility into energy usage patterns, enabling energy-efficient machining strategies.

IoT-based energy meters and current sensors are used to monitor power consumption of different CNC subsystems, including spindle motors, feed drives, coolant pumps, and auxiliary equipment. Energy data is collected and analyzed in real time to identify energy-intensive operations and idle power losses.

Cyber-physical models correlate energy consumption with machining parameters such as cutting speed, feed rate, depth of cut, and tool path strategy. Based on this analysis, optimization algorithms suggest parameter adjustments that reduce energy usage without compromising productivity or part quality. For example, optimal spindle speed selection can significantly lower energy consumption during roughing operations.

Page 97-107 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Additionally, smart CNC systems can automatically switch machines to low-power standby modes during idle periods. Energy monitoring also supports compliance with green manufacturing standards and helps manufacturers reduce their carbon footprint.

4. Quality Control

Quality control is traditionally performed after machining using offline inspection methods such as coordinate measuring machines (CMM). This approach often detects defects only after part completion, resulting in rework or scrap. Smart CNC machines enable in-process quality monitoring, improving first-pass yield.

Real-time quality control is achieved by integrating sensors such as force sensors, vibration sensors, and in some cases, vision systems directly into the CNC machine. These sensors monitor process signatures that are closely related to part quality characteristics such as surface roughness, dimensional accuracy, and geometric tolerances.

The cyber layer analyzes sensor data using predictive models to estimate quality metrics during machining. Deviations from expected patterns are detected immediately, allowing the system to adjust machining parameters in real time. For example, feed rate compensation can be applied to counteract tool wear-induced dimensional errors.

By detecting quality issues early, smart CNC machines reduce scrap rates and improve process consistency. Continuous quality monitoring also enables traceability, which is especially important in aerospace, automotive, and medical manufacturing sectors.

CYBERSECURITY ISSUES IN SMART CNC SYSTEMS

With increased connectivity, cybersecurity becomes critical.

Major threats include:

- Unauthorized access
- Data manipulation
- Ransomware attacks

Security measures include:

- Encrypted communication

Page 97-107 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- Access control
- Secure firmware updates

CHALLENGES AND LIMITATIONS

Despite benefits, several challenges exist:

- High initial investment
- Integration with legacy CNC machines
- Data interoperability issues
- Lack of skilled manpower
- Reliability of sensors in harsh environments

These factors slow down large-scale adoption, especially in small and medium enterprises.

FUTURE TRENDS AND RESEARCH DIRECTIONS

Future research is expected to focus on:

- AI-driven autonomous CNC machines
- 5G-enabled ultra-low latency communication
- Self-healing machining systems
- Standardization of CNC data models
- Sustainable and green manufacturing

The combination of CPS, IoT, and AI will lead to fully autonomous machining cells.

CONCLUSION

Smart CNC machines using IoT and Cyber-Physical Systems represent a major advancement in modern manufacturing. By integrating sensing, connectivity, data analytics, and intelligent control, CNC machines are transformed into adaptive and self-aware systems. This review has discussed the architecture, enabling technologies, applications, and challenges of smart CNC machines. Although implementation challenges remain, continuous advancements in IoT, CPS, and AI technologies are expected to accelerate adoption. Smart CNC systems will play a crucial role in achieving flexible, efficient, and sustainable manufacturing in the near future.

REFERENCES

1. Lee, J., Bagheri, B., & Kao, H. A., “A cyber-physical systems architecture for Industry 4.0-based manufacturing systems,” *Manufacturing Letters*, 2015.

Page 97-107 © MANTECH PUBLICATIONS 2025. All Rights Reserved

2. Qin, J., Liu, Y., & Grosvenor, R., "A categorical framework of manufacturing for Industry 4.0," *Procedia CIRP*, 2016.
3. Tao, F., Zhang, H., Liu, A., & Nee, A. Y. C., "Digital twin in industry," *IEEE Transactions on Industrial Informatics*, 2019.
4. Kang, H. S., et al., "Smart manufacturing: Past research, present findings, and future directions," *International Journal of Precision Engineering*, 2016.
5. Verl, A., et al., "Machine tool control and monitoring in Industry 4.0," *CIRP Annals*, 2018.
6. Xu, L. D., He, W., & Li, S., "Internet of Things in industries," *IEEE Transactions on Industrial Informatics*, 2014.
7. Grieves, M., "Digital twin: Manufacturing excellence through virtual factory replication," 2014.
8. Wang, S., Wan, J., Li, D., & Zhang, C., "Implementing smart factory of Industry 4.0," *Industrial Management & Data Systems*, 2016.
9. Mobley, R. K., *An Introduction to Predictive Maintenance*, Elsevier, 2002.
10. Jayasekara, S., et al., "Machine learning based tool wear prediction," *Journal of Manufacturing Processes*, 2020.

Page 97-107 © MANTECH PUBLICATIONS 2025. All Rights Reserved