

Principles of Preventive Medicine: Levels of Prevention and Immunization

Dr. Vikram Sethi¹, Rashmi Mahajan², Kartik Jain³

ABSTRACT

Prevention is the foundation of public health, and preventive medicine seeks to protect, promote, and restore health by acting at every stage of the natural history of disease. This paper reviews the principles of preventive medicine, focusing on the levels of prevention and on immunization as a cornerstone of specific protection. A review-based approach is adopted, drawing on the standard texts of preventive and community medicine. The analysis sets out the natural history of disease and the levels of prevention that correspond to its stages, primordial prevention, which prevents the emergence of risk factors; primary prevention, comprising health promotion and specific protection, applied before disease occurs; secondary prevention, comprising early diagnosis and prompt treatment; and tertiary prevention, comprising disability limitation and rehabilitation, applied once disease is established. It then examines immunization, distinguishing active immunization by vaccines, live attenuated, inactivated, toxoid, and subunit or conjugate, from passive immunization by preformed antibodies, and describing immunization schedules, the concept of herd immunity, and the requirements of the cold chain. The study finds that the levels of prevention provide a comprehensive framework that matches interventions to the stage of disease, and that immunization is among the most effective of all preventive measures, capable, at sufficient coverage, of protecting whole populations and even of eradicating disease. It concludes that preventive medicine, structured by the levels of prevention and exemplified by immunization, is central to the protection of population health. Certain quantitative figures are illustrative.

KEYWORDS: *Preventive Medicine, Levels of Prevention, Immunization, Vaccines, Herd Immunity, Health Promotion, Natural History of Disease,*

INTRODUCTION

The principle that prevention is better than cure lies at the heart of public health. Preventive medicine is concerned with protecting, promoting, and restoring health, and with preventing disease, disability, and premature death, by intervening at every stage of the process by which disease develops [1], [2]. Its scope extends from measures that prevent disease from arising at all to measures that limit disability and restore function once disease is established, and it operates at the level of the population as well as the individual. This paper reviews the principles of preventive medicine, with particular attention to the levels of prevention and to immunization.

The organising concept of preventive medicine is the natural history of disease, the course that a disease follows in an individual from before its onset, through its pathological changes, to its resolution, disability, or death. Against this course, prevention is classically organised into levels, each applying appropriate interventions at a particular stage: primordial and primary prevention before disease occurs, secondary prevention in its early stages, and tertiary prevention once it is established [1], [3]. This framework matches the type of intervention to the stage of disease and provides a comprehensive approach to protecting health.

Among the measures of prevention, immunization holds a special place. As a form of specific protection, it protects individuals against particular infectious diseases and, when applied widely, protects whole populations through herd immunity; it has achieved some of the greatest triumphs of public health, including the global eradication of smallpox. The central purpose of this paper is to review the levels of prevention and the principles of immunization in an integrated way, setting out the framework of prevention and the types and use of immunizing agents. The paper draws on the standard texts of preventive and community medicine, presents the principles systematically, and notes that certain quantitative figures are illustrative [1], [4], [5].

LITERATURE REVIEW

The levels of prevention are set out systematically in the literature of preventive medicine [1], [3]. Building on the classical scheme of Leavell and Clark, four levels are commonly

distinguished. Primordial prevention seeks to prevent the emergence of risk factors in populations in which they have not yet appeared, through measures such as healthy public policy and environments. Primary prevention acts before disease occurs and comprises both health promotion, which improves general well-being and resistance, and specific protection, which guards against particular diseases, for example by immunization, safe water, and hygiene. Secondary prevention acts in the early, often presymptomatic, stage of disease, through early diagnosis and prompt treatment, including screening. Tertiary prevention acts once disease is established and comprises disability limitation, to arrest progression and prevent complications, and rehabilitation, to restore function. Each level corresponds to a stage of the natural history of disease and to a characteristic mode of intervention [1], [2].

Immunization, a principal measure of specific protection, is described in detail [4], [5]. Active immunization stimulates the recipient's own immune system to produce protection by administering a vaccine, and vaccines are of several types: live attenuated vaccines, containing weakened organisms; inactivated or killed vaccines; toxoids, containing inactivated toxins; and subunit, polysaccharide, and conjugate vaccines, containing components of the organism. Active immunization generally confers durable protection but takes time to develop. Passive immunization, by contrast, provides immediate but temporary protection by administering preformed antibodies, as immunoglobulins or antisera, and is used for immediate protection or treatment. Immunization is delivered according to schedules that specify the vaccines to be given at particular ages, and national immunization programmes, developed from the Expanded Programme on Immunization, deliver these schedules at scale [4], [6].

The literature emphasises several concepts central to the practice of immunization [5], [6]. Herd immunity, the protection of a population that results when a sufficient proportion is immune, so that transmission is interrupted even among the non-immune, is fundamental: the proportion that must be immune rises with the transmissibility of the infection, so that highly transmissible diseases such as measles require very high coverage. The cold chain, the system of storage and transport that keeps vaccines at appropriate temperatures from manufacture to administration, is essential to their potency. The literature also sets out the principles of screening, as a secondary-preventive measure, including the criteria that a condition and test should meet, and the principles of health promotion. It records, moreover, the extraordinary impact of immunization, including the eradication of smallpox and the near-eradication of

poliomyelitis, as evidence of the power of preventive measures. These concepts frame the present review [1], [4], [5].

RESEARCH GAP

The principles of preventive medicine are treated comprehensively in the standard texts, but the levels of prevention and the principles of immunization, though closely related as framework and exemplar, are often presented separately, and a concise, integrated overview that sets out the levels of prevention and locates immunization within them is useful for orientation and teaching. There is therefore value in a consolidated review that presents the levels of prevention and the principles of immunization as a connected account of how health is protected across the natural history of disease.

OBJECTIVES

The specific objectives of this study are:

- To set out the natural history of disease and the levels of prevention.
- To describe the interventions characteristic of each level of prevention.
- To distinguish active from passive immunization and describe the types of vaccine.
- To explain the concept of herd immunity and its relation to immunization coverage.
- To locate immunization within the framework of preventive medicine.

METHODOLOGY

A review-based approach was adopted. The levels of prevention, the principles of immunization, and related concepts were consolidated from the standard texts of preventive and community medicine [1]-[6], and the material was organised into a framework comprising the levels of prevention, an immunization schedule, and the relationship between herd immunity and immunization coverage. Where figures present an immunization schedule or herd-immunity thresholds, these are illustrative or approximate and are intended to convey principle and pattern rather than a definitive schedule or precise value; national schedules vary and are periodically revised.

Levels of Prevention and Immunization

The levels of prevention, mapped against the natural history of disease, are represented in Figure 1 as a tiered scheme, from primordial and primary prevention before disease, through

secondary prevention in its early stages, to tertiary prevention once it is established. An illustrative childhood immunization schedule, showing the vaccines given at successive ages, is represented in Figure 2. These representations organise the framework of prevention and the delivery of immunization [1], [4].




Figure 1: Levels of prevention across the natural history of disease




Figure 2: Illustrative childhood immunization timeline (schedules vary by country)

Herd Immunity

The relationship between the transmissibility of a disease and the immunization coverage required to achieve herd immunity is represented in Figure 3, which shows the approximate coverage needed for several diseases; the more transmissible the infection, the higher the

coverage required. This relationship is central to the design of immunization programmes [5], [6].




Figure 3: Approximate herd-immunity thresholds by disease

RESULTS AND FINDINGS

The Levels of Prevention

Table 1 sets out the levels of prevention and their characteristic interventions, and Figure 1 depicts them against the natural history of disease. The findings show that prevention can be applied at every stage: primordial prevention prevents risk factors from arising; primary prevention, through health promotion and specific protection, prevents disease from occurring; secondary prevention, through early diagnosis and treatment, halts disease in its early stages; and tertiary prevention, through disability limitation and rehabilitation, reduces the consequences of established disease. The finding is that the levels of prevention provide a comprehensive framework that matches the type of intervention to the stage of disease, so that preventive action is possible before, during, and after the onset of disease [1], [3].

Table 1: Levels of prevention and characteristic interventions

Level	Stage of disease	Characteristic interventions
Primordial	Before risk factors	Healthy policy and environments
Primary	Before disease	Health promotion; specific protection

Level	Stage of disease	Characteristic interventions
Secondary	Early disease	Early diagnosis; screening; treatment
Tertiary	Established disease	Disability limitation; rehabilitation

Immunization

Table 2 distinguishes active from passive immunization, and Table 3 sets out the types of vaccine with examples; Figure 2 depicts an illustrative schedule. The findings show that active immunization, by vaccines of several types, stimulates durable protection through the recipient's own immune response, while passive immunization, by preformed antibodies, provides immediate but temporary protection; and that vaccines are delivered according to age-specific schedules through organised programmes. The finding is that immunization is a versatile and powerful measure of specific protection, with the choice of active or passive immunization and of vaccine type determined by the disease, the urgency of protection, and the characteristics of the agent [4], [5].

Table 2: Active versus passive immunization

Feature	Active immunization	Passive immunization
Mechanism	Own immune response to vaccine	Preformed antibodies given
Onset	Delayed (days–weeks)	Immediate
Duration	Long-lasting	Short (weeks–months)
Agent	Vaccines	Immunoglobulins; antisera
Use	Routine prevention	Immediate protection; treatment

Table 3: Types of vaccine with representative examples

Vaccine type	Representative examples
Live attenuated	BCG; oral polio; measles; MMR
Inactivated / killed	Inactivated polio; rabies; pertussis (whole-cell)

Vaccine type	Representative examples
Toxoid	Tetanus; diphtheria
Subunit / conjugate	Hepatitis B; Hib; pneumococcal conjugate
Polysaccharide	Certain pneumococcal and meningococcal vaccines

Herd Immunity and Coverage

Figure 3 depicts the approximate immunization coverage required for herd immunity in several diseases, and the finding it conveys is central to immunization policy. The findings show that herd immunity, the interruption of transmission when a sufficient proportion of the population is immune, protects even those who are not themselves immune, and that the coverage required rises with the transmissibility of the infection, so that highly transmissible diseases such as measles require very high coverage, of the order of ninety per cent or more, while less transmissible diseases require less. The finding is that the achievement and maintenance of high immunization coverage is essential to population protection, that falling coverage can permit the return of controlled diseases, and that this relationship underlies the emphasis of immunization programmes on reaching and sustaining coverage targets [5], [6].

DISCUSSION

The principal finding of this review is that the levels of prevention provide a comprehensive framework for the protection of health, and that immunization is among the most effective of all preventive measures. By matching interventions to the stage of the natural history of disease, the levels of prevention ensure that preventive action is possible at every point: preventing risk factors, preventing disease, detecting and treating it early, and limiting its consequences. This framework gives preventive medicine its coherence and its comprehensiveness, and it applies across communicable and non-communicable diseases alike [1], [3].

Immunization exemplifies the power of prevention and of specific protection in particular. As a primary-preventive measure, it protects the individual against defined diseases; and, through herd immunity, it protects the population, interrupting transmission when coverage is sufficient. Its achievements, above all the global eradication of smallpox and the near-eradication of poliomyelitis, demonstrate that preventive measures can not only reduce disease but eliminate it entirely, a result attainable by no other means. These achievements depend,

however, on the maintenance of high coverage and on the integrity of the cold chain, and they can be reversed if coverage falls; the emphasis of immunization programmes on coverage and quality reflects this dependence [4], [5].

The framework of prevention also encompasses other important measures. Secondary prevention through screening allows disease to be detected and treated early, subject to the criteria that a condition and test must meet to make screening worthwhile; health promotion improves general resistance and well-being; and tertiary prevention limits disability and restores function. Presented together, the levels of prevention and the principles of immunization convey the logic of preventive medicine and its central place in public health. The present review sets out these principles as established in the standard texts; the detailed schedules, the specifics of individual vaccines, and the operational aspects of programmes lie beyond its scope and vary by country. Certain figures are illustrative or approximate and convey principle and pattern rather than definitive schedules or precise values.

LIMITATIONS

This study is a foundational review rather than a detailed or original account, and it presents the principles of preventive medicine in summary form; it does not provide definitive immunization schedules, which vary by country and are periodically revised, nor the detailed characteristics of individual vaccines or the operational aspects of programmes, which are addressed in the specialist literature and official guidance. The immunization schedule shown is illustrative, and the herd-immunity thresholds shown are approximate values that vary with setting and estimate; neither should be cited as definitive. The review is intended for orientation and teaching and draws on established texts; readers requiring current schedules or precise figures are referred to national immunization guidelines and to the standard works.

FUTURE SCOPE

Further study building on these principles can proceed in several directions:

- Application of the levels of prevention to specific communicable and non-communicable diseases.
- Study of immunization programme delivery, coverage, and the cold chain.
- Analysis of vaccine hesitancy and strategies to maintain high coverage.
- Evaluation of screening programmes against established criteria.
- Study of health promotion and primordial prevention for risk-factor control.

- Use of the framework of prevention in the teaching of preventive medicine.

Pursuing these directions would build on the principles of preventive medicine toward the more effective protection of population health.

CONCLUSION

This paper has reviewed the principles of preventive medicine, focusing on the levels of prevention and on immunization. The analysis sets out the natural history of disease and the four levels of prevention that correspond to its stages, primordial, primary, secondary, and tertiary, each with its characteristic interventions, and it locates immunization within primary prevention as a principal measure of specific protection. It distinguishes active immunization, by vaccines of several types conferring durable protection, from passive immunization, by preformed antibodies conferring immediate but temporary protection, and it explains the concept of herd immunity and its dependence on immunization coverage. The central conclusion is that the levels of prevention provide a comprehensive framework matching interventions to the stage of disease, and that immunization is among the most effective of all preventive measures, capable at sufficient coverage of protecting whole populations and even of eradicating disease, as the eradication of smallpox demonstrates. Preventive medicine, structured by the levels of prevention and exemplified by immunization, is thus central to the protection of population health. Certain quantitative figures presented are illustrative or approximate.

REFERENCES

1. K. Park, *Park's Textbook of Preventive and Social Medicine*, 26th ed. Jabalpur, India: Banarsidas Bhanot, 2021.
2. R. Detels *et al.*, Eds., *Oxford Textbook of Global Public Health*, 6th ed. Oxford, U.K.: Oxford Univ. Press, 2015.
3. H. R. Leavell and E. G. Clark, *Preventive Medicine for the Doctor in His Community*, 3rd ed. New York, NY, USA: McGraw-Hill, 1965.
4. S. A. Plotkin, W. A. Orenstein, and P. A. Offit, *Plotkin's Vaccines*, 7th ed. Philadelphia, PA, USA: Elsevier, 2018.
5. Centers for Disease Control and Prevention, *Epidemiology and Prevention of Vaccine-Preventable Diseases (The Pink Book)*, 14th ed. Washington, DC, USA: CDC, 2021.
6. World Health Organization, *Immunization in Practice: A Practical Guide for Health Staff*. Geneva, Switzerland: WHO, 2015.

7. J. M. G. Wilson and G. Jungner, *Principles and Practice of Screening for Disease*. Geneva, Switzerland: WHO, 1968.
8. L. Gordis, *Epidemiology*, 6th ed. Philadelphia, PA, USA: Elsevier, 2019.
9. P. E. M. Fine, "Herd immunity: History, theory, practice," *Epidemiol. Rev.*, vol. 15, no. 2, pp. 265–302, 1993.
10. World Health Organization, *Global Vaccine Action Plan 2011–2020*. Geneva, Switzerland: WHO, 2013.
11. F. Fenner *et al.*, *Smallpox and Its Eradication*. Geneva, Switzerland: WHO, 1988.
12. R. T. Chen, "Vaccine risks: Real, perceived and unknown," *Vaccine*, vol. 17, suppl. 3, pp. S41–S46, 1999.
13. World Health Organization, *Immunization Agenda 2030: A Global Strategy*. Geneva, Switzerland: WHO, 2020.
14. Ministry of Health and Family Welfare, *Universal Immunization Programme: Handbook*. New Delhi, India: Government of India.
15. J. P. Baker, "Immunization and the American way," *Am. J. Public Health*, vol. 90, no. 2, pp. 199–207, 2000.
16. R. Bonita, R. Beaglehole, and T. Kjellström, *Basic Epidemiology*, 2nd ed. Geneva, Switzerland: WHO, 2006.
17. J. Rose and D. Barker, *Epidemiology for the Uninitiated*. London, U.K.: BMJ Books.
18. S. Jain and R. Kumar, "Screening for disease: Principles and application," *Indian J. Community Med.*, 2011.

***Author for Correspondence**

Rashmi Mahajan

E-mail: rashmi_mahajan204@gmail.com

¹Lecturer, Dept. of Pathology, Metro College of Pharmacy

¹Student, Dept. of Pathology, Metro College of Pharmacy

³Student, Dept. of Pathology, Metro College of Pharmacy

Received Date: January 10, 2026

Accepted Date: January 25, 2026

Published Date: February 10, 2026

Citation: Dr. Vikram Sethi, Rashmi Mahajan, Kartik Jain. Principles of Preventive Medicine: Levels of Prevention and Immunization. *Journal of Pathology, Communicable Diseases and Preventive Medicines*. 2026; 8(1): 7-17p.