MANTECH Publications

Journal of Power Electronics and Drives
Volume 11, Issue 1, January-April 2026

# *Smart Grid & Microgrid Integration of Converters*

***Nisha Reddy***
*Assistant Professor*
*Department of Electrical Engineering*
*MVJ College of Engineering*
***Corresponding Author Email:*** *nishareddy@gmail.com*
***DOI:*** *https//doi.org/10.5281/zenodo.19277938*

## *ABSTRACT*

*The modernization of electrical power networks has led to the rapid development of smart grids and microgrids. These systems rely heavily on power electronic converters for the integration of distributed energy resources (DERs), energy storage systems, and controllable loads. Power converters play a critical role in ensuring reliable, stable, and efficient operation of smart grids and microgrids by managing bidirectional power flow, voltage regulation, frequency control, and synchronization. This paper presents a comprehensive review of converter technologies used in smart grid and microgrid integration. Various converter topologies, control strategies, grid-support functions, and challenges related to stability, harmonics, and protection are discussed. The paper also examines the integration of renewable sources such as solar and wind through grid-tied inverters and highlights recent advancements in multilevel converters and intelligent control techniques. Finally, key research directions and practical implementation issues are summarized.*

***KEYWORDS:*** *Smart Grid, Microgrid, Power Electronic Converters, Distributed Energy Resources, Grid-Tied Inverters, Voltage Source Converter, Renewable Energy Integration, Control Strategies*

## INTRODUCTION

The increasing penetration of renewable energy sources and distributed generation has changed the traditional structure of power systems. Conventional centralized generation is gradually being replaced by decentralized generation systems, which require intelligent management and


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

advanced control techniques. The concept of the Smart Grid has emerged to improve reliability, efficiency, and sustainability of electricity networks.

A smart grid integrates communication, automation, and advanced control technologies with the electrical grid. In parallel, the Microgrid has gained attention as a localized cluster of loads and distributed energy resources that can operate in both grid-connected and islanded modes.

Power electronic converters are the backbone of both smart grids and microgrids. These converters provide interface between renewable energy sources, storage systems, and the utility grid. Without converters, it is not possible to integrate photovoltaic systems, wind turbines, battery storage, and electric vehicles into the grid effectively.

This paper reviews different types of converters used in smart grid and microgrid integration, control approaches, technical challenges, and future trends.

## OVERVIEW OF SMART GRID AND MICROGRID ARCHITECTURE

The modernization of electrical networks has resulted in more flexible and intelligent power system structures. Both smart grids and microgrids are designed to improve reliability, efficiency, and sustainability, but they differ in scale, control philosophy, and operational objectives. In this section, the architecture of both systems is explained in detail, highlighting their major components and functional layers.

### Smart Grid Structure

The Smart Grid represents an advanced electrical network that integrates power infrastructure with digital communication and automation technologies. Unlike traditional grids which operate in a unidirectional manner (from generation to consumer), smart grids enable bidirectional power and information flow.

A typical smart grid architecture can be divided into four major domains:

### Generation Domain

This includes conventional power plants (thermal, hydro, nuclear) along with renewable sources such as solar and wind farms. Renewable penetration is increasing rapidly, and these


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

sources are interfaced with the grid through power electronic converters. These converters regulate voltage, frequency, and active/reactive power output.

**Transmission Domain**

The transmission network carries bulk power over long distances. In smart grids, transmission systems are enhanced with:

- Flexible AC Transmission Systems (FACTS)
- HVDC links based on voltage source converters
- Wide-area monitoring systems (WAMS)

Phasor Measurement Units (PMUs) are deployed to provide real-time synchronized measurements, improving stability monitoring.

**Distribution Domain**

Distribution systems in smart grids are no longer passive. They actively integrate distributed energy resources and support local generation. Advanced sensors and automated switches improve fault detection and service restoration. Smart transformers and solid-state transformers are gradually being introduced to provide voltage regulation and power quality improvement.

**Consumer Domain**

Consumers are transformed into “prosumers,” meaning they both consume and generate electricity. Rooftop solar panels, electric vehicles, and home battery storage systems are examples of distributed assets connected at this level.

## KEY COMPONENTS OF SMART GRID

### 1. Advanced Metering Infrastructure (AMI)

AMI consists of smart meters, communication networks, and data management systems. Smart meters measure real-time electricity usage and send data to utilities. This allows dynamic pricing, load forecasting, and remote disconnection or reconnection. It improves transparency and efficiency in billing and operations.

### 2. Distributed Energy Resources (DERs)

DERs include rooftop solar PV, small wind turbines, microturbines, and fuel cells. These


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

resources are generally connected through inverters. Proper coordination of multiple DERs is important to prevent voltage rise and reverse power flow issues.

### 3. Demand Response Systems

Demand response enables adjustment of consumer load patterns based on grid conditions. During peak demand, utilities can signal consumers to reduce consumption. This reduces stress on generation and transmission infrastructure. Automated demand response uses smart controllers for fast response.

### 4. Wide-Area Monitoring and Protection

Real-time monitoring is achieved using synchronized measurement technology. Protective relays and intelligent electronic devices (IEDs) coordinate to isolate faults quickly. Communication-based protection improves reliability and reduces blackout risks.

### Role of Converters in Smart Grid

Power electronic converters are essential for enabling:

- Bidirectional power flow
- Grid synchronization of renewable sources
- Reactive power support
- Harmonic mitigation
- Voltage and frequency regulation

As renewable penetration increases, the grid becomes more converter-dominated. This changes system dynamics significantly because converters behave differently compared to synchronous generators. Therefore, advanced digital controllers are integrated with converters to maintain stability.

## MICROGRID ARCHITECTURE

The Microgrid is a small-scale power system that operates either connected to the main grid or independently. It is usually designed for campuses, industrial facilities, rural communities, hospitals, or military bases. The main objective is to ensure local reliability and efficient use of renewable energy.


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

A typical microgrid consists of the following components:

**1. Renewable Generation**

Renewable sources form the backbone of modern microgrids.

- **Solar Photovoltaic (PV) Systems**: Generate DC power which is converted to AC using inverters.
- **Wind Turbines**: Often connected through AC-DC-AC converter systems.

Renewable generation is intermittent and variable, which requires intelligent control and storage support.

**2. Energy Storage Systems (ESS)**

Energy storage enhances stability and reliability. Common storage technologies include:

- Lithium-ion batteries
- Lead-acid batteries
- Super capacitors
- Flywheels

Energy storage systems are interfaced using bidirectional DC-DC or DC-AC converters. These converters manage charging and discharging cycles while regulating voltage and frequency. Storage plays a major role in smoothing renewable fluctuations and providing backup during outages.

**DIESEL GENERATORS (BACKUP SOURCE)**

Diesel generators are used as backup when renewable generation and storage are insufficient. Although not environmentally friendly, they provide dispatchable and reliable power. In hybrid microgrids, diesel generators operate in coordination with inverter-based sources.

**POWER ELECTRONIC INTERFACES**

All distributed sources are connected through power electronic converters. These interfaces perform:

- Power conditioning
- Voltage regulation
- Frequency control
- Load sharing


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

In AC microgrids, voltage source inverters (VSIs) are widely used. In DC microgrids, DC-DC converters regulate bus voltage. Hybrid AC/DC microgrids combine both systems using interlinking converters.

## CONTROL AND PROTECTION SYSTEM

Microgrids use hierarchical control architecture:

- **Primary Control** – Local droop control for load sharing.
- **Secondary Control** – Restores voltage and frequency deviations.
- **Tertiary Control** – Optimizes power flow and economic operation.

Protection systems must adapt to different operating modes. Conventional overcurrent protection may not work effectively in islanded mode due to lower fault currents from inverter-based sources.

## ROLE OF POWER ELECTRONIC CONVERTERS

Power electronic converters are the fundamental building blocks of modern smart grids and microgrids. As renewable penetration increases and distributed generation becomes more common, the traditional electromechanical dominance of power systems is gradually shifting toward converter-based infrastructure. Converters not only perform power conversion, but also actively shape system dynamics, stability, and power quality.

In conventional grids, synchronous generators were responsible for voltage control, frequency stability, and reactive power support. In modern systems, many of these tasks are now handled by fast-switching semiconductor-based converters with digital controllers. Because of this transition, understanding the role of converters is very important.

The major functions of power electronic converters in smart grids and microgrids are discussed below in detail.

### 1. Dc To Ac Conversion (Inverters)

Inverters convert direct current (DC) into alternating current (AC). This function is essential because many distributed energy sources generate DC power, while the utility grid and most loads operate on AC.


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

Common DC sources include:

- Solar photovoltaic (PV) systems
- Battery energy storage systems
- Fuel cells
- Electric vehicle batteries

The inverter performs the following tasks:

- Converts DC to sinusoidal AC output
- Synchronizes with grid voltage and frequency
- Controls active and reactive power injection
- Maintains low total harmonic distortion (THD)

Modern inverters use pulse width modulation (PWM) techniques to generate high-quality AC waveforms. Advanced grid-tied inverters can also provide grid-support functionalities such as voltage ride-through and frequency regulation. In microgrids, inverters often act as voltage sources and establish reference frequency during islanded operation.

**2. Ac To Dc Conversion (Rectifiers)**

Rectifiers convert AC power into DC. This function is equally important in smart grid applications where DC systems are increasingly used.

Typical applications include:

- Battery charging systems
- DC microgrids
- Electric vehicle charging stations
- HVDC transmission links

Modern rectifiers are usually controlled converters rather than simple diode bridges. They allow bidirectional power flow, meaning power can move from AC to DC or vice versa depending on system requirements. Controlled rectifiers also improve power factor and reduce harmonics compared to conventional uncontrolled rectifiers.

In smart grids, rectifiers are often integrated into solid-state transformers and DC distribution networks.


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

### 3. Voltage Regulation

Voltage regulation is one of the most critical tasks in power systems. Fluctuations in voltage may damage equipment and reduce system efficiency.

Converters regulate voltage by:

- Adjusting modulation index
- Injecting reactive power
- Controlling DC-link voltage

For example, in a grid-connected PV system, if local voltage rises due to high solar generation, the inverter can absorb reactive power to stabilize the voltage. Similarly, battery inverters can inject or absorb power quickly to maintain stable bus voltage.

Unlike mechanical tap changers, converters provide fast dynamic voltage control, which is very useful in systems with variable renewable generation.

### 4. Frequency Synchronization

Frequency synchronization ensures that the output of distributed generation matches the grid frequency. In grid-connected mode, converters use Phase-Locked Loop (PLL) algorithms to track grid frequency and phase angle.

During islanded mode operation in microgrids, converters may operate in grid-forming mode, meaning they establish and regulate the system frequency themselves. This is achieved using droop control or virtual synchronous generator (VSG) control methods.

Proper synchronization avoids:

- Circulating currents
- Power oscillations
- Equipment damage

As power systems become more converter-dominated, maintaining stable frequency becomes more challenging because converters do not naturally provide inertia like rotating machines.


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

### 5. Reactive Power Compensation

Reactive power is necessary for maintaining voltage levels in AC systems. Traditionally, synchronous generators and capacitor banks were used for reactive power support. Now, converters perform this task more efficiently.

Inverters can independently control:

- Active power (P)
- Reactive power (Q)

This decoupled control is possible using vector control methods in the dq reference frame. Reactive power compensation helps in:

- Voltage stability improvement
- Power factor correction
- Reduction of transmission losses

In smart grids, distributed inverters collectively contribute to reactive power support, reducing the burden on centralized generators.

### 6. Harmonic Mitigation

Power electronic switching introduces harmonics into the system. However, converters can also be designed to mitigate harmonics using advanced control techniques.

Harmonic mitigation is achieved by:

- High-frequency PWM switching
- Active filtering techniques
- Multilevel converter topology
- Selective harmonic elimination

Active power filters are specialized converters that detect harmonic components and inject compensating currents to cancel them. This improves overall power quality and ensures compliance with grid standards.

Maintaining low Total Harmonic Distortion (THD) is necessary for:

- Protecting sensitive loads


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

- Reducing heating losses
- Preventing resonance conditions

## CLASSIFICATION OF CONVERTERS

Power electronic converters used in smart grids and microgrids can be classified based on several criteria such as input-output configuration, power flow direction, switching technique, and application.

## BASED ON POWER CONVERSION TYPE

### a) AC-DC Converters (Rectifiers)

Convert AC to DC. Used in battery chargers, DC links, and EV charging infrastructure.

### b) DC-AC Converters (Inverters)

Convert DC to AC. Used in renewable energy systems and storage integration.

### c) DC-DC Converters

Change one DC voltage level to another. Common types include:

- Buck converter (step-down)
- Boost converter (step-up)
- Buck-boost converter
- Bidirectional DC-DC converter

These converters are essential for maximum power point tracking (MPPT) in solar PV systems and for managing battery charging.

### d) AC-AC Converters

Convert AC power at one frequency/voltage to another without intermediate DC storage in some cases. Used in wind energy systems and frequency regulation applications.

## BASED ON TOPOLOGY

### a) Voltage Source Converters (VSC)

Use a DC capacitor as energy storage element. Widely used in grid-connected renewable systems.


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

**b) Current Source Converters (CSC)**

Use an inductor as the main energy storage component. Less common compared to VSC.

**c) Multilevel Converters**

Generate output voltage in multiple steps, reducing harmonic distortion. Common types include:

- Neutral Point Clamped (NPC)
- Flying Capacitor
- Cascaded H-Bridge

Multilevel converters are suitable for medium and high voltage applications in smart grids.

**BASED ON DIRECTION OF POWER FLOW**

**a) Unidirectional Converters**

Allow power flow in only one direction. Example: simple PV inverter without storage.

**b) Bidirectional Converters**

Allow power flow in both directions. Essential for:

- Battery energy storage systems
- Electric vehicle integration
- Vehicle-to-grid (V2G) applications

Bidirectional capability enhances flexibility and supports grid balancing services.

**BASED ON CONTROL STRATEGY**

**a) Grid-Following Converters**

Follow grid voltage and frequency using PLL. Suitable for grid-connected mode.

**b) Grid-Forming Converters**

Establish voltage and frequency reference. Used in islanded microgrids.

**c) Grid-Supporting Converters**

Provide ancillary services such as frequency regulation and voltage control.


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

*Table 1: Classification of Converters in Smart Grid Applications*

| Converter Type | Function | Application |
|---|---|---|
| Rectifier | AC to DC | Battery charging, DC links |
| Inverter | DC to AC | Solar PV, Battery systems |
| DC-DC Converter | Voltage regulation | PV MPPT, EV charging |
| AC-AC Converter | Voltage/frequency control | Wind turbines |

### Voltage Source Converters in Grid Integration

The Voltage Source Converter (VSC) is widely used in smart grid applications due to its flexibility and controllability. VSC-based systems are used in:

- Grid-connected photovoltaic systems
- Battery energy storage systems
- HVDC transmission
- Flexible AC transmission systems

VSC offers independent control of active and reactive power, making it ideal for microgrid operation.

### Control Strategies

Common control strategies include:

- PI-based current control
- Droop control
- Vector control
- Model predictive control

Droop control is widely used in microgrids because it enables decentralized control without communication. However, it may introduce small frequency deviations.

## RENEWABLE ENERGY INTEGRATION

Renewable energy integration into smart grid is highly dependent on converter technology.

### Solar Pv Integration

Solar photovoltaic systems produce DC power, which must be converted to AC using grid-tied


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

inverters. These inverters must:

- Synchronize with grid voltage
- Track maximum power point (MPPT)
- Inject power with low harmonic distortion

**Wind Energy Integration**

Wind turbines often use AC-DC-AC converter topology to regulate output frequency. Full-scale converters allow variable speed operation, which improves energy capture.

## MULTILEVEL CONVERTERS IN SMART GRIDS

Multilevel converters have become popular due to improved output waveform quality and reduced harmonic distortion.

Types include:

- Neutral Point Clamped (NPC)
- Flying Capacitor
- Cascaded H-Bridge

Advantages:

- Lower switching losses
- Reduced filter size
- Higher efficiency

These converters are especially suitable for medium and high voltage applications.

## ENERGY STORAGE INTEGRATION

Energy storage systems play important role in stabilizing microgrids. Converters interface batteries, supercapacitors, and fuel cells with the grid.

Functions include:

- Peak shaving
- Load leveling
- Frequency regulation
- Backup supply


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

Bidirectional converters allow charging and discharging operations.

### Control and Stability Issues

Converter-dominated grids behave differently from conventional synchronous generator-based systems.

### Stability Challenges

- Reduced system inertia
- Harmonic resonance
- Converter interaction
- Fault ride-through capability

Low inertia is major concern because converters do not naturally provide rotational inertia like traditional machines.

## VIRTUAL INERTIA AND GRID-FORMING CONVERTERS

To address stability issues, grid-forming converters are developed. These converters mimic behavior of synchronous generators and provide virtual inertia.

## PROTECTION AND POWER QUALITY

Converters must comply with grid codes. Protection coordination becomes complex due to bidirectional flow and fast switching.

Power quality issues include:

- Harmonics
- Voltage sags
- Flicker

Advanced filtering and control methods are applied to improve power quality.

## COMMUNICATION AND SMART CONTROL

Smart grids integrate communication networks for monitoring and control. Converters are often integrated with:

- SCADA systems
- IoT-based monitoring


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

- AI-based predictive control

Artificial intelligence techniques help in optimizing energy management and fault detection.

## CHALLENGES AND FUTURE TRENDS

Despite many advantages, there are challenges:

1. High installation cost
2. Cybersecurity risks
3. Standardization issues
4. Converter reliability

Future research directions include:

- Wide bandgap semiconductor devices
- AI-based adaptive control
- DC microgrids
- Solid-state transformers

## DISCUSSION

The integration of converters in smart grids and microgrids has significantly improved flexibility and reliability. However, increased dependence on power electronics makes the system more sensitive to control instability and harmonics. Coordination between multiple converters is still an active research area.

There is also growing interest in hybrid AC/DC microgrids, where converters connect AC and DC subsystems efficiently. The development of intelligent energy management systems is expected to enhance performance further.

## CONCLUSION

Smart grid and microgrid systems are transforming modern power networks. Power electronic converters are the key enabling technology that allows integration of renewable energy, storage systems, and distributed resources. Different converter topologies such as voltage source converters and multilevel converters provide efficient power conversion and control.


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

However, challenges related to stability, harmonics, protection, and cybersecurity must be addressed carefully. The adoption of grid-forming converters, virtual inertia techniques, and advanced control strategies can improve system stability. Future developments in semiconductor devices and intelligent control systems will further strengthen smart grid and microgrid integration.

In summary, converters are not just interfacing devices but they are active elements shaping the behavior of future electrical networks. Continuous research and innovation in this area is necessary to achieve sustainable and reliable power systems.

**REFERENCES**

1. J. M. Guerrero, J. C. Vasquez, J. Matas, L. G. de Vicuna, and M. Castilla, “Hierarchical control of droop-controlled AC and DC microgrids,” *IEEE Transactions on Industrial Electronics*, vol. 58, no. 3, pp. 549–558, Mar. 2011.
2. R. H. Lasseter, “Microgrids,” in *Proc. IEEE Power Engineering Society Winter Meeting*, 2002, pp. 305–308.
3. N. Mohan, T. M. Undeland, and W. P. Robbins, *Power Electronics: Converters, Applications, and Design*, 3rd ed., Wiley, 2003.
4. F. Blaabjerg, Z. Chen, and S. B. Kjaer, “Power electronics as efficient interface in dispersed power generation systems,” *IEEE Transactions on Power Electronics*, vol. 19, no. 5, pp. 1184–1194, Sept. 2004.
5. A. Yazdani and R. Iravani, *Voltage-Sourced Converters in Power Systems: Modeling, Control, and Applications*, IEEE Press, 2010.
6. Y. Wang, W. Li, X. He, and Y. Liu, “Grid-forming converters for renewable integration in modern power systems: A review,” *IEEE Journal of Emerging and Selected Topics in Power Electronics*, vol. 8, no. 2, pp. 1722–1740, Jun. 2020.
7. T. Ackermann (Ed.), *Wind Power in Power Systems*, 2nd ed., Wiley, 2005.
8. H. Akagi, “Trends in active power line conditioners,” *IEEE Transactions on Power Electronics*, vol. 9, no. 3, pp. 263–268, May 1994.
9. M. Calais and V. G. Agelidis, “Multilevel converters for large electric drives,” *IEEE Transactions on Industrial Electronics*, vol. 49, no. 4, pp. 796–810, Aug. 2002.


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved

10. P. C. Loh, D. M. Vilathgamuwa, and F. Blaabjerg, “Grid-connected wind turbines with three-stage conversion systems,” *IEEE Transactions on Industry Applications*, vol. 41, no. 1, pp. 107–117, Jan./Feb. 2005.

**Cite as:**
Nisha Reddy. (2026). Smart Grid & Microgrid Integration of Converters. Journal of Power Electronics and Drives. 11(1), 28-44.
https//doi.org/10.5281/zenodo.19277938


Page 28-44 © MANTECH PUBLICATIONS 2026. All Rights Reserved