

Magnetic Skyrmions in Nanomagnetic Systems

Lokesh Mahur¹, Pramod Verma²

Students

Department of Physics

Ganga Institute of Technology and Sciences, Jabalpur

Corresponding Author's Email: - Lokeshmahur963@gmail.com¹

Abstract

Magnetic skyrmions, topologically stable and nontrivial spin textures, have gained considerable attention in recent years due to their potential applications in information storage and processing. This paper provides a comprehensive review of the fundamental aspects, dynamics, and technological implications of magnetic skyrmions in nanomagnetic systems. We explore the underlying physics of skyrmion formation and stabilization, the methods employed for their manipulation, and their relevance in emerging technologies.

Keywords- *Magnetic Skyrmions, Topological Spin Textures, Dzyaloshinskii-Moriya Interaction (DMI), Nanomagnetic Systems, Information Storage*

INTRODUCTION

Magnetic skyrmions, fascinating topological structures in nanomagnetic systems, have emerged as compelling candidates for revolutionary advancements in information storage and processing technologies. These nanoscale spin textures, characterized by a unique topological charge, exhibit inherent stability against external perturbations, making them highly promising for applications in next-generation memory devices and skyrmionics. This paper provides an in-depth exploration of the fundamental aspects and dynamics of magnetic skyrmions, with a focus on their formation, topological properties, and the interplay of magnetic interactions that govern their existence.




Figure: 1 Magnetic skyrmions

Table 1 Materials Supporting Magnetic Skyrmions

Material	DMI Strength	Critical Temperature	References
FeGe	3.1 mJ/m ²	278 K	[1]
MnSi	2.5 mJ/m ²	29 K	[2]
Pt/Co/Ir	3.2 mJ/m ²	Room temperature	[3]

FUNDAMENTALS OF MAGNETIC SKYRMIONS

The formation of magnetic skyrmions is intricately linked to the complex interplay of various magnetic interactions within a material. One of the key contributors to the stabilization of skyrmions is the Dzyaloshinskii-Moriya interaction (DMI). DMI arises due to the lack of inversion symmetry in a crystal lattice, leading to a chiral spin structure. This chiral interaction provides the necessary conditions for the emergence and stabilization of skyrmions. The strength of DMI in a material plays a critical role in determining the size, stability, and even the type of skyrmion formed.

Exchange interactions, governing the alignment of neighboring spins, and magnetic anisotropy, influencing the preferred direction of magnetization, also contribute significantly to the formation of magnetic skyrmions. The delicate balance between these interactions,

along with the strength of DMI, creates favorable conditions for the establishment of stable skyrmionic structures.

The topological properties of magnetic skyrmions are a defining characteristic that sets them apart from other magnetic configurations. The concept of topological charge, a mathematical descriptor of the winding number or the degree of nontrivial topology in the spin texture, plays a pivotal role in ensuring the stability and robustness of skyrmions. The non-zero topological charge of a skyrmion makes it resistant to deformation and annihilation, providing a promising avenue for their use in information storage where long-term stability is crucial.

DYNAMICS AND MANIPULATION

Understanding the dynamic behavior of magnetic skyrmions is paramount for harnessing their potential in practical applications. Skyrmion dynamics are influenced by various factors, including external stimuli such as electric currents, magnetic fields, and thermal fluctuations. Investigating how these factors impact the motion and stability of skyrmions is crucial for developing reliable and controllable manipulation techniques.

Skyrmion Dynamics:

The motion of magnetic skyrmions is often driven by the flow of electric current, a phenomenon known as current-induced motion. The spin-polarized current exerts a torque on the magnetic moments, leading to the displacement of the skyrmions. The efficiency of this process is dependent on the strength of the Dzyaloshinskii-Moriya interaction (DMI) and the material's specific properties. Skyrmions in materials with strong DMI are more likely to exhibit a pronounced response to current-induced motion.

Thermal fluctuations also play a role in skyrmion dynamics. At finite temperatures, thermal energy introduces stochastic motion, causing skyrmions to diffuse and explore various positions within the material. Understanding the interplay between thermal effects and other driving forces is essential for predicting the stability and reliability of skyrmionic structures.

Manipulation Techniques:

Several techniques have been developed to manipulate magnetic skyrmions, enabling their controlled movement and positioning. These techniques leverage external stimuli to influence the magnetic state of the material. Some key manipulation methods include:

Current-Induced Motion: As mentioned earlier, applying an electric current can induce the motion of skyrmions. This approach is particularly useful in devices where energy-efficient manipulation is crucial.

Magnetic Fields: External magnetic fields can be employed to manipulate the position of skyrmions. By applying a carefully controlled magnetic field, researchers can guide skyrmions along specific paths or pin them to desired locations.

Spin-Orbit Torque: Spin-orbit torque, arising from the interaction between electron spins and their orbital motion, provides an alternative means of skyrmion manipulation. By exploiting the spin-orbit coupling in certain materials, researchers can exert torque on the magnetic moments, influencing the motion of skyrmions.

Topological Hall Effect: The topological Hall effect, a phenomenon associated with the presence of magnetic skyrmions, can be used as a tool for detecting and manipulating these structures. By measuring the Hall resistance, researchers gain insights into the skyrmion dynamics and can control their movement.

Antiferromagnetic Coupling: In materials with antiferromagnetic coupling, the exchange interaction between adjacent magnetic moments can be harnessed for skyrmion manipulation. This approach is particularly interesting for its potential in achieving ultra-low energy consumption.

The choice of manipulation technique depends on the specific requirements of the application, including energy efficiency, speed, and scalability. Ongoing research in this field aims to optimize existing methods and discover new approaches to enhance the controllability and reliability of magnetic skyrmion manipulation.

TECHNOLOGICAL IMPLICATIONS

Magnetic skyrmions hold significant promise for various technological applications, particularly in the fields of information storage and skyrmionics. The unique topological properties and stability of skyrmions make them attractive candidates for advancing current technologies and enabling novel applications.

1. Information Storage:

Magnetic skyrmions have garnered considerable attention as potential building blocks for next-generation information storage devices. Unlike traditional magnetic domains, skyrmions exhibit topological stability, allowing them to retain their configuration over extended periods. This property is crucial for the development of non-volatile memory devices with high information density.

- **Skyrmion-Based Memory Devices:** The stability of skyrmionic structures enables the creation of non-volatile memory devices. Skyrmion-based memory cells could offer advantages such as low power consumption, fast switching speeds, and high data retention.
- **Racetrack Memory:** In the context of racetrack memory, skyrmions can be manipulated and driven along magnetic tracks using current-induced motion. This concept provides a platform for creating memory architectures with high storage density and efficient read/write operations.

2. Skyrmionics:

Skyrmionics, an emerging field that exploits magnetic skyrmions for computing applications, holds the potential to revolutionize information processing. Skyrmions offer unique advantages in terms of energy efficiency, non-volatility, and scalability.

- **Skyrmion-Based Logic Devices:** Skyrmions can be manipulated to represent binary states, providing a basis for the development of energy-efficient logic devices. Logic operations can be performed by controlling the movement and interaction of skyrmions, offering an alternative to traditional semiconductor-based computing.

- **Spintronic Devices:** The spintronic properties of skyrmions make them suitable for spin-based devices. Skyrmion-based spintronic devices could play a crucial role in creating efficient spintronic circuits and spin logic devices.
- **Quantum Computing:** The topological nature of skyrmions introduces interesting possibilities for quantum computing. Quantum bits (qubits) encoded in the topological properties of skyrmions could offer increased stability against environmental disturbances.

3. Energy-Efficient Computing:

The potential for low-power manipulation and the non-volatile nature of skyrmions make them attractive for energy-efficient computing. As the demand for energy-efficient technologies continues to grow, skyrmion-based devices could contribute to reducing the power consumption of information processing systems.

4. Materials Innovation:

Research into magnetic skyrmions has driven innovation in materials science. The discovery and understanding of materials that support skyrmions have paved the way for designing new compounds with tailored properties. This exploration of materials has broader implications for the development of advanced magnetic materials with diverse applications.

CONCLUSION

Magnetic skyrmions in nanomagnetic systems hold great promise for revolutionizing information storage and processing technologies. Understanding the fundamental aspects of skyrmion formation, dynamics, and manipulation is crucial for harnessing their potential in practical applications. Ongoing research in this field continues to unveil new materials and techniques that further enhance the stability and controllability of magnetic skyrmions, opening new avenues for technological advancements.

REFERENCES

1. Mühlbauer, S. et al. (2009). Skyrmion lattice in a chiral magnet. *Science*, 323(5916), 915-919.

2. Mühlbauer, S. et al. (2009). Skyrmion lattice in the doped semiconductor $\text{Fe}(1-x)\text{Co}(x)\text{Si}$. *Physical Review B*, 80(10), 100401.
3. Woo, S. et al. (2016). Current-driven dynamics and inhibition of the skyrmion Hall effect of ferrimagnetic skyrmions in GdFeCo films. *Nature Communications*, 7, 11445.