MANTECH Publications
Journal of Remote Sensing, Environmental Science & Geotechnical Engineering
Volume 4, Issue 1, January-April, 2019

# *Harnessing Google Earth Engine for Environmental Monitoring and Analysis*

***Dr. Riya Mehta***
*Assistant Professor*
*Department of Environmental Sciences,*
*Green Valley Institute of Technology, Pune, India*
*Email: riyamehta@gvit.ac.in*

***Aakash Sharma***
*Research Scholar*
*Department of Earth Observation,*
*Green Valley Institute of Technology, Pune, India*
*Email: aakash.sharma@gvit.ac.in*

## *Abstract*

*Google Earth Engine (GEE) is a powerful cloud-based geospatial processing platform that allows users to visualize, analyze, and interpret massive datasets related to Earth's environment. This paper delves into the foundational use of GEE in environmental monitoring, exploring its ability to handle diverse datasets ranging from satellite imagery to climate records. By simplifying access to petabyte-scale datasets and enabling fast cloud-based computation, GEE has become indispensable in research domains such as deforestation tracking, urban heat mapping, water body monitoring, and land use/land cover (LULC) analysis. The paper explores how GEE's JavaScript and Python APIs provide user-friendly interfaces for scripting geospatial workflows, while also showcasing applications through case studies. The integration of GEE in academia and governmental monitoring initiatives demonstrates a*


Page 1-5 © MANTECH PUBLICATIONS 2019. All Rights Reserved

*paradigm shift in environmental observation. Overall, the platform enhances reproducibility, scalability, and democratization of geospatial science.*

***Keywords:*** *Google Earth Engine, Remote Sensing, Environmental Monitoring, Cloud Computing, Satellite Imagery, NDVI, Urban Heat Islands, Water Body Detection, LULC, Deforestation*

## INTRODUCTION

The growing concern over climate change, urban expansion, deforestation, and environmental degradation has intensified the need for reliable and accessible environmental data. Traditionally, environmental monitoring involved labor-intensive ground surveys or expensive satellite data subscriptions, limiting the scale and frequency of analyses. Google Earth Engine (GEE), launched by Google in 2010, addresses these limitations by providing a cloud-based platform for planetary-scale geospatial analysis. By combining an extensive catalog of satellite imagery and geospatial datasets with a high-performance computing infrastructure, GEE empowers users to process and analyze environmental data efficiently.

GEE's strength lies in its accessibility and integration capabilities. Researchers, students, developers, and policymakers can utilize GEE through JavaScript or Python APIs to develop customized scripts that execute complex geospatial operations within seconds. The platform supports a wide range of datasets such as Landsat, MODIS, Sentinel, and climate records from institutions like NOAA and CHIRPS. It provides ready access to decades of Earth observation data, enabling comparative studies over long temporal scales.

The simplicity and power of GEE have led to a surge in its adoption across academic, governmental, and non-profit sectors. Applications of GEE include land use and land cover change detection, NDVI-based vegetation health assessment, urban sprawl


Page 1-5 © MANTECH PUBLICATIONS 2019. All Rights Reserved

monitoring, water resource tracking, disaster risk mapping, and carbon stock estimation. This paper explores the core components of GEE, highlights real-world environmental case studies, discusses its strengths and limitations, and provides guidance on integrating GEE into environmental research workflows.

## LITERATURE REVIEW

Google Earth Engine (GEE) has become an instrumental tool for environmental research and monitoring. Gorelick et al. (2017) described GEE as a planetary-scale platform for Earth data analysis. Numerous studies have leveraged its cloud computing capabilities to monitor deforestation, track urbanization, assess droughts, and evaluate climate change impacts. For instance, Hansen et al. (2013) used Landsat data in GEE to produce high-resolution global maps of forest cover change. Similarly, Li et al. (2019) used GEE to assess vegetation trends in response to climate variability. The advantage of having pre-processed datasets, such as MODIS and Sentinel imagery, within GEE has allowed researchers to cut down time and focus on analytical modeling.

## METHODOLOGY

The methodology adopted involves using GEE's JavaScript API for processing remotely sensed data from MODIS, Landsat, and Sentinel satellites. The following steps were followed:

1. **Data Collection:** Satellite imagery from GEE's data catalog.
2. **Preprocessing:** Cloud masking using built-in algorithms, radiometric calibration.
3. **Index Calculation:** NDVI, NDWI, LST derived from time-series imagery.
4. **Classification:** Supervised classification using CART and SVM algorithms.
5. **Validation:** Accuracy assessment using confusion matrix and field data.

All analysis was executed on the GEE code editor platform and maps were visualized using the Earth Engine interface.


Page 1-5 © MANTECH PUBLICATIONS 2019. All Rights Reserved

## TABLES AND EXPLANATION

| Dataset Name | Resolution | Application Area |
|---|---|---|
| MODIS | 250m - 1km | Vegetation, Temperature |
| Landsat 8 | 30m | Urban Growth, Water Bodies |
| Sentinel-2 | 10m | Agricultural Monitoring, Deforestation |

*Table 1: Key datasets used in Google Earth Engine for environmental monitoring.*

| Index | Formula | Purpose |
|---|---|---|
| NDVI | (NIR - Red)/(NIR + Red) | Vegetation Health |
| NDWI | (Green - NIR)/(Green + NIR) | Water Body Detection |
| LST | Emissivity-based algorithms | Surface Temperature |

*Table 2: Common indices computed using GEE for various environmental applications.*

## FUTURE SCOPE

The future of environmental studies using Google Earth Engine is promising. With the integration of machine learning libraries like TensorFlow and the growing availability of hyperspectral imagery, researchers will be able to perform more granular analysis. The expansion of real-time monitoring systems using GEE will revolutionize early warning systems for floods, forest fires, and droughts. Additionally, integrating GEE with socio-economic datasets can provide more holistic assessments of environmental impacts.

## CONCLUSION

Google Earth Engine has transformed the landscape of environmental studies by enabling rapid, scalable, and reliable analysis of Earth observation data. Its integration of cloud computing with rich satellite datasets facilitates a deeper understanding of global


Page 1-5 © MANTECH PUBLICATIONS 2019. All Rights Reserved

and regional environmental changes. From vegetation analysis to urban expansion tracking, GEE provides a comprehensive toolbox for modern environmental scientists.

**REFERENCES**

[1] Gorelick, N., et al. 'Google Earth Engine: Planetary-scale geospatial analysis for everyone.' Remote Sensing of Environment, 2017.

[2] Hansen, M. C., et al. 'High-resolution global maps of 21st-century forest cover change.' Science, 2013.

[3] Li, Z., et al. 'Trends in vegetation greenness in response to climate variability.' Remote Sensing, 2019.

[4] Kennedy, R. E., et al. 'Implementation of time-series-based land cover change detection.' Remote Sensing of Environment, 2014.

[5] Roy, D. P., et al. 'Landsat-8: Science and product vision for terrestrial global change research.' Remote Sensing of Environment, 2014.

[6] U.S. Geological Survey. 'EarthExplorer Data Access.' https://earthexplorer.usgs.gov.

[7] Google Developers. 'Earth Engine JavaScript API Guide.' https://developers.google.com/earth-engine/

[8] Zhu, Z., & Woodcock, C. E. 'Object-based cloud and cloud shadow detection in Landsat imagery.' Remote Sensing of Environment, 2012.

[9] Schneider, A., et al. 'A new map of global urban extent from MODIS data.' Environmental Research Letters, 2009.

[10] Wulder, M. A., et al. 'Satellite data for monitoring and modeling land cover change.' Progress in Physical Geography, 2018.


Page 1-5 © MANTECH PUBLICATIONS 2019. All Rights Reserved