MANTECH Publications
Journal of Remote Sensing, Environmental Science & Geotechnical Engineering
Volume 4, Issue 1, January-April, 2019

Mapping Forest Ecosystems Using Remote Sensing Techniques

Dr. Ananya Sharma
Assistant Professor
Department of Environmental Science
Green Valley Institute of Technology, Dehradun
Email: ananya.sharma@gvit.edu.in

Rohan Mehta
Research Scholar
Department of Remote Sensing
Green Valley Institute of Technology, Dehradun
Email: rohan.mehta@gvit.edu.in

Abstract

Remote sensing has emerged as a pivotal technology for environmental monitoring and management, particularly in the assessment and mapping of forest cover. As deforestation and forest degradation continue to pose serious threats to biodiversity and climate stability, remote sensing provides accurate, timely, and cost-effective solutions for monitoring forest ecosystems. This paper explores the principles, techniques, and significance of remote sensing in forest cover mapping. It delves into the use of multispectral and hyperspectral imagery, LiDAR, and radar sensors in capturing and analyzing forest data. The integration of satellite imagery with GIS tools enhances spatial analysis and supports effective decision-making for sustainable forest management. Through examples, this paper highlights the application of remote sensing in detecting forest changes, estimating biomass, and classifying forest types. By evaluating various methodologies and datasets, this study establishes the importance of continued technological

Page 17-21 © MANTECH PUBLICATIONS 2019. All Rights Reserved

advancement and capacity building in remote sensing for global forest conservation efforts.

Keywords: Remote sensing, Forest mapping, Satellite imagery, GIS, Vegetation analysis, Deforestation monitoring, Biomass estimation

INTRODUCTION

Forests are among the most critical natural resources on Earth, providing essential ecological, economic, and social benefits. They serve as biodiversity hotspots, carbon sinks, water regulators, and sources of livelihood for millions. However, these vital ecosystems face increasing threats from anthropogenic activities, including logging, agriculture, and urbanization. Accurate and timely information about forest cover is essential for monitoring changes, implementing conservation strategies, and supporting policy frameworks. Traditional ground-based forest surveys, although accurate, are labor-intensive, time-consuming, and often impractical for large-scale assessments. In contrast, remote sensing offers a powerful and efficient alternative for acquiring data over extensive and inaccessible areas. Remote sensing refers to the acquisition of information about Earth's surface without direct contact, typically through satellite or airborne sensors. The ability of remote sensing technologies to capture spatial, spectral, and temporal variations makes them particularly suitable for monitoring forest cover dynamics. By analyzing electromagnetic radiation reflected or emitted by forested landscapes, scientists can classify vegetation types, detect deforestation, estimate biomass, and assess forest health. Moreover, when integrated with Geographic Information Systems (GIS), remote sensing facilitates the spatial modeling and visualization of forest patterns, trends, and changes over time. This paper provides a comprehensive overview of remote sensing techniques used in forest cover mapping, including the types of sensors, data processing methods, and applications. The

Page 17-21 © MANTECH PUBLICATIONS 2019. All Rights Reserved

discussion also includes recent advancements, challenges, and future prospects in leveraging remote sensing for sustainable forest management.

LITERATURE REVIEW

Remote sensing has become an indispensable tool in forestry, especially for forest cover mapping and change detection. Numerous studies have explored the capabilities of multispectral and hyperspectral imaging in forest classification. Researchers have utilized Landsat and MODIS datasets to assess deforestation patterns and to identify tree species and forest density. Advancements in machine learning and AI have further improved classification accuracy. For instance, studies by Jensen (2007) and Lu et al. (2004) highlight the accuracy of object-based classification using high-resolution imagery.

METHODOLOGY

The methodology involves the acquisition of satellite data, preprocessing, classification, and post-classification analysis. Landsat-8 and Sentinel-2 imagery were used due to their free availability and sufficient spatial resolution. Image preprocessing included geometric correction, radiometric calibration, and atmospheric correction. Classification was performed using supervised algorithms such as Support Vector Machines and Random Forest. The classified data was validated using ground-truth data collected through GPS surveys and compared using confusion matrices.

Table 1: Commonly Used Satellite Sensors in Forest Mapping

Sensor	Resolution	Application
Landsat-8	30 m	Forest Cover Analysis
Sentinel-2	10 m	Vegetation Health Monitoring
MODIS	250 m	Global Forest Change Detection

Table explains table 1: commonly used satellite sensors in forest mapping.

Page 17-21 © MANTECH PUBLICATIONS 2019. All Rights Reserved

Table 2: Comparison of Classification Techniques

Technique	Strength	Weakness
Supervised Classification	High Accuracy	Requires Training Data
Unsupervised Classification	No Prior Data Needed	Low Accuracy
Object-Based Image Analysis	Detailed Segmentation	Computationally Intensive

Table explains table 2: comparison of classification techniques.

FUTURE SCOPE

The integration of LiDAR with optical remote sensing promises higher accuracy in forest structural parameter estimation. Use of AI for real-time forest fire detection and the deployment of CubeSats for daily monitoring of forests are emerging trends. Furthermore, integration with UAV (drone) data can enable finer resolution mapping for micro-level forest planning.

CONCLUSION

Remote sensing continues to revolutionize the way we understand and monitor forest ecosystems. Its non-invasive, scalable nature and frequent revisit capabilities make it indispensable for forest cover mapping, biodiversity conservation, and climate change studies. As sensor technology and data analytics improve, its utility in sustainable forest management will only grow stronger.

REFERENCES

1. Jensen, J. R., Remote Sensing of the Environment: An Earth Resource Perspective, 2nd Ed., Pearson, 2007.

2. Lu, D., Mausel, P., Brondízio, E., and Moran, E., Change detection techniques, International Journal of Remote Sensing, vol. 25, no. 12, pp. 2365–2407, 2004.

Page 17-21 © MANTECH PUBLICATIONS 2019. All Rights Reserved

3. Congalton, R. G. and Green, K., Assessing the Accuracy of Remotely Sensed Data: Principles and Practices, CRC press, 2008.

4. Roy, D. P., et al., Landsat-8: Science and product vision for terrestrial global change research, Remote Sensing of Environment, vol. 145, pp. 154–172, 2014.

5. Wulder, M. A., et al., Satellite-based time series for monitoring forest disturbances, Canadian Journal of Remote Sensing, vol. 34, no. 5, pp. 345–358, 2008.

6. Immitzer, M., Vuolo, F., and Atzberger, C., First experience with Sentinel-2 data for crop and tree species classifications in central Europe, Remote Sensing, vol. 8, no. 3, pp. 166, 2016.

7. Fassnacht, F. E., et al., Review of studies on remote sensing of tropical forests, International Journal of Remote Sensing, vol. 35, no. 15, pp. 5691–5726, 2014.

8. Asner, G. P., et al., High-resolution forest carbon stocks and emissions in the Amazon, Proceedings of the National Academy of Sciences, vol. 107, no. 38, pp. 16738–16742, 2010.

9. GOFC-GOLD, A sourcebook of methods and procedures for monitoring and reporting anthropogenic greenhouse gas emissions and removals, GOFC-GOLD Report version COP19-1, 2013.

Page 17-21 © MANTECH PUBLICATIONS 2019. All Rights Reserved