MANTECH Publications
Journal of Remote Sensing, Environmental Science & Geotechnical Engineering
Volume 6, Issue 1, January-April, 2021

Satellite-Based Monitoring Of Soil Erosion and Sedimentation in River Basins

Dr. Rajesh Kumar
Assistant Professor
Department of Environmental Engineering,
Green Valley Institute of Technology
Email: *rajesh.kumar@gvit.edu*

Ms. Ananya Sharma
Research Scholar
Department of Environmental Engineering,
Green Valley Institute of Technology
Email: *ananya.sharma@gvit.edu*

Abstract

Soil erosion and sedimentation pose serious threats to river basin sustainability, affecting water quality, aquatic habitats, and agricultural productivity. Traditional field monitoring techniques are often resource-intensive and limited in spatial and temporal coverage. Satellite-based remote sensing offers a comprehensive, cost-effective, and repeatable approach for monitoring soil erosion and sedimentation dynamics at basin scales. This paper reviews key satellite sensors and data processing methods used in erosion and sedimentation monitoring, highlighting their applications in river basins. Critical parameters such as vegetation cover, land use changes, rainfall, and sediment transport are assessed using multispectral and radar satellite data integrated with Geographic Information Systems (GIS). Two tables summarize prominent satellite sensors used and compare soil erosion estimation models utilizing satellite inputs. Challenges including data resolution, cloud cover, and model uncertainties are

Page 25-30 © MANTECH PUBLICATIONS 2021. All Rights Reserved

discussed. The paper concludes by emphasizing the role of satellite monitoring in enhancing soil conservation strategies and river basin management.

Keywords: *Soil erosion, Sedimentation, Remote sensing, Satellite monitoring, River basins, GIS, Land use change*

INTRODUCTION

Soil erosion and sedimentation significantly influence river basin health by degrading soil fertility, increasing sediment load in rivers, and threatening aquatic ecosystems. Monitoring these processes is vital for sustainable land and water management, especially in river basins susceptible to intensive agriculture, deforestation, and urbanization.

Conventional ground-based monitoring methods are laborious, costly, and spatially limited. Satellite-based remote sensing provides an efficient alternative by capturing wide-area observations frequently and consistently. Satellites equipped with multispectral, hyperspectral, and radar sensors supply data that can detect vegetation cover changes, soil moisture levels, and sediment transport dynamics over time.

The integration of satellite data with GIS enables spatial analysis and modeling of erosion and sedimentation patterns, assisting policymakers and environmental managers in decision-making processes.

SATELLITE SENSORS USED IN EROSION AND SEDIMENTATION MONITORING

Satellite remote sensing platforms vary in spatial, spectral, and temporal resolutions, influencing their suitability for erosion and sedimentation monitoring.

- **Landsat Series:** Multispectral data with 30m resolution, widely used for vegetation and land use mapping.
- **Sentinel-2:** Higher spatial resolution (10-20m) with frequent revisit times, useful for detecting land cover changes.
- **MODIS (Moderate Resolution Imaging Spectroradiometer):** Provides daily global coverage at moderate spatial resolution (250-1000m), suitable for large basin monitoring.
- **RADARSAT and Sentinel-1:** Synthetic Aperture Radar (SAR) sensors capable of penetrating cloud cover and providing soil moisture and surface roughness data.

Page 25-30 © MANTECH PUBLICATIONS 2021. All Rights Reserved

- **PlanetScope and WorldView:** Very high-resolution commercial satellites, used for detailed local erosion assessment.

TABLE 1: SATELLITE SENSORS FOR SOIL EROSION AND SEDIMENTATION MONITORING

Satellite	Sensor Type	Spatial Resolution	Revisit Time	Key Applications
Landsat 8	Multispectral	30 m	16 days	Vegetation, land cover, soil erosion
Sentinel-2	Multispectral	10-20 m	5 days	Land use, sediment plume detection
MODIS	Multispectral	250-1000 m	Daily	Large-scale erosion trends
Sentinel-1	SAR	10 m	6-12 days	Soil moisture, surface roughness
RADARSAT	SAR	3-100 m	1-4 days	Terrain deformation, sediment transport
PlanetScope	Multispectral	3-5 m	Daily	Fine-scale erosion mapping
WorldView	Multispectral	<1 m	<1 day	Detailed local soil and sediment analysis

Table 1 presents commonly used satellite sensors, their characteristics, and applications in erosion and sedimentation monitoring.

METHODS FOR MONITORING SOIL EROSION AND SEDIMENTATION

Various remote sensing-based methods estimate soil erosion and sediment deposition, often integrated within GIS for spatial analysis:

- **Normalized Difference Vegetation Index (NDVI):** Analyzes vegetation cover changes affecting soil protection.
- **Sediment Plume Detection:** Using spectral signatures in water bodies to map sediment dispersion.
- **Soil Moisture Estimation:** SAR data used to assess soil saturation levels linked to erosion susceptibility.
- **Digital Elevation Models (DEMs):** Help identify erosion-prone slopes and sediment accumulation zones.

Page 25-30 © MANTECH PUBLICATIONS 2021. All Rights Reserved

- **Sediment Yield Models:** Empirical and semi-empirical models, such as the Revised Universal Soil Loss Equation (RUSLE), incorporate satellite-derived parameters for spatial estimation.

TABLE 2: COMPARISON OF SOIL EROSION ESTIMATION MODELS USING SATELLITE DATA

Model	Input Parameters	Satellite Data Use	Advantages	Limitations
Revised Universal Soil Loss Equation (RUSLE)	Rainfall, soil type, slope, land cover	NDVI for vegetation, DEM for slope	Widely used, easy integration	Requires accurate ground data
Sediment Delivery Ratio (SDR) Model	Land use, hydrology, topography	Multispectral imagery, DEM	Incorporates sediment transport	Complex calibration needed
Soil and Water Assessment Tool (SWAT)	Climate, soil, topography, land use	Multispectral and radar for parameters	Hydrological modeling with sediment prediction	Data intensive and computationally demanding
Empirical Erosion Models	Precipitation, land use, soil properties	Landsat and Sentinel-2 imagery	Simplicity and cost-effectiveness	Less accurate in heterogeneous terrain

Table 2 compares common soil erosion estimation models utilizing satellite data, highlighting inputs, advantages, and limitations.

CHALLENGES IN SATELLITE-BASED MONITORING

Several challenges affect the accuracy and reliability of satellite-based erosion and sedimentation monitoring:

Page 25-30 © MANTECH PUBLICATIONS 2021. All Rights Reserved

- **Spatial Resolution Limits:** Coarser resolution satellites may not capture fine-scale erosion features.
- **Cloud Cover:** Optical satellites are hindered by cloud presence, especially during monsoon seasons.
- **Temporal Resolution:** Frequent revisits are necessary to monitor dynamic processes, but some satellites have longer revisit times.
- **Data Processing Complexity:** Integration of multisource datasets requires advanced analytical skills.
- **Model Uncertainty:** Variability in soil and climatic conditions can introduce uncertainties in model predictions.

FUTURE DEVELOPMENTS

Emerging technologies and methodologies promise to enhance satellite-based monitoring:

- **Integration of UAVs:** Drones complement satellites by providing ultra-high-resolution data for localized assessments.
- **Machine Learning Algorithms:** For automated feature extraction and improved predictive modeling.
- **Cloud Computing and Big Data:** Facilitate real-time processing and analysis of vast datasets.
- **Hyperspectral Sensors:** Offer detailed spectral data for soil and sediment characterization.
- **Fusion of SAR and Optical Data:** To overcome cloud and resolution limitations.

CONCLUSION

Satellite-based remote sensing combined with GIS is a transformative approach for monitoring soil erosion and sedimentation in river basins. It offers spatially extensive, temporally frequent, and cost-effective means to track land cover changes, sediment transport, and erosion hotspots. Despite challenges like resolution limits and data integration complexity, advances in sensor technology, data processing, and modeling enhance monitoring accuracy. This technology supports effective soil conservation strategies and sustainable river basin management, contributing significantly to environmental protection and disaster risk reduction.

REFERENCES

Page 25-30 © MANTECH PUBLICATIONS 2021. All Rights Reserved

[1] R. Lal, "Soil erosion and sedimentation in river basins: A review," *Environmental Monitoring and Assessment*, vol. 189, no. 5, pp. 1–16, 2017.
[2] M. A. Nearing et al., "Satellite remote sensing for soil erosion monitoring," *Remote Sensing of Environment*, vol. 223, pp. 99–114, 2019.
[3] T. R. Hengl et al., "Use of satellite data for soil erosion assessment," *Catena*, vol. 157, pp. 321–332, 2017.
[4] P. M. Kumar and S. Gupta, "Integration of GIS and remote sensing for sediment yield modeling," *Journal of Hydrology*, vol. 574, pp. 743–757, 2019.
[5] J. S. Chen et al., "Monitoring sediment plumes in river basins using multispectral satellite imagery," *Remote Sensing*, vol. 11, no. 4, 2019.
[6] A. Singh and M. Rathore, "SAR data application for soil moisture and erosion monitoring," *International Journal of Remote Sensing*, vol. 40, no. 10, pp. 3854–3870, 2019.
[7] L. J. Smith et al., "Challenges in satellite-based erosion mapping," *Earth Science Reviews*, vol. 188, pp. 138–151, 2019.
[8] N. Patel and V. Desai, "Machine learning for soil erosion prediction using satellite data," *Environmental Modelling & Software*, vol. 123, 2020.

Page 25-30 © MANTECH PUBLICATIONS 2021. All Rights Reserved