MANTECH Publications
Journal of Remote Sensing, Environmental Science & Geotechnical Engineering
Volume 2, Issue 2, May-August, 2017

Remote Sensing In Glacier Monitoring and Snow Cover Analysis

Dr. Arvind Menon
Associate Professor
Department of Geoinformatics
Himalayan Institute of Science and Technology, Dehradun, India
Email: arvind.menon@hist.edu.in

Ms. Priya Raghavan
Research Scholar
Centre for Remote Sensing Applications
Green Valley University, Shimla, India
Email: *priya.raghavan@gvu.ac.in*

Abstract

Glacier monitoring and snow cover analysis play a crucial role in understanding climate change, water resource management, and environmental sustainability. Remote sensing offers cost-effective, repeatable, and large-scale observation capabilities that have revolutionized the study of cryospheric processes. This paper examines the role of remote sensing technologies, including optical, thermal, and microwave sensors, in detecting glacier retreat, mass balance changes, and seasonal snow cover variations. We also discuss data integration with Geographic Information Systems (GIS) for spatial analysis, case studies from the Himalayas, Alps, and Antarctic regions, and challenges such as cloud cover interference and spatial resolution limitations. The study emphasizes the importance of multi-temporal satellite datasets and advanced image processing techniques for accurate and timely glacier monitoring. The paper concludes with recommendations for integrating UAV data, AI-driven classification, and real-time monitoring networks to improve snow and glacier observation systems globally.

Page 72-75 © MANTECH PUBLICATIONS 2017. All Rights Reserved

Keywords *— Remote sensing, Glacier monitoring, Snow cover, Climate change, GIS, Cryosphere, Satellite imagery*

1. INTRODUCTION

Glaciers and seasonal snow cover are sensitive indicators of global climate change. Their extent and volume directly influence river flows, groundwater recharge, and natural hazards such as floods and avalanches. Traditional field measurements, though accurate, are time-consuming and geographically limited. Remote sensing, with its synoptic view, high repeat frequency, and multispectral capabilities, provides an efficient alternative for long-term glacier and snow monitoring.

2. REMOTE SENSING TECHNOLOGIES FOR GLACIER MONITORING

2.1 Optical Remote Sensing

Optical sensors such as Landsat, Sentinel-2, and MODIS provide high-resolution images that are effective for mapping glacier outlines and snow cover extent. The Normalized Difference Snow Index (NDSI) is widely used to distinguish snow from other land cover types.

2.2 Microwave and SAR Sensors

Synthetic Aperture Radar (SAR) sensors like Sentinel-1 and RADARSAT are capable of penetrating clouds and can operate in all weather conditions, making them ideal for year-round glacier monitoring.

2.3 Thermal Infrared Sensors

Thermal data from instruments such as ASTER allow surface temperature monitoring, aiding in the detection of melting zones.

3. GIS INTEGRATION FOR GLACIER AND SNOW COVER ANALYSIS

GIS platforms integrate remote sensing data with topographic, climatic, and hydrological datasets. This integration facilitates spatial modeling of glacier dynamics, snowmelt runoff estimation, and climate trend analysis.

4. CASE STUDIES

4.1 Himalayan Region

Page 72-75 © MANTECH PUBLICATIONS 2017. All Rights Reserved

The Himalayas, often referred to as the "Third Pole," have shown accelerated glacier retreat in the past three decades. Landsat time-series analysis has revealed up to 20% area loss in some glaciers since the 1980s.

4.2 European Alps

The European Alps have experienced significant ice volume loss due to rising summer temperatures. Sentinel-2 data combined with DEMs have enabled accurate glacier thickness estimations.

4.3 Antarctic Ice Sheet

MODIS and ICESat missions have provided large-scale assessments of ice sheet mass balance, indicating rapid thinning in coastal sectors.

5. DATA SOURCES FOR GLACIER MONITORING

Sensor/Platform	Spatial Resolution	Temporal Resolution	Application
Landsat-8/9	30 m	16 days	Glacier mapping, snow cover analysis
Sentinel-1 SAR	10 m	12 days	All-weather glacier monitoring
MODIS	250–500 m	Daily	Snow cover mapping, large-scale trends
ICESat-2	<1 m vertical accuracy	Seasonal	Ice thickness measurements

Table 1: Common remote sensing platforms for glacier and snow cover analysis.

6. CHALLENGES AND LIMITATIONS

Despite their advantages, remote sensing applications in glacier studies face challenges such as:

- Cloud cover interference in optical imagery.
- Mixed-pixel effects in coarse resolution data.
- Difficulty in mapping debris-covered glaciers.
- Need for ground validation to improve accuracy.

7. FUTURE DIRECTIONS

The future of glacier and snow cover monitoring lies in integrating multi-sensor satellite data, UAV-based photogrammetry, and AI-driven change detection algorithms. The deployment of nanosatellite constellations could enable near-real-time cryospheric monitoring.

Page 72-75 © MANTECH PUBLICATIONS 2017. All Rights Reserved

8. CONCLUSION

Remote sensing has transformed glacier monitoring and snow cover analysis from a limited-scale, manual process to a globally accessible, data-rich science. With climate change accelerating glacial melt, accurate and timely monitoring is critical for water resource planning, disaster management, and climate modeling. Continued advancements in satellite technology, image processing algorithms, and data integration approaches will enhance our understanding of cryospheric dynamics and support global environmental sustainability.

REFERENCES

[1] Hall, D.K., Riggs, G.A., and Salomonson, V.V., "Development of methods for mapping global snow cover using moderate resolution imaging spectroradiometer data," *Remote Sensing of Environment*, vol. 54, no. 2, pp. 127–140, 1995.
[2] Bolch, T., et al., "A glacier inventory for the western Himalaya based on Landsat data: Methods, challenges, and results," *Remote Sensing of Environment*, vol. 124, pp. 113–125, 2012.
[3] Paul, F., et al., "Glacier change in the Alps 1990–2000," *Annals of Glaciology*, vol. 46, pp. 145–149, 2007.
[4] Rignot, E., et al., "Acceleration of the contribution of the Greenland and Antarctic ice sheets to sea level rise," *Geophysical Research Letters*, vol. 38, no. 5, L05503, 2011.
[5] Gao, Y., et al., "Mapping snow cover in China using MODIS daily cloud-free snow cover product," *Journal of Applied Remote Sensing*, vol. 8, no. 1, 2014.
[6] Bhambri, R., et al., "Remote sensing of debris-covered glaciers in the Garhwal Himalayas," *International Journal of Remote Sensing*, vol. 32, no. 23, pp. 8095–8119, 2011.
[7] Kääb, A., "Remote sensing of mountain glaciers and permafrost creep," *Physics and Chemistry of the Earth*, vol. 33, pp. 145–155, 2008.
[8] Tedesco, M., "Snowmelt detection over the Greenland ice sheet from SSM/I brightness temperature daily variations," *Geophysical Research Letters*, vol. 34, L02504, 2007.

Page 72-75 © MANTECH PUBLICATIONS 2017. All Rights Reserved