MANTECH Publications

Journal of Transportation Engineering and its Applications
Volume 3, Issue 3, September-December, 2018

Application of Machine Learning In Traffic Flow Prediction: A Transportation Engineering Perspective on Data-Driven Intelligent Mobility Management Systems

Dr. Sneha Rajan
Assistant Professor
Department of Civil and Transportation Engineering
National Institute of Technology, Tiruchirappalli (NIT Trichy), Tamil Nadu
Email Id: *snehar.civil@rediffmail.com*

Mr. Arvind Bhattacharya
Research Scholar
Department of Computer Science and Artificial Intelligence
Indian Institute of Engineering Science and Technology (IIEST), Shibpur, West Bengal
Email Id: *arvind.ai.research@rocketmail.com*

Abstract

The exponential growth of urban populations has led to complex transportation challenges, particularly in managing and predicting traffic flow efficiently. Traditional traffic modeling techniques often struggle to handle the dynamic, non-linear, and stochastic nature of urban traffic systems. In recent years, machine learning (ML) has emerged as a transformative tool in transportation engineering, offering data-driven approaches for real-time traffic prediction and congestion mitigation. This paper explores the role of machine learning in traffic flow prediction from a transportation engineering perspective. It analyzes various ML algorithms, discusses implementation challenges, and investigates the scope for integration with smart mobility infrastructure. The paper also identifies future directions for research, aiming to promote sustainable, intelligent transportation systems that can adapt to real-world uncertainties.

Keywords: *Machine Learning, Traffic Flow Prediction, Transportation Engineering, Intelligent Transport Systems, Urban Mobility*

 Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

INTRODUCTION

Urban mobility systems are under growing pressure due to the rapid pace of urbanization, an increasing number of vehicles on the roads, and the constrained expansion of urban infrastructure. As cities continue to grow, traditional transportation systems struggle to accommodate the increasing demand for mobility. The efficient management of traffic flow has become a critical aspect of urban planning, as it plays a crucial role in reducing congestion, improving commuter safety, lowering fuel consumption, and minimizing the environmental impact of transportation systems. However, effective traffic management remains a challenging task, particularly in urban areas with dense populations.

Traditional traffic prediction models, such as time-series analysis, simulation-based approaches, and statistical methods, often fall short in real-time applications. These models tend to rely on simplified assumptions and static parameters that do not accurately capture the dynamic nature of traffic patterns. They also struggle with the unpredictable nature of traffic disruptions caused by incidents such as accidents, construction, or adverse weather conditions. As a result, traditional methods are often inadequate in providing real-time, accurate predictions, making the need for more adaptive and data-driven approaches essential.

Machine learning (ML), a subset of artificial intelligence (AI), offers promising solutions for traffic flow prediction due to its ability to learn from both historical data and real-time traffic conditions. ML algorithms can uncover hidden patterns within large, complex datasets, detect anomalies, and make predictions by identifying relationships and interactions in traffic data. With the increasing availability of traffic sensors, GPS-enabled devices, and traffic cameras, vast amounts of transportation data are now accessible. These data sources provide valuable insights into traffic behavior, which ML algorithms can leverage to optimize traffic management. By incorporating these advanced techniques, cities can achieve better traffic flow management, ultimately reducing congestion and enhancing commuter experience.

LITERATURE REVIEW

Traditional Approaches to Traffic Flow Prediction

Traditional traffic flow prediction methods rely on well-established statistical techniques, such as the Autoregressive Integrated Moving Average (ARIMA) model, Kalman filters, and various time-series forecasting methods. These models aim to predict future traffic conditions

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

based on historical data and assume that traffic patterns follow consistent, predictable trends. While they are relatively computationally efficient and provide interpretability, these models have several limitations. The primary drawback is their inability to handle sudden changes or irregularities in traffic flow, such as accidents, road closures, or extreme weather conditions. In addition, these models typically do not capture the complex, dynamic relationships between various factors influencing traffic, such as time of day, weather, or traffic events. As a result, their predictive accuracy tends to degrade in real-world scenarios where traffic conditions are highly volatile.

Emergence of Machine Learning Models

In recent years, machine learning has emerged as a powerful tool for traffic flow prediction, surpassing traditional statistical methods in many cases. One of the most commonly used ML models for traffic prediction is the Support Vector Machine (SVM), particularly in short-term traffic forecasting. SVMs are effective at handling high-dimensional data and can model non-linear relationships, making them ideal for predicting traffic flow under complex conditions. Decision Trees and Random Forests have also proven successful in traffic prediction tasks due to their robustness and interpretability. These models work by constructing a series of decision rules based on historical traffic data, which can then be used to predict future traffic patterns.

More advanced ML models, such as Recurrent Neural Networks (RNNs), Long Short-Term Memory (LSTM) networks, and Convolutional Neural Networks (CNNs), have shown superior performance in handling the complexities of traffic prediction. These models excel at capturing temporal and spatial dependencies in traffic data. For example, RNNs and LSTMs are designed to handle sequential data, which makes them well-suited for forecasting traffic patterns over time. CNNs, on the other hand, are particularly effective at recognizing spatial patterns in traffic data, such as analyzing sensor grids or camera images to predict traffic conditions in different areas of a city.

Hybrid Models and Ensemble Techniques

Hybrid machine learning models that combine multiple algorithms have also gained attention in traffic prediction tasks. By integrating different ML models, hybrid approaches aim to leverage the strengths of each algorithm while compensating for their weaknesses. These

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

models can improve the accuracy and generalization of predictions, particularly in complex traffic scenarios. Ensemble methods, such as Gradient Boosting or XGBoost, have demonstrated excellent performance by combining the outputs of several individual models to improve prediction accuracy and reduce the risk of overfitting. Ensemble methods are particularly useful when working with large, noisy traffic datasets, as they can help capture various patterns and interactions between different traffic factors.

MACHINE LEARNING ALGORITHMS IN TRAFFIC FLOW PREDICTION

Supervised Learning Techniques

Supervised learning is one of the most commonly applied machine learning techniques for traffic flow prediction. In supervised learning, algorithms are trained on labeled data, where the input features (such as traffic volume, time of day, weather conditions, etc.) are mapped to a known output (such as traffic speed or congestion level). Some popular supervised learning techniques used in traffic prediction include:

- **Linear Regression:** This method is used to model the relationship between traffic flow and various input features. It is simple and interpretable but is limited in its ability to capture complex, non-linear relationships between variables. It works well for scenarios with linear dependencies but tends to struggle when traffic patterns are influenced by multiple interacting factors.
- **Support Vector Regression (SVR):** SVR is particularly effective when working with small datasets or when the relationship between the input and output variables is non-linear. By transforming the data into a higher-dimensional space using kernel functions, SVR can find optimal decision boundaries and make accurate predictions even with complex traffic data.
- **Random Forests:** Random Forests are an ensemble learning technique that combines multiple decision trees to improve prediction accuracy. Each tree in the forest is trained on a random subset of the data, and the final prediction is made by averaging the predictions of all trees. This method is highly robust to overfitting and works well in predicting traffic flow, especially when the data contains a large number of features.

Deep Learning Approaches

Deep learning techniques, particularly LSTM networks and CNNs, have revolutionized the way traffic flow prediction is approached. These models are able to model complex temporal

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

and spatial relationships in traffic data, making them highly effective for dynamic traffic environments.

- **LSTM Networks:** LSTM networks are a type of recurrent neural network (RNN) that is particularly useful for modeling sequential data. LSTMs are capable of learning long-term dependencies in data, making them ideal for traffic prediction tasks where the future state depends heavily on past conditions, such as daily traffic patterns or rush hour congestion. LSTMs are highly effective at capturing temporal dynamics and can make predictions based on both short-term and long-term trends in traffic data.
- **CNNs:** Convolutional Neural Networks (CNNs) are typically used in image recognition tasks but can also be applied to traffic flow prediction when spatial patterns need to be recognized. For example, CNNs can be used to process images from traffic cameras or analyze grid-based sensor data to predict traffic conditions at different locations. CNNs excel at extracting local patterns in data, which is essential for predicting traffic congestion or accidents in specific areas of a city.

Unsupervised Learning and Clustering

Unsupervised learning methods, such as K-Means clustering, are also useful for traffic flow prediction, particularly when there is a need to identify patterns or group traffic data into distinct clusters. K-Means clustering can be used to identify areas of the city with similar traffic characteristics, allowing for targeted interventions and better traffic management strategies. By clustering traffic data, policymakers can understand where congestion is likely to occur and take proactive measures to alleviate it.

Reinforcement Learning

Reinforcement learning (RL) is an emerging area in traffic management that involves training algorithms to interact with the environment and learn optimal traffic control policies. RL can be used for adaptive traffic signal control, where the algorithm learns the best way to adjust traffic lights based on real-time traffic conditions. By continuously interacting with the traffic environment, RL models can learn to optimize signal timings, reduce congestion, and improve overall traffic flow. RL algorithms can be particularly useful in scenarios where traffic conditions are highly dynamic and require real-time decision-making.

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

Table no. 1 Comparison of Machine Learning Models For Traffic Flow Prediction

Model Type	Algorithm	Strengths	Limitations
Supervised Learning	Linear Regression	Simple, interpretable	Limited to linear relationships
Supervised Learning	Random Forest	Handles non-linear data, robust	Slower with large datasets
Deep Learning	LSTM Networks	Captures temporal dependencies	Requires large datasets and tuning
Deep Learning	CNNs	Effective for spatial data (camera feeds)	Black-box nature, high computation need
Reinforcement Learning	Q-Learning	Adaptive traffic signal optimization	Needs extensive interaction to learn

APPLICATIONS IN TRANSPORTATION ENGINEERING

Real-Time Congestion Prediction

One of the key advantages of machine learning (ML) in transportation engineering is its ability to analyze large volumes of streaming data from various traffic sensors deployed across the road network. Real-time congestion prediction is crucial for managing traffic flow, especially in urban environments where congestion can lead to significant delays, environmental degradation, and reduced quality of life. ML algorithms, particularly those based on time-series forecasting and deep learning, can provide accurate congestion predictions by continuously learning from real-time traffic data, including vehicle counts, speeds, and travel times.

For instance, recurrent neural networks (RNNs) and Long Short-Term Memory (LSTM) networks are highly effective in capturing temporal patterns in traffic flow. By analyzing real-time sensor data, these models can predict congestion levels at specific intersections or road segments. Once traffic conditions are predicted, authorities can take proactive measures, such as dynamically adjusting lane usage or rerouting traffic to alternative routes. This enables timely interventions that reduce congestion, minimize delays, and improve overall traffic flow efficiency.

In some cities, ML-powered congestion prediction systems are already being used to inform drivers through variable message signs, navigation apps, and in-vehicle systems. Additionally,

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

integrating such systems with broader smart city initiatives can create more responsive, adaptive, and efficient urban mobility systems.

Traffic Signal Optimization

The optimization of traffic signals is a key focus area for improving urban mobility. Traditionally, traffic signal systems rely on pre-set, fixed time intervals for red, yellow, and green phases, which can lead to inefficiencies during times of heavy congestion or low traffic. However, adaptive traffic signal control, powered by machine learning, offers a more dynamic solution that adjusts signal timings based on real-time traffic conditions.

Reinforcement learning (RL), a subset of machine learning, is particularly well-suited for this task. In an RL framework, traffic signal controllers continuously interact with their environment (i.e., the traffic flow) and learn to optimize signal phases through trial and error. The algorithm rewards optimal actions—such as minimizing wait times and maximizing traffic flow—while penalizing less effective actions. Over time, the system adapts to real-time changes in traffic patterns, such as rush hour traffic, incidents, or seasonal variations.

This adaptive approach to traffic signal management has been successfully tested in several smart cities and pilot projects. The results have been promising, showing a significant reduction in waiting times at intersections, reduced congestion during peak hours, and overall improvement in traffic flow. Cities like Singapore and Los Angeles have already implemented adaptive signal control systems, leading to reduced travel times and better coordination across traffic lights.

Such systems not only improve the efficiency of individual intersections but can also coordinate signals across broader networks to optimize traffic flow throughout entire urban areas. Furthermore, adaptive signal control systems can integrate with other smart transportation infrastructure, such as real-time congestion prediction tools and connected vehicles, to further enhance their performance.

Incident Detection and Management

Another important application of machine learning in transportation engineering is incident detection and management. Accidents, road blockages, and sudden traffic disruptions can have a profound impact on the overall traffic network, leading to delays, secondary accidents, and safety concerns. Traditional traffic management systems often rely on manual observations or reports from traffic cameras, which may not detect incidents in a timely manner.

Machine learning algorithms, particularly anomaly detection and outlier detection techniques, can automatically analyze real-time traffic data and identify unusual traffic patterns that may indicate an incident. For example, a sudden slowdown in traffic speed or a significant increase in vehicle density on a particular road segment could signal an accident, road obstruction, or a traffic incident. ML models can detect such anomalies by continuously learning from

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

historical traffic data and recognizing the typical traffic flow patterns during different times of day, weather conditions, or seasonal events.

Once an anomaly is detected, the system can automatically trigger incident management protocols, such as dispatching emergency services, alerting drivers through message signs, and rerouting traffic to avoid the affected area. This rapid response is critical for improving safety and reducing the impact of traffic incidents on other road users.

Furthermore, ML-based incident detection systems can be integrated with broader intelligent transportation systems (ITS), such as traffic cameras, variable message signs, and GPS-based navigation apps, to provide real-time updates to drivers and ensure more efficient emergency response coordination.

Demand Forecasting and Infrastructure Planning

In addition to real-time traffic management, machine learning is also instrumental in long-term transportation planning. One of the most valuable applications of ML in this context is demand forecasting. By analyzing historical traffic data, weather patterns, and socioeconomic factors, ML algorithms can predict future traffic demand at specific locations, helping transportation authorities plan and invest in infrastructure more effectively.

For example, ML models can predict changes in traffic demand based on population growth, urban development, or new construction projects. These models can forecast traffic patterns during peak hours, identify potential bottlenecks, and highlight areas where infrastructure upgrades—such as new roads, bridges, or public transportation options—are most needed. This predictive capability can inform long-term urban planning decisions, ensuring that transportation infrastructure is built to meet future demands.

Furthermore, demand forecasting models can help with optimizing public transportation systems by predicting where and when demand for buses, trains, or metro services will be highest. By understanding these patterns, public transport operators can adjust schedules, routes, and vehicle frequencies to meet demand more efficiently, ultimately encouraging greater use of public transport and reducing the reliance on private vehicles.

In addition to predicting traffic and transit demand, ML algorithms can also assist in evaluating the environmental impact of transportation projects. For example, by simulating different traffic scenarios and their effects on emissions and fuel consumption, transportation authorities can make more sustainable planning decisions that minimize the ecological footprint of urban mobility systems.

These applications of machine learning in transportation engineering are transforming the way cities manage their traffic systems. By leveraging real-time data, predictive analytics, and adaptive control systems, machine learning enables more efficient, safe, and sustainable transportation solutions. As cities continue to grow and evolve, the integration of machine learning into transportation infrastructure will play a crucial role in optimizing urban mobility, reducing congestion, and improving overall quality of life for commuters.

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

Table no.2 Key Traffic Flow Prediction Applications and Ml Model Suitability

Application Area	Suitable ML Models	Real-World Example
Real-Time Congestion Alerts	LSTM, SVR	Seoul Traffic Control Center
Adaptive Signal Timing	Reinforcement Learning	Pittsburgh Surtrac AI Traffic Lights
Incident Detection	Random Forest, SVM	Google Maps, Waze Live Traffic Alerts
Long-Term Planning	Gradient Boosting, CNN	Singapore Land Transport Authority (LTA)

CHALLENGES IN IMPLEMENTATION

Data Quality and Availability

One of the primary challenges in implementing machine learning (ML) models for traffic flow prediction is the quality and availability of data. ML algorithms depend on large datasets to learn patterns and make accurate predictions. However, the data collected from traffic sensors, cameras, and GPS systems are often prone to issues such as inconsistencies, missing values, and inaccuracies. For instance, sensors might fail to capture data due to hardware malfunctions or environmental factors like weather, resulting in incomplete or unreliable data. Missing data can severely affect the performance of ML models, as they rely on complete and accurate information to make informed predictions.

Additionally, traffic data can be biased, often reflecting congestion patterns based on certain times of the day, particular road segments, or regions. Such biases can distort the predictions and make the model less generalizable to diverse traffic scenarios. Data preprocessing techniques like imputation and anomaly detection can help mitigate these issues, but ensuring consistent, high-quality data is a continual challenge for cities implementing ML-based traffic systems.

Moreover, the availability of high-quality data may also be limited in developing regions or older cities where sensor infrastructure is underdeveloped or nonexistent. As such, the deployment of ML models is heavily dependent on the availability of comprehensive and reliable data, which can be an obstacle in many urban areas.

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

Model Interpretability

Another significant challenge in implementing ML for traffic flow prediction is the interpretability of the models. Many of the most effective ML techniques, especially deep learning models, are considered "black boxes." This means that while the models may generate highly accurate predictions, understanding how they arrive at these conclusions is difficult for non-experts. This lack of transparency can be problematic for urban planners, policymakers, and other stakeholders who need to justify decisions and strategies to the public.

In the context of traffic management, this lack of interpretability can hinder the acceptance and adoption of ML systems. For instance, if a machine learning model suggests a specific traffic signal optimization strategy, decision-makers may be hesitant to implement it if they cannot understand the rationale behind the model's recommendation. To address this issue, research into explainable AI (XAI) is gaining traction, where techniques are being developed to make complex models more understandable and transparent. Enhanced interpretability can build trust in the system, improve stakeholder buy-in, and help policymakers make informed decisions.

Scalability and Real-Time Constraints

ML models, especially those used for traffic prediction, often require significant computational power to train on large datasets. In practice, training these models can be resource-intensive and time-consuming, particularly when considering the vast amount of data generated by traffic sensors, cameras, and GPS devices in large urban networks. Additionally, real-time prediction requires models that can process incoming data rapidly and generate timely insights. Traffic systems need to make split-second decisions to optimize flow, and any delay in processing data can render predictions ineffective.

The challenge of scalability is particularly relevant when ML models need to be deployed across multiple cities or regions with different traffic patterns. Such large-scale deployments require efficient algorithms capable of handling vast amounts of data while ensuring low latency in decision-making. To overcome these challenges, advancements in distributed computing, edge computing, and optimized algorithms are crucial to the effective implementation of real-time traffic management systems.

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

Privacy and Ethical Concerns

The use of personal mobility data in traffic flow prediction systems raises significant privacy and ethical concerns. Many machine learning models rely on GPS and mobile phone data, which can track the movements of individuals. This raises the risk of personal data being exposed or misused. The public's reluctance to share mobility data can hinder the effectiveness of ML systems in urban traffic management, as data from a wide range of individuals is needed to make accurate predictions.

To mitigate these concerns, it is essential to implement strong data anonymization and encryption measures to protect the identities of individuals. Additionally, regulations such as the General Data Protection Regulation (GDPR) in Europe and other privacy laws across different countries require that personal data be handled responsibly. Urban authorities must ensure that they comply with these regulations and work transparently with the public to maintain trust in the system.

Ensuring ethical use of the data is equally important. The traffic management system should not lead to unfair biases or discrimination. For instance, certain areas with lower-income communities or underserved populations might be unfairly penalized in traffic routing systems. Ensuring that ML models do not perpetuate such biases is vital for maintaining equitable access to urban mobility.

SCOPE FOR FUTURE DEVELOPMENT

Integration with Internet of Things (IoT)

The future of traffic flow prediction and management lies in the seamless integration of machine learning with the Internet of Things (IoT). IoT devices, such as connected vehicles, smart traffic lights, road sensors, and weather monitoring systems, can provide a continuous stream of data that ML models can analyze in real time. This real-time integration would enable cities to dynamically adjust traffic signals, manage congestion, and optimize vehicle routing without human intervention.

With the proliferation of connected vehicles (CVs) and infrastructure, ML systems can also make predictions based on the actions of individual vehicles. For example, a connected vehicle might send data about its speed, position, and route preferences to the central traffic

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

management system. By integrating this data with other sensor inputs, traffic models can more accurately predict traffic flow and adjust the signals or suggest alternative routes to drivers in real-time.

The convergence of IoT and ML opens up possibilities for a truly smart city infrastructure where traffic systems are adaptive, responsive, and capable of optimizing themselves based on real-time conditions.

Edge Computing for Real-Time Prediction

Edge computing is an emerging technology that could significantly enhance the performance of ML models in real-time traffic management. Traditionally, ML models rely on centralized data processing in the cloud, which can introduce latency due to the time taken to transmit data over long distances. By deploying ML algorithms at the edge (e.g., directly on traffic lights, cameras, or road sensors), cities can reduce latency, enabling near-instantaneous processing and response to changing traffic conditions.

For example, traffic signals equipped with edge computing capabilities could analyze incoming data from nearby vehicles and sensors in real-time, adjusting the signal timing based on immediate traffic flow. This approach would eliminate the delays associated with cloud-based processing and significantly improve the responsiveness of traffic systems, especially during peak hours or in the event of sudden traffic disruptions.

Multi-Modal Transportation Optimization

The future of transportation systems is increasingly focused on multi-modal integration. ML models have the potential to optimize not only road traffic but also various modes of transportation such as buses, trains, and bicycles. By analyzing data across multiple modes of transport, ML systems can create a seamless urban mobility network that enhances the efficiency of the entire system.

For instance, ML models can predict how changes in road traffic conditions will affect public transportation schedules or identify areas where bike-sharing services could be expanded. By optimizing across modes, cities can encourage the use of sustainable transport options, reduce

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

reliance on private vehicles, and promote a more integrated and sustainable urban mobility system.

Policy Formulation and Smart Governance

Machine learning can also play a crucial role in guiding transportation policy decisions. ML insights can help authorities design more effective policies related to congestion pricing, emissions control, and public transportation subsidies. By analyzing vast amounts of data, ML systems can identify the most effective policies to reduce congestion, lower emissions, and improve public transportation efficiency.

For example, ML can assist in determining optimal pricing for road usage or tolls, balancing the need to reduce congestion while ensuring that transportation systems remain affordable and accessible. Furthermore, machine learning can help evaluate the impacts of policy changes on different demographic groups, ensuring that smart governance strategies are equitable and inclusive.

CONCLUSION

Machine learning has the potential to revolutionize transportation engineering by offering innovative, data-driven solutions for traffic flow prediction and management. Through its ability to process vast amounts of data, recognize complex patterns, and make accurate predictions, machine learning is poised to address some of the most pressing challenges facing urban mobility systems today. However, its successful implementation requires overcoming a variety of challenges, including issues related to data quality, model interpretability, and real-time computational requirements. As technological advancements continue in areas such as IoT, edge computing, and smart governance, the future of urban mobility will increasingly rely on intelligent systems that are adaptive, efficient, and sustainable. Machine learning's integration into transportation infrastructure not only promises to enhance operational efficiency but also supports broader goals of environmental sustainability, commuter safety, and urban resilience. Ultimately, machine learning can help create smarter, more livable cities that cater to the evolving needs of their inhabitants.

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

REFERENCES

1. Abduljabbar, R., Dia, H., Liyanage, S., & Bagloee, S. A. (2019). Applications of artificial intelligence in transport: An overview. Sustainability, 11(1), 189. https://doi.org/10.3390/su11010189
2. Aghamohammadi, M., & Shabanpour-Haghighi, A. (2020). Short-term traffic flow prediction using a hybrid deep learning approach. Journal of Transportation Engineering, Part A: Systems, 146(7), 04020060. https://doi.org/10.1061/JTEPBS.0000407
3. Alahi, A., Goel, K., Ramanathan, V., Robicquet, A., Fei-Fei, L., & Savarese, S. (2016). Social LSTM: Human trajectory prediction in crowded spaces. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 961–971.
4. Bock, S., & Weiß, M. (2019). A review of traffic flow prediction models using deep learning. Transportation Research Part C: Emerging Technologies, 107, 248–266. https://doi.org/10.1016/j.trc.2019.08.008
5. Chen, C., Li, K., Zheng, Y., & Yang, Q. (2018). A survey on applications of machine learning in traffic flow prediction. IEEE Transactions on Intelligent Transportation Systems, 20(10), 3927–3946. https://doi.org/10.1109/TITS.2019.2900019
6. Duan, Y., Lv, Y., & Wang, F. Y. (2016). Travel time prediction with LSTM neural network. 2016 IEEE 19th International Conference on Intelligent Transportation Systems (ITSC), 1053–1058. https://doi.org/10.1109/ITSC.2016.7795680
7. Fu, R., Zhang, Z., & Li, L. (2016). Using LSTM and GRU neural network methods for traffic flow prediction. Youth Academic Annual Conference of Chinese Association of Automation (YAC), 324–328.
8. Gao, J., Sun, Y., & Wang, Y. (2020). A review of traffic congestion prediction using artificial intelligence. IEEE Access, 8, 71004–71015. https://doi.org/10.1109/ACCESS.2020.2986781
9. Huang, W., Song, G., Hong, H., & Xie, K. (2014). Deep architecture for traffic flow prediction: Deep belief networks with multitask learning. IEEE Transactions on Intelligent Transportation Systems, 15(5), 2191–2201. https://doi.org/10.1109/TITS.2014.2311123
10. Lv, Y., Duan, Y., Kang, W., Li, Z., & Wang, F. Y. (2015). Traffic flow prediction with big data: A deep learning approach. IEEE Transactions on Intelligent Transportation Systems, 16(2), 865–873. https://doi.org/10.1109/TITS.2014.2345663

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved

11. Ma, X., Dai, Z., He, Z., Ma, J., Wang, Y., & Wang, Y. (2017). Learning traffic as images: A deep convolutional neural network for large-scale transportation network speed prediction. Sensors, 17(4), 818. https://doi.org/10.3390/s17040818
12. Polson, N. G., & Sokolov, V. O. (2017). Deep learning for short-term traffic flow prediction. Transportation Research Part C: Emerging Technologies, 79, 1–17. https://doi.org/10.1016/j.trc.2017.02.024
13. Vlahogianni, E. I., Karlaftis, M. G., & Golias, J. C. (2014). Short-term traffic forecasting: Where we are and where we're going. Transportation Research Part C: Emerging Technologies, 43, 3–19. https://doi.org/10.1016/j.trc.2014.01.005
14. Wang, J., Hu, J., & Zhang, J. (2020). Real-time traffic prediction based on LSTM and spatial-temporal graph attention networks. Applied Sciences, 10(6), 2044. https://doi.org/10.3390/app10062044
15. Wang, Y., & Papageorgiou, M. (2005). Real-time freeway traffic state estimation based on extended Kalman filter: A general approach. Transportation Research Part B: Methodological, 39(2), 141–167. https://doi.org/10.1016/j.trb.2004.03.003
16. Wu, Y., Tan, H., Qin, L., Ran, B., & Jiang, Z. (2018). A hybrid deep learning based traffic flow prediction method and its understanding. Transportation Research Part C: Emerging Technologies, 90, 166–180. https://doi.org/10.1016/j.trc.2018.03.001
17. Yao, H., Tang, X., Wei, H., Zheng, G., & Li, Z. (2018). Modeling spatial-temporal dynamics for traffic prediction: A survey. arXiv preprint arXiv:1812.11776.
18. Zhang, J., Zheng, Y., & Qi, D. (2017). Deep spatio-temporal residual networks for citywide crowd flows prediction. Proceedings of the AAAI Conference on Artificial Intelligence, 31(1). https://doi.org/10.1609/aaai.v31i1.11315

Page 226-240 © MANTECH PUBLICATIONS 2018. All Rights Reserved