

## ***Prospects for Groundwater Management in a Sustainable World***

***Tanishk Bhatt<sup>1</sup>, Dr. Uma Shankar<sup>2</sup>***

*Student<sup>1</sup>, Professor<sup>2</sup>*

*Department of Civil Engineering*

*Bansal College Of Engineering – Mandideep*

***Corresponding Author's Email: bhatttanishk1@gmail.com***

### ***Abstract***

*Groundwater is the planet's most vital resource for maintaining life and the environment. Because of its widespread usage in many fields, it is rapidly depleting, necessitating sustainable resource management. Groundwater resource management is becoming increasingly vital, not just in India, but also globally. Sustainable groundwater supplies are a major concern for many countries, particularly those in dry regions. In this study, we shall define a sustainable water resource as a water flow that is controlled to preserve water quantity and quality. Water's significance is so fundamental that we cannot rely on a single institution alone, but rather require a collective approach. Addressing the groundwater problem is a pressing matter not just for the current generation but also for future generations. Water management encompasses several sectors of the Indian economy, including industrial, agricultural, household, electricity, environment, fisheries, and transportation. This management strategy will aid in overcoming water-stressed demand and increasing water supply. This article recognises appropriate groundwater management practises in India. Because of the rising water demand, the involvement of numerous elements that regulate the exploitation of water resources has become crucial for groundwater management.*

***Keywords:*** *Groundwater, Sustainable Development, water resources.*

## INTRODUCTION

Groundwater accounts for 89% of all freshwater on the planet. With increased groundwater demands and the unpredictable nature of rainy seasons, there has been global groundwater depletion. Groundwater exhaustion has reached the point where it is difficult, if not impossible, to return the water table to its previous state. While it is feasible to replenish groundwater from various places, the cycle is extremely slow, and it may take a year to recharge one metre. Considering this authority, groundwater management has recently become one of the primary challenges. There are also ecological concerns, such as water for mining, saltwater intrusion, stream base flow decrease, and so on. This study briefly investigates the concept of groundwater management maintainability, principles impacting groundwater accessibility, and numerous techniques for developing and exploiting accessible groundwater without disrupting the hydro-geographical balance. Furthermore, the report presents ways for sustainable groundwater management, such as groundwater advancement, rainfall irrigation, and artificial regeneration methods. This study offers some practical strategies for proper groundwater management in India.

## Hydrogeological Setup of the Country

India is a country with a vastly expanded hydrogeological establishment. Because of the occurrence of enhanced geographical arrangements with significant lithological and sequential variations, complex structural systems, climatological variations, and various hydrochemical conditions, groundwater conduct in the Indian subcontinent is profoundly muddled [8]. The rock formations range in age from Archaean to Quaternary-Recent. The southern states have Archaean rocks, while the fresh residue is related to Indo-Gangetic alluvial fields. The following are the key topographical formations:


1. Igneous and metamorphic rocks having notable stone types such as stones, Charnockites, Quartzite, and related Phyllites, slate, and so on; basalts and similar igneous rocks
2. Mesozoic and tertiary era rocks address semi-consolidated stone developments, with important stone types addressed by limestone, sandstone, rocks, and rock aggregates.
3. Unconsolidated developments occurred from the Pleistocene to the recent era and were handled by specific rocks such as boulders, pebbles, sands, and silt-clay. The substantial potential in aquifer zones is structured by these stones [8].

The Indian subcontinent was developed by huge geographical geological variations, such as pre-Cambrian metamorphic rocks, igneous rocks addressed by Cretaceous-Eocene basaltic rocks, Vindhyan and

Gondwana rocks, and quaternary to late sedimentary stores. The geological chart [4] depicts the categorization of various rock types.



*The Representative Figure Shows the Distribution of Various Rocks in India with Different Geological Periods. (Source GSI).*



*The Representative figure showing the hydrogeology pattern in India (Hydrogeological department of India)*

Because of the development characteristics and pressure-driven properties required to store and sustain groundwater hydrogeological systems, all litho units may be classified into two major groups of water-bearing developments [8]. Porous formations can alternatively be classified as unconsolidated and semisolidified developments with essential porosity and fissured or consolidated developments with auxiliary or determined porosity. The hydrogeological map depicts the main collection of solidified and unconsolidated water-bearing developments, as well as their potential possibilities [7]. Some of the most important elements that influence the flow and conveyance of freshwater are physiographic and geomorphologic environments [8]. In light of these factors, the country has been divided into five separate sections, as shown below:

## **GROUNDWATER MANAGEMENT IN INDIA**

### **Major Problems**

Groundwater and its massive use are critical to a country like India. However, there is no precise overview of groundwater assets as suggested or estimated by the National Commission of Agriculture, India's groundwater assets might be over 433 billion cubic metres, or 10 times the annual rainfall [3]. The

annual use potential is around 145 billion cubic metres. With the introduction of a new agricultural strategy in the early 1960s, the use of power pumps and tube wells increased dramatically. Whereas in 1960, only around 1.1 percent of net agricultural land had a tube-well water supply system, by 1988, over 27.8% of net agricultural land had the benefit of a tube-well water supply system. By 2001, demand for industrial water had risen to roughly 160 billion litres per day [3]. The public authority's activities to extrapolate deep water wells for more water have caused water tables to fall, and similarly, little attention or attempt has been made to recharge the groundwater. Groundwater, as a dynamic and replenishable asset, must be evaluated based on its annual regeneration, which may be improved through proper designs and is also affected by hydrologic and environmental conditions. Outside of official organisations, information on groundwater levels in India is not widely disseminated or accessible [3]. As a result, discussions over groundwater usage are frequently based on inaccurate information. However, it is indisputably true that reducing the level of water tables and exhaustion of monetarily accessible groundwater saves money in an agricultural country like India. Usage among rural and city dwellers is

rising, bringing us closer to a battle over groundwater consumption. Declining water levels also exacerbate social divisions [1]. Lower-class farmers are compelled to give up agriculture because declining water tables limit access to those who can afford to deepen their wells. Deep tube wells require a lot of electricity, which raises the financial cost. More water level depletion will put food safety at risk [4]. For major food development, a reliable water system is essential. As the water level drops, helpless or low-level farmers find it difficult to compete for the energy required to dig deeper wells, resulting in a fall in food output. As a result, it is not essential to make a strong case for the conservation of this crucial asset in order to ensure natural security and appropriate agricultural growth [2].

### **Overexploitation impact of groundwater**

The major effect of groundwater overexploitation is base stream exhaust. Different critical additional effects occur when the basic flow is reduced. Some are listed below.

Dry up of shallow aquifer

- Reduction of vegetation cover and decrease in wetland area
- Changes in drainage pattern
- Speed up in the land degradation
- Frequent conditions of dryland areas

- Scarcity of flora and fauna
- Well interference

Different effects of groundwater exhaustion are serious emergencies safe drinking water and irrigated water.

### **Techniques to Deal With Groundwater Management**

The difficulty with groundwater is that the department is multidirectional, with a solid appraisal of available water, its utilisation, and the goal of expanding, dispersing, and reducing overexploitation. However, similar to executives for surface water assets, the management board for water assets has made relatively little effort. The following are the two widely acknowledged techniques for groundwater executive:

1. **Manage safe yield:** This strategy considers the conscious's ability to control capacity utilisation through recharging events.
2. **Stop overexploitation:** This serves to demonstrate that some long-term consumption may be required to drive socioeconomic development in areas where regeneration is limited.

Groundwater management decisions in industrialised areas are influenced by water consumption patterns and the need to provide utilities, which are comparable

to people. Villagers extract groundwater using tube wells that they built and own [5]. While large-scale, publicly funded tube-well advancement will improve supply outcomes; legal and administrative arrangements at the public level can't be controlled enough; and, while increasing indirect re-charge may work for shallow level groundwater movements, regeneration of deeper level frameworks requires clear infusion and elective wellsprings of good quality water. [3] In this context, two broad types of executive groundwater proposals emerge: (I) approaches encompassing instruments, for example, power estimation, subsidies for effective advancements, and economic arrangements that support less water bearing crops, and (ii) approaches to managing explicit aquifers based on the order and control of the executives through an asset controller [6]. Whatever technique is selected, the development and management of these assets should be based on a sufficient amount of information about the whole status and circumstances of the groundwater aquifer system and its renewal. With regard to the influence of environmental fluctuation and geographical inconstancy in dryland areas, two substantial variation gaps in groundwater the board emerge, with crucial consequences for precise utilisation.

(I) inability to adapt to the rate of increase in groundwater system degradation due to over-deliberation, and effective asset consumption from quality differences (contamination, salinity), and (ii) inability to explore groundwater resource administrations on multiple usage and ecological externalities [9].

### **Methods of Recharging**

With large water resources and a growing desire to generate more resources for future generations, we must make efforts to enhance groundwater levels by pursuing persuasive ways [9]. It is critical to have complete information on groundwater scenarios that administer the production and movement of groundwater resources under deliberate stress, the cooperation of land and groundwater with stream base movement, and changes in the stream of rivers and regenerating dates due to their overuse for successful administration. As a result, the executive's policies should cover a wide range of concerns, including:

- The executives of existing provisions to further increase water accessibility
- The executives of demands such as the efficacy of water usage, sectoral links with monetary exercises, and so on.
- Resolving conflicting requests and ensuring the integrity of the water subordinate eco-environment.

The popular side administration's financial element plays an important role, including dealing with individuals who use water and land. Simple administrative mediations such as water usage freedom and licenses, as well as monetary water valuing devices, and so on, cannot be useful until all stakeholders are fully engaged [11]. To properly care for groundwater assets, it is necessary to educate people about the various societies that use water and to implement region-specific designs for sustainable development [15].

As a result, groundwater board members must not only conduct an appropriate evaluation of available assets and understand the interconnection between surface and groundwater systems, but also the activities required for proper resource allocation and avoiding the negative effects of groundwater overexploitation. Water management executives must use the following approaches to maintain continuous improvement:

#### **Logical Advancement of Groundwater**

Groundwater logical advancement incorporates a genuine grasp of surrounding groundwater accessibility, its behaviour, and request-driven development using logical arrangement

[23]. The following are the requirements for the rational advancement of water resources:

#### **Advancement of Multiple Aquifers**

In Most springs in our nation are not fully utilised or developed, resulting in the underutilization of available groundwater assets [20]. Unused water from deep tube wells and springs is quite widespread in various locations, including Panjab, Haryana, and Uttar Pradesh, resulting in near-still conditions at a deep level and providing the necessary time for improving the quality of groundwater. The extended aquifer of permeable soil is clearly not totally exhausted in the upper ranges, and the wasted groundwater in confined springs is now shifting to saline springs at the bowl limit [22].

This development and improvement of profound springs is critical for the advancement and improvement of groundwater for suitable exploitation.

#### **Improvement of Groundwater in Under- Develop Regions**

Scheme designers frequently focus on areas where groundwater improvement has amazing potential while ignoring other areas with modest promise. Groundwater tube wells are continuously being built in

India's eastern and northeastern regions. Because of the inaccessibility of groundwater, the majority of impoverished farmers find it difficult to boost irrigation production [23]. Groundwater has improved significantly in this area, which floods often during the monsoon.

### **Improvement of Water Logging Areas**

Groundwater is abundant in the waterlogging fields. As a result, the economic management of flood area aquifers provides excellent possibilities for their development and additional water requirements. The improvement of groundwater in the Yamuna flood plain in Delhi is an example of technological management of groundwater assets. The improvement of shallow level springs in flood field locations creates the necessary subsurface space for groundwater expansion from stream overflow during the rainy season [25].

In areas near streams with changeable flood fields, spontaneous administration is an effective administration strategy for getting to the point of necessity and delivering. As a result, proper development of the floodplain aquifer is critical for groundwater progress and the executives [23].

### **Improvement of Groundwater in the Waterlogged Regions**

The order of waterlogged regions in channels tells degrees for underground water improvement of five metres or more. Water of poor quality can be mixed in with channel water to an extent sufficient for the water system. As a result, more water can be used for agriculture, and the lower water table will be used to extend the monsoon season and recharge the regions that will be used to improve land and groundwater quality [25].

### **Improvement of Water in Catchment Area**

It is one of the most persuasive strategies for suitable groundwater for executives to include water resources for the region and use the recharge by improving water resources in areas next to the catchment area.

As a result, not only in the lawful use of available water assets, but also in moving groundwater from surface groundwater capacity, subsurface drainage will be supplied to places that are likely to be obstructed or flooded [28]. Aside from these significant improvements in groundwater in shoreline areas, water resource management should be prioritised [18].

### **Artificial Recharge of the Groundwater**

One more successful technique is an expansion of accessible groundwater assets through different modes like rainwater harvesting and artificial regeneration. It is assessed that yearly around 40.8BCM of excess surface runoff can be re-charged to increase the groundwater [17]. In rural regions, strategies of artificial re-generation by alteration of local development of water from appropriate common designs like collecting tanks, small tanks, ditches, furrows, nala bunds and so on is seen as practical. The rooftop topwater collecting structure is normally practical both by increasing the groundwater storage also by putting away it in uniquely assembled tanks [14].

### **Guideline of Groundwater Development**

The major approaches for practicable groundwater management are the groundwater improvement guidelines in basic and local areas. More and more development of groundwater assets is emerging and is being recognised as a major concern. The proclivity to overdevelop groundwater assets is established by the swift reaction of empowered pumping techniques, resource qualities, segment motions, and government policies [19]. There are

minimal initiatives to examine overexploitation and guidelines for groundwater assets. Now, in recent times, the major actual administration is through the confinement of the National Bank for agricultural and rural development. money in grey and black blocks. The Gujarat government enacted the Groundwater Executives Act to regulate and control groundwater usage [27]. In any case, enforcing the restrictions without local permission and suitable demonstration camps in various places is difficult.

### **Guaranteeing Water Resource for Farming**

The most serious concern is the judicious use of resources in places that do not disrupt water levels or agricultural productivity. So, any sustainable strategy is dependent on determining the actual water level to be assigned for local household usage, horticulture, and maintaining ecological balance [23]. More particularly, it should place a greater emphasis on cost-effective research involving water for multiple uses, skilled and enhanced water level development, agricultural production, and post-seeding handling [22]. Some of the successful approaches that are widely used in the nation include:


1. Assist non-sensitive groundwater users in transitioning from depleted, high-quality groundwater to normal-quality groundwater for the most essential groundwater usage.
2. A proper return of deliberation liberties from ventures in which impoverished people created water-efficient inventions.
3. Subsidize working people to raise the water level utilised by peri-urban areas in exchange

from contamination is an important requirement.

1. Planning weakness maps, in light of appropriation of travel times, synthetic boundaries, kinds of dirt, subsoil, and landcover.
2. Identify and focusing on potential zone of water resource.
3. Low lying areas are more prone to groundwater weakness
4. Confining private advancement is served by inducing disinfection.
5. Confining the removal of modern releases to the ground in weak regions through the presentation of release allows proper.

### Understanding Quality of Water Resources

Understanding the contamination of water resources and how to ensure their recovery



*Groundwater services and Functions*

### **Shortcomings in Existing Approaches**

However there exist different systems for an economical administration of groundwater assets, it frequently neglects to make any sure effect on the manageable use because of several reasons. Because of the nonappearance of any valuing system and severe guidelines, unpredictable water resources, its inefficient use and soil removal waste material continued. Work on groundwater use in the financial setting is somewhat little, the exceptionally specialized information on the aquifers systems is of somewhat very less use for proper practical management reasons. The vast majority of the groundwater land and hydro-land improvement technology has been divided, technocratic, and connected with the groundwater movement and damages. The functional administration rehearses, it is irrelevant to look at all user's indigenous adaptive methodologies, environmental change reactions, and so on. Anyway, in recent times' situation, less consideration has been given to these regions. For the understanding of groundwater, the most important components that might be important to consider are as follows:

1. the most essential worth of the groundwater situated close to 'high-value' uses like urban areas or prime

farming regions, rather than springs situated in less essential areas and

2. water bearing rock with excellent water that is not polluted with waste and the kinds of people using it.

### **Necessity for the Sustainable Approach**

The guaranty for food and ecological security are the main worldwide problem of the 21st century. With respect to the sensational advantage made in irrigation development, we have few areas of our country where food production has not kept tempo with the increment in the populace or have scarcely stayed up with the increment in the populace. Even though slowdown in agriculture production due to environmental implications, alteration of land use and absence of suitable innovation to area the fundamental problem of asset activation and the board members might be the essential variables liable for less farm production. Water shortage and bad water quality are the central issues in various nations, which primarily depend upon agriculture for the job of individuals. New water accessibility is as of now the main consideration in the feasible utilization of assets. The water, shortage is additionally highlighted by underground and surface water contamination. UNDP tells about the world land and soils assets critically affect

are likely to bring up the greenhouse impact. As it is inappropriate to give the note that proper water usage planning plays an important part in social security and natural security in the current time described by expanding clashes due to scarcity water resources.

As different techniques on groundwater, the executive member clearly tells that effective management of groundwater needs to be a cross-cutting and holistic methodology consolidating all partners, technocrats, hydro-land conditions, nearby explicit ecological issues, native techniques for water preservation and consume, etc. The suitable use of groundwater there should be a proper strategy taking into account every one of the multi-faceted parts of these issues of freshwater shortage and over-usage. There is a requirement for appropriate regulation to make rainwater gathering compulsory in all private and public structures, particularly in developed regions. There should also be awareness creation camps about the importance of re-charging and reusing groundwater among the locals through different media. The people using freshwater should always conduct a water review to check how much freshwater can also be saved and utilized. The unused wastewater can also be recycled and also

reused in working with natural exercises. At last, any plan won't work without the support of individuals, and the local state running administrations are inspired what's more prepared. With people, group investment and embracing locally accessible methods for water conservation designs can change the existences of millions. In this way taking requirements connected people with appropriate management and security of groundwater source versus the move should have been made at various ranges, a multipronged coordinated approach has thoroughly thought-out blend of expert, specialized managerial and legitimate steps and local area interest might give the way for accomplishing the requirement for laying a solid natural establishment for guaranteeing practical management of groundwater assets.

## REFERENCES

1. [www.worldbank.org/groundwater](http://www.worldbank.org/groundwater)
2. Datta, P.S., 2005. Groundwater ethics for its sustainability. Current science, pp.812-817
3. Dr. Saleem Romani, Groundwater Management: A key for sustainability, CESS papers, 2005
4. Velayutham, M., In 50 Years of Natural Resource Management Research (eds Singh, G. B., and

- Sharma, B. R.), Indian Council of Agricultural Research, New Delhi,
3. The Citizen's Fifth Report: State of India's Environment, Part-II Statistical Database (eds Agarwal, A., Narain, S. and Sen, S.), Centre for Science and Environment, New Delhi, 1999.
5. Proceedings of the Seminar on Artificial Recharge of Groundwater, December 1998, Central Ground Water Board, Ministry of Water Resources, New Delhi, 1998.
6. Chandrakumar, G. and N. Mukundan (2006), Water resource management: thrust and challenges, Sarup & Sons, New Delhi, India.
7. Groundwater resources sustainability Jac van der Gun Hydro-Consulting, Schalkhaar, The Netherlands
8. [http://cgwb.gov.in/documents/papers/incid\\_papers/Paper%201-B.M.Jha.pdf](http://cgwb.gov.in/documents/papers/incid_papers/Paper%201-B.M.Jha.pdf)
9. Alley, W.M., Reilly, T.E. and Franke, O.L., 1999. Sustainability of ground- water resources (Vol. 1186). US Department of the Interior, US Geological Survey.
10. Harter, T., 2003. Groundwater quality and groundwater pollution.
11. Hutson, S.S., 2004. Estimated use of water in the United States in 2000 (No. 1268). Geological Survey (USGS).
12. Jones, J.A.A., 2014. Global hydrology: processes, resources and environmental management. Routledge.
13. Kulkarni, H. and Shankar, P.V., 2010, April. Sustainable groundwater management: challenges for the 21st Century. In International Conference on Dynamics of Rural Transformation in Emerging Economies, New Delhi.
14. Ponce, V.M., 2006. Groundwater utilization and sustainability. San Diego State University, College of Engineering. San Diego, Calif.[<http://groundwater.sdsu.edu/>].
15. Rosegrant, M.W., 1997. Water resources in the twenty-first century: Challenges and implications for action (Vol. 20). Intl Food Policy Res Inst.
16. [www.ngwa.org](http://www.ngwa.org) Groundwater Sustainability: A white paper.
17. Panda, R., 2011. A growing concern: How soon will India run out of water?. Journal of global health, 1(2), p.135.
18. Jha, B.M. and Sinha, S.K., 2009. Towards better management of

- ground water resources in India. QJ, 24(4), pp.1-20.
19. Feinerman, E. and Knapp, K.C., 1983. Benefits from groundwater management: magnitude, sensitivity, and distribution. *American Journal of Agricultural Economics*, 65(4), pp.703- 710.
20. Pittock, J., Hussey, K. and Stone, A., 2016. Groundwater management under global change: Sustaining biodiversity, energy and food supplies. In *Integrated Groundwater Management* (pp. 75-96). Springer, Cham.
21. Jha, M.K., Chowdhury, A., Chowdary, V.M. and Peiffer, S., 2007. Groundwater management and development by integrated remote sensing and geographic information systems: prospects and constraints. *Water resources management*, 21(2), pp.427-467.
22. Central Ground Water Board website, FAQs, <http://www.cgwb.gov.in/faq.html>.
23. Ground Water Yearbook 2013-14, July 2014, Central Ground Water Board, [http://www.cgwb.gov.in/documents/Groun %20Water%20Year %20Book%202013- 14.pdf](http://www.cgwb.gov.in/documents/Groun%20Water%20Year%20Book%202013-14.pdf).
24. Kulkarni, H., Shah, M. and Shankar, P.V., 2015. Shaping the contours of groundwater governance in India. *Journal of Hydrology: Regional Studies*, 4, pp.172-192..
25. Annual Report 2013-14, Ministry of Water Resources, River Development and Ganga Rejuvenation, [http://wrmin.nic.in/writereaddata/AR\\_2013-14.pdf](http://wrmin.nic.in/writereaddata/AR_2013-14.pdf).
26. Quinlan, J.P., Sen, S. and Nanda, K., 2014. *Thirsty Nation: Priorities for India's Water Sector*. Random House India.
27. Shah, T., Bhatt, S., Shah, R.K. and Talati, J., 2008. Groundwater governance through electricity supply management: Assessing an innovative intervention in Gujarat, western India. *Agricultural water management*, 95(11), pp.1233-1242.
28. Bhanja SN, Mukherjee A, Rangarajan R, Scanlon BR, Malakar P, Verma S. Long- term groundwater recharge rates across India by in situ measurements. *Hydrology and Earth System Sciences*. 2019 Feb 7;23(2):711-22.
29. Khare, Y.D. and Varade, A.M., 2018. Approach to groundwater management towards sustainable development in India. *Acque*

- Sotteranee-Italian Journal of Groundwater, 7(1).
30. Greene R, Timms W, Rengasamy P, Arshad M, Cresswell R. Soil and aquifer salinization: toward an integrated approach for salinity management of groundwater. In Integrated groundwater management 2016 (pp. 377-412). Springer, Cham.
31. A. S. Jasrotia, R. Kumar & A. K. Saraf (2007) Delineation of groundwater recharge sites using integrated remote sensing and GIS in Jammu district, India, International Journal of Remote Sensing,.