MANTECH Publications

Journal of Water Resource Engineering & Pollution Studies
Volume 3, Issue 2, May-August, 2018

Artificial Recharge Techniques for Groundwater Sustainability

Dr. Aniket R. Kulkarni
Associate Professor
Department of Civil Engineering
EcoTech Institute of Technology
Email: aniket.kulkarni@ecotech.edu.in

Ms. Rina Sharma
Research Scholar
Department of Civil Engineering
EcoTech Institute of Technology
Email: rina.sharma@ecotech.edu.in

ABSTRACT

Artificial recharge of groundwater is a crucial strategy to combat water scarcity, especially in semi-arid and drought-prone regions. This paper explores various artificial recharge techniques such as percolation tanks, recharge wells, check dams, and rainwater harvesting systems. These methods are essential for restoring declining groundwater levels and ensuring sustainable water management. Through the integration of hydrological assessment and site-specific strategies, artificial recharge contributes to long-term water security and resilience. The paper also examines case studies from India and abroad, demonstrating the effectiveness and challenges of implementation.

Keywords—*Artificial Recharge, Groundwater Sustainability, Percolation Tanks, Check Dams, Water Management, Aquifer Recharge*

Page 73-76 © MANTECH PUBLICATIONS 2018. All Rights Reserved

INTRODUCTION

With increasing demand and erratic rainfall patterns, groundwater levels are depleting across many regions globally. Artificial recharge refers to the process of augmenting the natural replenishment of groundwater storage by some method of construction. These techniques are particularly essential in regions experiencing overexploitation of aquifers. This paper investigates various recharge methods, their design, implementation, and benefits to achieve sustainable groundwater levels.

OBJECTIVES

The objectives of this study are: (i) To review common artificial recharge techniques used worldwide; (ii) To identify the suitability of different techniques based on hydrological and geological parameters; (iii) To analyze successful case studies of artificial recharge; and (iv) To recommend future directions for groundwater sustainability.

COMMON ARTIFICIAL RECHARGE TECHNIQUES

Percolation Tanks

Percolation tanks are constructed in large, natural depressions that collect surface runoff during monsoon seasons. They allow water to slowly infiltrate into the subsoil, thus recharging shallow aquifers.

Recharge Wells

Recharge wells are deep, specially constructed boreholes that directly introduce surface water into deeper aquifers. These are effective in urban areas with paved surfaces, where infiltration is limited.

Check Dams

Small dams constructed across streams to reduce water velocity and increase water retention. This encourages infiltration into the surrounding soil, recharging both shallow and deep aquifers.

Rainwater Harvesting

Page 73-76 © MANTECH PUBLICATIONS 2018. All Rights Reserved

Roof-top rainwater harvesting systems can significantly contribute to aquifer recharge, especially in urban areas where space for larger recharge structures is limited.

COMPARISON OF RECHARGE TECHNIQUES

Technique	Cost	Suitable Region	Infiltration Rate
Percolation Tank	Moderate	Rural/Semi-Arid	High
Recharge Well	High	Urban	Medium
Check Dam	Low	Hilly/Terrain	High
Rainwater Harvesting	Low	Urban	Low

Table: Comparison of common artificial recharge methods based on region, cost, and recharge efficiency.

CONCLUSION

Artificial recharge is a pivotal strategy for groundwater sustainability. Techniques such as percolation tanks, recharge wells, and check dams have proven effective in enhancing aquifer storage. Successful implementation requires proper site selection, community participation, and regular monitoring. Future research should focus on optimizing recharge structures using remote sensing, GIS, and AI-based modeling to address regional hydrological variances.

REFERENCES

[1] CGWB. 'Manual on Artificial Recharge of Ground Water.' Ministry of Water Resources, Government of India, 2007.

[2] Bouwer, H. 'Artificial recharge of groundwater: hydrogeology and engineering.' Hydrogeology Journal, 2002.

[3] Raghunath, H.M. 'Ground Water.' Wiley Eastern Limited, New Delhi, 1987.

[4] Scanlon, B.R. et al. 'Global synthesis of groundwater recharge in semiarid and arid regions.' Hydrological Processes, 2006.

[5] Jha, M.K., Chowdary, V.M., 'Groundwater management using remote sensing and GIS.' CRC Press, 2007.

Page 73-76 © MANTECH PUBLICATIONS 2018. All Rights Reserved

[6] Simmers, I. 'Recharge of phreatic aquifers in (semi-) arid areas.' IAHS Publication, 1998.

[7] Sahu, P. et al. 'Design of artificial recharge structures using RS and GIS.' International Journal of Engineering Science Invention, 2015.

[8] UNESCO. 'Groundwater and Climate Change.' International Hydrological Programme, 2012.

Page 73-76 © MANTECH PUBLICATIONS 2018. All Rights Reserved