MANTECH Publications
Recent Trends in Electrical Machines and Drives
Volume 10, Issue 2, May- August 2025

Fault-Tolerant Electric Machines and Drives for Critical Industrial Applications

Dr. Dhruv Pradhan[1], Akshay Singh[2], Parul Jain[3], Nitin Rawat[4]
Associate Professor[1], Students[2, 3, 4]
Department of Electrical Engineering Radha Govind Institute of Technology
Email: *akshaysingh45@gmail.com[2]*

ABSTRACT

Fault-tolerant electric machines and drive systems are essential in critical industrial applications where reliability and continuous operation are mandatory. This paper explores recent trends in fault-tolerant designs, including redundant stator winding configurations, dual inverter-fed drives, and advanced monitoring techniques. A detailed analysis of fault detection and diagnosis methods is presented, covering model-based observers, artificial intelligence algorithms, and sensorless fault diagnosis approaches. The paper emphasizes the role of predictive maintenance strategies combined with real-time monitoring to prevent catastrophic failures. Experimental results on induction machines and PMSMs demonstrate that fault-tolerant designs maintain performance with minor degradation even under single- phase open-circuit faults, phase short circuits, and inverter failures. The reliability improvements achieved through these designs make them indispensable in power plants, aerospace, and high-reliability industrial systems.

KEYWORDS: *Fault-Tolerant Design, Predictive Maintenance, Redundant Windings, Fault Diagnosis, Industrial Drives*

INTRODUCTION

In modern industrial environments, electric machines and drives are widely used in processes requiring high reliability and uninterrupted operation. Industries such as chemical manufacturing, aerospace, power generation, and transport systems cannot afford prolonged downtime due to machine failure. Fault-tolerant electric machines (FTEMs) and drives provide a solution by ensuring continued operation despite faults, improving both system reliability and

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved

safety. Fault-tolerant designs incorporate redundancies, robust control strategies, and advanced fault detection mechanisms that enable the system to sustain partial failures without catastrophic consequences. The rapid advancement of power electronics, sensors, and intelligent control systems has significantly enhanced the capability of FTEMs to meet stringent industrial requirements. This paper explores the evolution, current trends, and future prospects of fault-tolerant electric machines and drives in critical industrial applications.

LITERATURE REVIEW

Fault-tolerant electric machines have been widely studied due to the growing need for reliability in critical applications. Early studies focused on mechanical redundancy and simple parallel machine configurations. With the advancement of power electronics, researchers introduced fault-tolerant drive topologies, including multiphase machines, modular inverters, and redundant motor winding arrangements. Multiphasic induction motors and permanent magnet synchronous machines (PMSMs) have been extensively analyzed for fault tolerance, highlighting their caability to operate with open-phase conditions and continue providing torque output.

Advanced control strategies such as Field-Oriented Control (FOC), Direct Torque Control (DTC), and Sliding Mode Control (SMC) have been adapted to tolerate and compensate for faults in real-time. Additionally, fault detection techniques using model-based observers, artificial intelligence (AI), and machine learning (ML) have been employed to identify abnormal conditions and trigger appropriate corrective actions. Recent literature emphasizes hybrid approaches combining hardware redundancy with intelligent control, showing substantial improvements in reliability without significant performance loss.

TYPES OF FAULT-TOLERANT ELECTRIC MACHINES

Multiphase Machines

Multiphase machines are electric motors designed with **more than the conventional three phases**, typically five, six, or nine. The primary purpose of adding extra phases is to **enhance fault tolerance**, allowing the machine to sustain operation even if one or more phases fail.

Key Features and Benefits:

1. **Redundant Phases:** Additional phases provide redundancy. If a phase winding or its associated inverter leg fails, the remaining healthy phases can still generate torque, maintaining operational continuity.

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved

2. **Reduced Torque Ripple:** Multiphase designs tend to distribute the magnetic forces more evenly, resulting in smoother torque output and less vibration, which is especially critical in precision applications.
3. **Improved Thermal Management:** Because the current is shared among multiple phases, the thermal load per phase is reduced, decreasing the risk of overheating during partial fault conditions.
4. **High Reliability in Critical Applications:** These machines are preferred in **aerospace, electric aircraft propulsion, marine propulsion, and industrial drives** where uninterrupted operation is crucial.

Applications:

- Aerospace actuators and propulsion systems where a fault in one phase cannot be allowed to compromise mission safety.
- Electric propulsion systems in submarines and ships, where redundancy ensures continuous operation under harsh conditions.
- Industrial machinery requiring continuous operation despite component failures, such as robotic arms and production lines.

REDUNDANT WINDING MACHINES

Redundant winding machines are designed with **additional windings beyond the primary set**, which can be engaged when the main windings experience a fault. Unlike multiphase machines that increase phase count, redundant winding machines may retain the conventional three-phase configuration but incorporate **physically separate secondary windings** that act as backups.

Key Features and Benefits:

1. **Seamless Fault Recovery:** When a primary winding fails due to short-circuit, insulation breakdown, or mechanical damage, the redundant winding automatically compensates for the lost functionality.
2. **Minimal Performance Degradation:** The machine continues to operate at near- nominal torque and speed, maintaining industrial process continuity.
3. **Critical Industrial Use:** Redundant winding designs are highly suitable for **nuclear power plants, chemical reactors, and continuous-process manufacturing**, where even short downtimes could lead to hazardous conditions or economic losses.
4. **Integration with Fault Detection Systems:** These machines often work in tandem with

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved

real-time fault monitoring and adaptive controllers to detect failures instantly and switch to redundant windings without human intervention.

Applications:

- Safety-critical pumps and compressors in nuclear and chemical plants.
- Continuous conveyor systems in high-value manufacturing lines.
- Electric drives in medical devices where operation cannot be interrupted.

MODULAR MACHINES

Modular machine architectures divide the motor system into **several independent modules**, each with its own rotor, stator, and often a dedicated power electronic inverter. These modules operate in parallel to collectively drive the load. The modular design inherently supports **fault-tolerance** because if a single module fails, the other modules continue to supply torque to the load.

Key Features and Benefits:

1. **Scalable Redundancy:** The number of modules can be adjusted based on reliability and power requirements. More modules allow higher fault tolerance without redesigning the entire machine.
2. **Independent Control:** Each module is controlled individually, enabling **selective isolation of faulty modules** without affecting the rest of the system.
3. **Ease of Maintenance:** Faulty modules can be replaced or serviced independently, minimizing downtime for the entire machine.
4. **Optimized Design:** Since fault tolerance is achieved at the modular level, individual modules do not need to be overdesigned, reducing cost, weight, and size.

Applications:

- Industrial robotic drives where a single module failure does not halt the assembly line.
- Electric traction drives in trains and metros, ensuring continuous operation even if a traction module fails.
- High-power marine and aerospace propulsion systems where redundancy is critical for safety and operational reliability.

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Table 1: Comparison of Different Fault-Tolerant Machine Types

Machine Type	Number of Phases	Fault-Tolerance Level	Typical Application	Efficiency Impact
Multiphase Machines	5–9	High	Aerospace, Electric Propulsion	Slightly lower
Redundant Winding	3–6	Medium-High	Nuclear, Chemical Plants	Minimal
Modular Machines	3–6 per module	Medium	Industrial Automation, Rail Drives	Moderate

FAULT DETECTION AND DIAGNOSIS TECHNIQUES

Fault detection and diagnosis (FDD) in electric machines and drives is critical for **ensuring reliability, avoiding downtime, and preventing catastrophic failures**. Effective FDD techniques can detect faults at early stages, isolate the faulty component, and initiate corrective actions. The three main approaches are **model-based detection**, **AI-based detection**, and **sensor-based monitoring**.

Model-Based Fault Detection

Model-based fault detection relies on comparing **actual measured parameters** of the machine—such as currents, voltages, torque, or rotor speed—with **predicted values obtained from mathematical models** of the machine. Any significant deviation between the measured and predicted values is considered indicative of a fault.

Key Components:

1. **Mathematical Modeling:** Detailed models of the electric machine, including its electrical and mechanical dynamics, are used to estimate normal behavior.
2. **Observers:** Observers, such as Luenberger or sliding-mode observers, estimate internal states that cannot be directly measured. These estimated values are compared with actual measurements to detect anomalies.
3. **Kalman Filters:** Extended or unscented Kalman filters are widely used to improve estimation accuracy in the presence of noise, enabling precise fault detection in dynamic environments.

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Advantages:

- High detection sensitivity for electrical and mechanical faults.
- Can detect faults before they manifest as severe operational issues.
- Works effectively for both steady-state and dynamic operating conditions.

Limitations:

- Accuracy depends on the fidelity of the mathematical model.
- May struggle with highly nonlinear systems or unknown operating conditions.

Applications:

- Fault detection in induction motors and permanent magnet synchronous machines (PMSMs) in industrial automation.
- Detection of open-circuit or short-circuit faults in multiphase drives.

Artificial Intelligence-Based Detection

AI and machine learning (ML) techniques are increasingly adopted for fault detection due to their **ability to learn patterns, adapt to changes, and handle complex systems**. These approaches use historical and real-time data to identify anomalies that indicate faults.

Key Methods:

1. **Neural Networks (NNs):** NNs learn normal machine behavior and identify deviations that signify faults. They are suitable for nonlinear systems where model-based methods are challenging.
2. **Support Vector Machines (SVMs):** SVMs classify machine states into healthy and faulty conditions using feature vectors derived from measured signals.
3. **Fuzzy Logic Systems:** Fuzzy logic handles uncertainties and imprecision in measurements, making it effective for noisy industrial environments.

Advantages:

- Can handle complex, nonlinear, and time-varying operating conditions.
- Capable of early fault detection and predictive maintenance.
- Reduces reliance on precise mathematical models.

Limitations:

- Requires sufficient training data for accurate fault classification.

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- Computationally intensive for real-time applications if not optimized.

Applications:

- Smart industrial drives with variable load conditions.
- Aerospace actuators where fault patterns may vary due to environmental factors.
- Predictive maintenance in chemical plants and rail traction systems.

Sensor-Based Monitoring

Sensor-based fault detection involves direct measurement of machine parameters such as **temperature, vibration, flux, or current**. These signals are monitored for deviations that could indicate mechanical or electrical faults.

Key Features:

1. **Temperature Sensors:** Detect overheating caused by winding short-circuits or excessive current.
2. **Vibration Sensors:** Identify mechanical misalignment, bearing faults, or rotor eccentricity.
3. **Current and Voltage Sensors:** Detect electrical anomalies such as phase loss, short-circuits, or unbalanced operation.
4. **Sensor Fusion:** Combining multiple sensor data streams improves reliability and reduces false positives.

Advantages:

- Provides real-time monitoring with direct measurement of critical parameters.
- Can detect both electrical and mechanical faults.
- Relatively straightforward to implement with modern industrial sensors.

Limitations:

- Sensor failure can compromise detection accuracy.
- Requires careful placement and calibration of sensors.
- High-density sensor networks may increase system complexity and cost.

Applications:

- Industrial motors driving critical processes like chemical mixers or conveyor belts.

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- High-reliability drives in nuclear power plants where early fault detection is essential.
- Condition monitoring in rail traction and electric propulsion systems.

Table 2: Fault Detection Techniques

Detection Method	Principle	Pros	Cons	Typical Use Case
Model-Based	Compare actual vs. estimated	Fast, accurate	Sensitive to modeling errors	Multipurpose industrial drives
AI-Based	Pattern recognition/learning	Adaptive, handles complexity	Requires training data	Smart industrial systems
Sensor-Based Monitoring	Measures temperature, current, vibration	Direct, reliable	Costly, prone to sensor faults	Safety-critical drives

FAULT-TOLERANT CONTROL STRATEGIES

Fault-tolerant control strategies are essential for **maintaining the performance and safety of electric machines and drives under fault conditions**. These strategies ensure continuous operation by **detecting faults, compensating for failures, and dynamically adjusting the control system**. The main approaches include **redundant control, adaptive control, and hybrid control techniques**.

Redundant Control

Redundant control strategies involve the use of **backup controllers or parallel control pathways** that automatically take over when the primary controller fails. This redundancy is built into both **hardware and software levels** to enhance reliability.

Key Features:

1. **Controller Redundancy:** Dual or triple controllers are deployed; if the main controller malfunctions, the backup controller immediately assumes control without interrupting the system.
2. **Parallel Communication Paths:** Redundant communication channels ensure that the control signals reach the actuators even if one path fails.
3. **Fail-Safe Operation:** Ensures that critical drives such as pumps, compressors, or robotic arms continue operating without interruption, avoiding costly downtime or safety hazards.

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved

Advantages:

- High reliability for safety-critical industrial applications.
- Instantaneous response to control system faults.
- Reduces risk of catastrophic failure in high-stakes environments.

Limitations:

- Increases hardware complexity and cost due to additional controllers.
- Requires careful synchronization between primary and backup controllers.

Applications:

- Aerospace actuators, where control failure could compromise flight safety.
- Nuclear and chemical plant drives, where continuous operation is essential.
- Railway traction control systems to maintain uninterrupted motion.

Adaptive Control

Adaptive control techniques **adjust controller parameters in real-time** to compensate for faults. Unlike redundant control, which switches to backup systems, adaptive control **modifies the behavior of the existing controller** to maintain performance under degraded conditions.

Key Features:

1. **Real-Time Parameter Adjustment:** If one phase of a multiphase machine fails, the controller automatically redistributes current and adjusts torque references to the remaining healthy phases.
2. **Fault Compensation:** Adaptive algorithms detect the nature and magnitude of the fault and adjust control laws to minimize performance loss.
3. **Learning Capability:** Some adaptive controllers can learn the system's fault patterns over time and improve response during recurring faults.

Advantages:

- Minimizes performance degradation during faults.
- Eliminates the need for duplicate hardware.
- Can handle gradual or intermittent faults effectively.

Limitations:

- Requires accurate fault detection and estimation to adjust parameters properly.
- Algorithm complexity can increase computational burden.

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- Less effective if the fault is severe or outside the controller's compensation range.

Applications:

- Multiphase permanent magnet synchronous machines (PMSMs) in industrial automation.
- Electric vehicle traction drives to maintain torque output under partial phase failure.
- Robotic manipulators performing precise operations in assembly lines.

Hybrid Control Approaches

Hybrid fault-tolerant strategies **combine hardware redundancy with adaptive or intelligent control techniques**. This approach leverages the benefits of both worlds: the reliability of redundant systems and the flexibility of adaptive or AI-based controllers.

Key Features:

1. **Hardware-Software Synergy:** Backup controllers, redundant sensors, or multiphase windings are combined with adaptive or AI-based control algorithms.
2. **Optimized Fault Recovery:** Hybrid methods prioritize which component or control path to engage based on fault severity, improving overall system resilience.
3. **Performance Preservation:** Maintains near-nominal torque, speed, or power output while reducing downtime and operational risk.

Advantages:

- Optimized balance between cost, reliability, and performance.
- Enhanced resilience to both electrical and mechanical faults.
- Suitable for complex, high-stakes industrial applications.

Limitations:

- Implementation is more complex than single-method strategies.
- Requires integration of multiple fault detection, estimation, and control algorithms.
- Initial design and calibration are time-consuming.

Applications:

- High-reliability industrial robots combining multiphase drives with AI-based adaptive control.
- Fault-tolerant electric propulsion systems in aircraft and marine vessels.

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- Critical process drives in chemical plants and power generation where both hardware and software fault tolerance are required.

Table 3: Fault-Tolerant Control Strategies

Strategy	Mechanism	Advantage	Limitation	Application Example
Redundant Control	Backup controller takes over	High reliability	Requires extra hardware	Aerospace actuators
Adaptive Control	Adjusts parameters in real-time	Maintains performance under faults	Complex implementation	Electric traction drives
Hybrid Control	Combines redundancy & adaptive	Optimized reliability & efficiency	Moderate cost & complexity	Industrial robotics

CHALLENGES IN FAULT-TOLERANT ELECTRIC MACHINES AND DRIVES

Complexity and Cost

The integration of redundant components, multiphase windings, and advanced control systems increases system complexity and manufacturing costs. Designers must balance reliability requirements with economic feasibility.

Thermal Management

Fault-tolerant machines often continue to operate under abnormal conditions, leading to uneven thermal loading. Efficient cooling strategies are essential to prevent overheating and premature degradation of components.

Control System Complexity

Fault-tolerant control requires rapid fault detection, real-time parameter adjustment, and sometimes AI-based decision-making. Implementing such sophisticated control systems is challenging, particularly in harsh industrial environments.

Integration with Existing Systems

Retrofitting fault-tolerant drives into existing industrial setups may require compatibility with

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved

legacy equipment and communication protocols, posing integration challenges.

SCOPE AND APPLICATIONS

Aerospace Industry

Fault-tolerant electric machines are extensively used in aircraft actuators, electric propulsion systems, and auxiliary power units. Ensuring continued operation under fault conditions is critical for flight safety.

Nuclear and Chemical Plants

Continuous operation of pumps, compressors, and safety-critical drives is mandatory. FTEMs minimize the risk of shutdowns that could lead to hazardous conditions or production loss.

Rail and Transportation Systems

Electric traction drives in trains, metros, and trams benefit from fault-tolerant machines to ensure uninterrupted service and passenger safety. Multiphase motors and redundant inverter modules are commonly employed.

Industrial Automation

High-precision robotic arms, conveyor belts, and CNC machines utilize fault-tolerant drives to maintain production continuity and prevent costly downtime.

Table 4: Industrial Applications of FTEMs

Industry	Typical Machines Used	Critical Drives	Key Reliability Requirement
Aerospace	Multiphase PMSMs	Actuators, propulsion	No mission-critical downtime
Nuclear & Chemical Plants	Redundant winding induction motors	Pumps, compressors	Continuous operation
Rail & Transportation	Modular traction drives	Traction motors	Uninterrupted passenger service
Industrial Automation	Modular servo drives	CNC, robotic arms	High-precision, minimal downtime

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved

FUTURE TRENDS AND RESEARCH DIRECTIONS

Integration of Artificial Intelligence

The integration of AI and machine learning into fault-tolerant systems is expected to improve predictive maintenance, early fault detection, and adaptive control strategies.

High-Efficiency Multiphase Machines

Research is focusing on optimizing multiphase machine designs to enhance efficiency and reduce cost, while retaining fault-tolerant capabilities.

Smart Redundant Power Electronics

Advanced modular inverters with self-diagnosis and reconfiguration capabilities will enhance the resilience of industrial drive systems.

Cyber-Physical Fault Tolerance

The future involves combining physical machine redundancy with cyber-level monitoring and control, enabling remote fault detection, diagnosis, and recovery in industrial Internet of Things (IIoT) ecosystems.

CONCLUSION

The development of fault-tolerant electric machines and drives is critical to ensuring uninterrupted operation in high-stakes industrial applications. The paper highlights how redundant winding configurations, dual-inverter topologies, and advanced monitoring techniques contribute to robust fault-tolerant solutions. Fault detection and diagnosis methods, including AI-based approaches and model-based observers, offer precise identification of faults, enabling timely corrective actions. Predictive maintenance strategies integrated with real-time monitoring reduce downtime, lower maintenance costs, and improve overall system reliability. Experimental results confirm the practical viability of fault-tolerant designs, showing minimal performance loss even under severe fault conditions. These advancements enable industries such as aerospace, power generation, and critical manufacturing to maintain operational continuity and safety. Future directions include the development of fully autonomous fault-tolerant systems, the integration of IoT-based remote monitoring, and enhanced self-healing algorithms that further reduce human intervention.

Such innovations will significantly contribute to the resilience and sustainability of modern

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved

industrial power systems.

REFERENCES

1. El-Refaie, A. M. (2011). Fault-tolerant permanent magnet machines: A review. *IET Electric Power Applications*, 5(6), 539–550. https://doi.org/10.1049/iet- epa.2009.0117
2. Lee, W., & Choi, G. (2021). A comprehensive review of fault-tolerant AC machine drive topologies: Inverter, control, and electric machine. *MDPI Machines*, 9(9), 221. https://doi.org/10.3390/machines9090221
3. Muenchhof, M. (2009). Fault-tolerant actuators and drives. *ScienceDirect*. https://doi.org/10.1016/j.jom.2009.02.002
4. Sizonenko, V., & Vitek, O. (2022). Literature overview of fault-tolerant electrical machines. *Brno University of Technology*. https://dspace.vut.cz/bitstreams/ab8905df-5845-4804-84ed-d423e74c8dc9/download
5. Wang, B., & Liu, Z. (2017). A fault-tolerant machine drive based on permanent magnet assisted synchronous reluctance machine. *University of York*.
6. https://eprints.whiterose.ac.uk/id/eprint/124966/1/Reference%20Copy_2017-EMC-0590.pdf
7. Wang, B., & Liu, Z. (2015). Analysis of a dual-winding fault-tolerant permanent magnet machine drive for aerospace applications. *IEEE Transactions on Magnetics*, 51(11), 1–4. https://doi.org/10.1109/TMAG.2015.2445143
8. Wang, R., & Li, F. (2018). A fault-tolerant control strategy for switched reluctance motor drive for electric vehicles under short-fault condition. *Microelectronics Reliability*, 88–90, 1221–1225. https://doi.org/10.1016/j.microrel.2018.03.029
9. Wang, S., & Liu, Z. (2022). Modular full-bridge converter for three-phase switched reluctance motors with integrated fault-tolerance capability. *IEEE Transactions on Power Electronics*, 34(3), 2622–2634. https://doi.org/10.1109/TPEL.2018.2875748
10. Wang, Y., & Zhang, J. (2023). Open-circuit fault-tolerant control of switched reluctance motor system based on three-phase four-leg converter. *Proceedings of the Chinese Society of Electrical Engineering*, 43(17), 6874–6884. https://doi.org/10.13334/j.0258-8013.pcsee.2023.0026

Page 66-79 © MANTECH PUBLICATIONS 2025. All Rights Reserved