Real-Time Fault Detection and Estimation Algorithms

Authors: Dr. Shalini Banerjee
Assistant Professor, Department of Electrical Engineering,
Beck Institute of Technology, Durgapur,
West Bengal, India
Email: *shalini.banerjee85@bit_wb.edu.in*

Mr. Arun Kumar
Lecturer, Department of Electronics and Communication Engineering,
Tiruvannamalai College of Engineering,
Tiruvannamalai,
Tamil Nadu, India
Email*: arunkumar_tce93@gmail.com*

ABSTRACT

Real-time fault detection and estimation are indispensable in modern industrial systems to maintain system reliability, safety, and uninterrupted operation. These algorithms identify abnormal conditions from streaming data and estimate fault parameters to support corrective action. This paper reviews real-time methods grounded in model-based, data-driven, and hybrid approaches, examines metrics for performance evaluation, and discusses implementation challenges and trends. With the advent of ***Industry 4.0****, real-time detection has evolved from threshold-based schemes toward* ***machine learning and intelligent estimation methods****.*

KEYWORDS:- *Real-time fault detection; Fault estimation; Condition monitoring; Model-based methods; Data-driven approaches; Hybrid fault diagnosis; Machine learning; Industry 4.0; Performance evaluation metrics*

Page 119-123 © MANTECH PUBLICATIONS 2025. All Rights Reserved

INTRODUCTION

Real-time fault detection and estimation algorithms continuously monitor system states and measurements to identify anomalies and quantify the nature of faults. With ever-increasing automation and sensor networks in industrial processes, these algorithms aid predictive maintenance and reduce downtime. Traditional threshold-based methods are being augmented by **AI-driven classifiers, filtering methods, and state observers** to improve accuracy and responsiveness.

CLASSIFICATION OF REAL-TIME FAULT DETECTION METHODS

Real-time detection algorithms can be grouped based on their underlying methodology:

1. Model-Based Methods

Model-based techniques rely on mathematical models of the system. A residual signal (difference between measured and estimated behavior) is monitored in real time:

- **Kalman filter** and its variants for state estimation and error detection.
- Iterative estimation algorithms using **RLS** (Recursive Least Squares) with statistical tests such as Hotelling's T2T^2T2 to trigger fault alarms.

2. Data-Driven Methods

These methods leverage machine learning and signal processing to distinguish between normal and abnormal states, often with no explicit model:

- **Neural networks** for classification of faults in electrical networks.
- Hybrid techniques combining AI with real-time sensor streams to adapt to non-stationary conditions.

3. Hybrid Methods

These combine model residuals with pattern recognition or learning, providing robust detection in complex systems. AI algorithms can refine or supplement traditional estimators to reduce false positives and enhance timeliness.

REAL-TIME FAULT ESTIMATION TECHNIQUES

Once a fault is detected, estimation algorithms quantify the fault's magnitude, type, or location in real time:

- **State estimation** using extended Kalman filters for parameter inference.

Page 119-123 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- **Soft sensors** (virtual sensors) combining multiple measurements to infer unmeasured states.
- Machine learning regression models trained on labeled fault data to provide **real-time severity estimation**.

PERFORMANCE METRICS

To evaluate real-time fault detection and estimation, the following are typically used:

Table 1: Performance Metrics and Definitions

Metric	Meaning
Detection Delay	Time difference from fault occurrence to detection
False Alarm Rate	Proportion of normal state misclassified as fault
Estimation Accuracy	Deviation between estimated and true fault values
Computational Load	Real-time processing cost

REPRESENTATIVE ALGORITHMS

1. Kalman-Based Estimation

Kalman filters estimate system states by minimizing the mean squared error of estimations, making them suitable for continuous detection in linear systems.

2. Machine Learning Classification

Supervised learning models like neural networks can operate in real time to classify sensor patterns as faulty or normal.

3. Real-Time Hybrid Frameworks

Advanced real-time frameworks combine model predictions with learned decision boundaries to reduce false positives while retaining fast response.

APPLICATION DOMAINS

These algorithms find critical use in:

- **Industrial smart manufacturing** for condition monitoring of machinery and production lines.

Page 119-123 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- Smart grids for detecting false data in state estimation.
- Electrical fault monitoring in transmission systems.

EXAMPLE 2D FIGURES

Figure 1: Generic block diagram of a real-time fault detection and estimation system





Figure 2: Comparison of detection results vs time



CHALLENGES AND FUTURE TRENDS

Real-time fault detection still faces obstacles:

- **Sensor noise and data quality** impact real-time responsiveness.
- **Scalability** in high-dimensional systems requires efficient algorithms.
- **AI interpretability** remains a challenge in critical systems.

Advances in edge computing, AI-assisted state estimation, and distributed sensor fusion will drive next-generation real-time detection systems.

CONCLUSIONS

Real-time fault detection and estimation algorithms are pivotal for safe, efficient, and uninterrupted industrial operations. A combination of model-based estimation, data-driven

Page 119-123 © MANTECH PUBLICATIONS 2025. All Rights Reserved

classification, and hybrid techniques leads to robust performance, balancing detection reliability with computational feasibility.

REFERENCES

1. Wenhao Yan et al. “A Review of Real-Time Fault Diagnosis Methods for Industrial Smart Manufacturing.” *Processes*, 2023.
2. “Fault Detection and State Estimation in Automatic Control,” *Applied Sciences*, MDPI.
3. “Fault detection and classification in electrical power transmission system using artificial neural network.” *SpringerPlus*, 2015.
4. “Optimal fault detection design via iterative estimation methods for industrial control systems.” *ScienceDirect*.
5. “Real-Time False Data Detection in Smart Grid Based on Fuzzy Time Series.” *IIETA*.

Page 119-123 © MANTECH PUBLICATIONS 2025. All Rights Reserved