Sensorless and Observer-Based Control Techniques for Fault-Tolerant Electric Drives

Authors

Amit Yadav

Department of Electrical Engineering

Babu Banarasi Das Institute of Technology, Lucknow, India

Email: *amityadav.ee@gmail.com*

Neha Patel

Department of Electrical and Electronics Engineering

Laxmi Institute of Technology, Sarigam, Gujarat, India

Email*: nehapatel.eee@gmail.com*

ABSTRACT

Modern electric drive systems are increasingly required to operate with high reliability under sensor faults, actuator failures, and adverse operating conditions. Mechanical sensors such as encoders and resolvers are prone to failure due to harsh environments, cost constraints, and wiring issues. Sensorless and observer-based control techniques provide an effective solution by estimating unmeasured states such as speed, position, and flux using mathematical models and measured electrical signals. This paper presents a comprehensive review of sensorless and observer-based control strategies for fault-tolerant electric drives. Various observer structures, fault detection mechanisms, and reconfiguration strategies are discussed. Comparative analysis through tables and conceptual figures demonstrates the effectiveness of these approaches in ensuring continuous and safe drive operation.

KEYWORDS: - *Sensorless control, fault-tolerant drives, observers, induction motor, PMSM, state estimation, reliability*

Page 134-139 © MANTECH PUBLICATIONS 2025. All Rights Reserved

INTRODUCTION

Electric drives play a vital role in industrial automation, electric vehicles, renewable energy systems, and aerospace applications. Traditional drive systems rely heavily on mechanical sensors for speed and position feedback. However, these sensors increase system cost, reduce reliability, and are often the first components to fail under vibration, temperature, or dust.

Sensorless control eliminates physical sensors by estimating required states using observers and estimators. When combined with **fault-tolerant control (FTC)** strategies, sensorless drives can continue operation even during sensor or partial actuator failures.

This paper focuses on observer-based sensorless techniques and their application to fault-tolerant electric drive systems.

FAULTS IN ELECTRIC DRIVE SYSTEMS

1. Common Fault Types

- Speed or position sensor failure
- Current sensor offset or open-circuit
- Inverter switch faults
- Stator winding faults
- DC-link voltage variations

2. Impact of Sensor Faults

Sensor faults may lead to:

- Loss of closed-loop control
- Torque ripple
- Drive instability
- System shutdown

Fault-tolerant sensorless control aims to **detect**, **isolate**, and **accommodate** these faults.

3. Sensorless Control Principles


Sensorless control estimates speed and position using:

- Stator voltages and currents
- Motor mathematical models

Page 134-139 © MANTECH PUBLICATIONS 2025. All Rights Reserved

- Observers and estimators

Figure 1: Conventional vs Sensorless Drive Control



OBSERVER-BASED CONTROL TECHNIQUES

Observers estimate internal states of a motor system.

1. Luenberger Observer

- Linear observer
- Simple structure
- Sensitive to parameter variations

2. Extended Kalman Filter (EKF)

- Handles nonlinearity
- Robust to noise
- High computational complexity

3. Sliding Mode Observer (SMO)

- Robust to parameter uncertainties
- Fast convergence
- Chattering effect possible

Page 134-139 © MANTECH PUBLICATIONS 2025. All Rights Reserved

4. Model Reference Adaptive System (MRAS)


- Widely used in induction motor drives
- Good dynamic response
- Sensitive to stator resistance variation

FAULT-TOLERANT CONTROL USING OBSERVERS

Observers play a dual role:

1. State estimation (speed, flux)
2. Fault detection and isolation (FDI)

Figure 2: Observer-Based Fault-Tolerant Drive Architecture



Fault Detection & Reconfiguration

When sensor failure is detected, the system switches to sensorless mode seamlessly.

Page 134-139 © MANTECH PUBLICATIONS 2025. All Rights Reserved

APPLICATION TO MOTOR DRIVES

1. Induction Motor Drives

- MRAS and SMO are most common
- Suitable for industrial drives
- Challenges at low speed operation

2. PMSM Drives

- Back-EMF observers
- High-frequency signal injection for low speed
- Widely used in EV traction systems

COMPARATIVE ANALYSIS

Table 1: Comparison of Observer Techniques

Observer Type	Robustness	Complexity	Low-Speed Performance	FTC Suitability
Luenberger	Low	Low	Poor	Limited
MRAS	Medium	Medium	Moderate	Good
EKF	High	High	Good	Excellent
SMO	Very High	Medium	Good	Excellent

ADVANTAGES AND CHALLENGES

Advantages

- Reduced hardware cost
- Improved reliability
- Continuous operation under faults
- Reduced maintenance

Challenges

- Parameter sensitivity
- Computational burden
- Noise and model mismatch
- Low-speed observability issues

Page 134-139 © MANTECH PUBLICATIONS 2025. All Rights Reserved

FUTURE TRENDS

- AI-assisted observers
- Digital twin-based fault detection
- Hybrid observer structures
- Hardware acceleration using DSPs and FPGAs

CONCLUSION

Sensorless and observer-based control techniques significantly enhance the fault tolerance of electric drive systems. By eliminating mechanical sensors and employing robust observers, drive systems achieve higher reliability, reduced cost, and improved fault resilience. Continued research in hybrid observers and intelligent estimation methods will further strengthen their industrial adoption.

REFERENCES

1. Holtz, J., **"Sensorless Control of Induction Motor Drives"**, *Proceedings of the IEEE*, Vol. 90, No. 8, pp. 1359–1394, 2002.
2. Vas, P., **"Sensorless Vector and Direct Torque Control"**, Oxford University Press, 1998.
3. Bose, B. K., **"Modern Power Electronics and AC Drives"**, Prentice Hall, 2002.
4. Kubota, H., Matsuse, K., & Nakano, T., **"DSP-Based Speed Adaptive Flux Observer of Induction Motor"**, *IEEE Transactions on Industry Applications*, Vol. 29, No. 2, pp. 344–348, 1993.
5. Kim, S., Sul, S. K., **"Sensorless Control of AC Motor—Where Are We Now?"**, *IEEE Transactions on Industrial Electronics*, Vol. 53, No. 5, pp. 1607–1621, 2006.
6. Blaschke, F., **"The Principle of Field Orientation as Applied to the New Transvector Closed-Loop Control System for Rotating Field Machines"**, *Siemens Review*, 1972.
7. Zhang, Y., & Jiang, J., **"Bibliographical Review on Reconfigurable Fault-Tolerant Control Systems"**, *Annual Reviews in Control*, Vol. 32, pp. 229–252, 2008.

Page 134-139 © MANTECH PUBLICATIONS 2025. All Rights Reserved